Lopressor/ Metroprolol



High blood pressure, high heart rates, decreases the workload of the heart

MOST COMMON SIDE EFFECTS:

Dizziness (caused by a low blood pressure), low heart rate





Coreg/ Carvedilol



High blood pressure, high heart rates, decreases the workload of the heart

MOST COMMON SIDE EFFECTS:

Dizziness (caused by a low blood pressure), low heart rate





Prednisone



Steroids to decrease inflammation

MOST COMMON SIDE EFFECTS:

sugar

Headache, dizziness, difficulty falling asleep or staying asleep, inappropriate happiness, changes in personality, increased swelling, increased blood





Prilosec/ Omeprazole

WHAT DOES IT TREAT?

Gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn



MOST COMMON SIDE EFFECTS:

Headache, constipation, diarrhea, nausea, vomiting, stomach pain




Rev. 11/14

Nexium/ Esomeprazole

WHAT DOES IT TREAT?

Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn



MOST COMMON SIDE EFFECTS:

Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Zantac/ Ranitidine

WHAT DOES IT TREAT?

Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn



MOST COMMON SIDE EFFECTS:

Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 11/14

Pradaxa/ Dabigatrain



It is a blood thinner used to prevent blood clots from forming, used to prevent strokes in those with A-fib due to non-heart valve causes



MOST COMMON SIDE EFFECTS: Excessive bleeding (if y cut yourself), weakness

Excessive bleeding (if you cut yourself), weakness, easy bruising, blood in urine or stool, joint pain or swelling



Coumadin/ Warfarin





Rev. 11/14 M-687-8

WHAT DOES IT TREAT?

It is a blood thinner used to prevent blood clots from forming or growing larger in your blood and blood vessels. Prescribed for people with irregular heart beat (like A-fib), prosthetic heart valves, and people who have had a heart attack



MOST COMMON SIDE EFFECTS:

Excessive bleeding (if you cut yourself), gas, change in the way things taste, tiredness, pale skin, loss of hair, feeling cold or having chills

Do not eat food that contains vitamin K, such as spinach and

cranberry juice. Also, you will need to get your blood drawn to evaluate your levels (PT/INR) to ensure your blood is thin enough to be effective

Nitroglycerin



Chest pain, relaxes blood vessels so heart does not have to work as hard

MOST COMMON SIDE EFFECTS:

Headache, dizziness, swelling of hands, feet, ankles or lower legs, fainting





Lanoxin/ Digoxin





WHAT DOES IT TREAT?

Increases the strength and vigor of heart contractions, and is useful in the treatment of heart failure

MOST COMMON SIDE EFFECTS:

Headache, dizziness, skin rash, mental changes

Many Digoxin side effects are dose dependent and happen when blood levels are over the narrow therapeutic range; therefore, you will have to

have your blood drawn to check the level of Digoxin in your bloodstream

Cordarone, Pacerone/ Amiodarone



WHAT DOES IT TREAT?

Helps to prevent certain types of life-threatening ventricular arrythmias (certain type of abnormal heart rhythm), works by relaxing overactive heart muscles.



MOST COMMON SIDE EFFECTS:

Constipation, loss of appetite, difficulty falling asleep or staying asleep, decreased sex drive, headache



Calan, Isoptin/ Verapamil



WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain



MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 11/14

Adalat, Procardia/ Nifedipine



Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain



MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Cozaar/ Losartan



WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:



Dizziness, light-headedness or faint, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



Cardizem, Tiazac/ Diltiazem



WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain



MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 11/14

Norvasc/ Amlodipine



Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain




MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Benicar/ Olmesartan



Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:



Dizziness, light-headness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



Avapro/ Candesarten



Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:



Dizziness, light-headness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



Rev. 11/14

Plavix/ Clopidogrel



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by onethird

MOST COMMON SIDE **FFFFCTS:**

Joint pain, head pain



Bufferin, Easprin, Ecotrin, Halfprin, Ascriptin/ Acetylsalicylic (Aspirin)



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-





MOST COMMON SIDE FFFFCTS:

Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising,

ringing in the ears



Tricor/ Fenfibrate





WHAT DOES IT TREAT?

Reduces fatty substances like cholesterol and triglycerides in the blood and increases your HDL (good cholesterol)



MOST COMMON SIDE EFFECTS:

Headache, back pain, flu-like symptoms, chest congestion/difficulty breathing, unexplained bleeding (report this side effect to your doctor),

feeling more tired than usual (report this side effect to your doctor)

Zocor/ Simvastatin

WHAT DOES IT TREAT?

Lowers cholesterol

MOST COMMON SIDE EFFECTS:

Soreness, tiredness or weakness in muscles, stomach/digestive problems, rash





Rev. 11/14

Pravachol/ Pravastatin

WHAT DOES IT TREAT?

Lowers cholesterol

MOST COMMON SIDE EFFECTS:

Soreness, tiredness or weakness in muscles, stomach/digestive problems, rash





Rev. 11/14

Lipitor/ Atorvastatin

WHAT DOES IT TREAT?

Lowers cholesterol

MOST COMMON SIDE EFFECTS:

Soreness, tiredness or weakness in muscles, stomach/digestive problems, rash





Rev. 11/14

Lescol/ Fluvastatin

WHAT DOES IT TREAT?

Lowers cholesterol

MOST COMMON SIDE EFFECTS:

Soreness, tiredness or weakness in muscles, stomach/digestive problems, rash





Rev. 11/14

Aldactone/ Spironolactone



WHAT DOES IT TREAT?

Reduces the amount of water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:

Muscle weakness, changes in the heartbeat, extreme tiredness



Bumex/ Bumetanide





WHAT DOES IT TREAT?

Reduces the amount of salt and water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:



Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness, dry mouth, fainting, muscle cramps

You may be prescribed a potassium pill along with

Lasix to supplement the potassium lost while on this medicine

Lasix/ Furosemide





WHAT DOES IT TREAT?

Reduces the amount of salt and water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:



Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness

You may be prescribed a potassium pill along with lasix to supplement the

potassium lost while on this medicine

Vasotec/ Enalapril





WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:



Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-clocker

is any medicine that ends in "-olol" or "-ilol"

Prinivil/ Zestril/ Lisinopril





WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:



Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-clocker

is any medicine that ends in "-olol" or "-ilol"

Capoten/ Captopril





WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:



Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-clocker

is any medicine that ends in "-olol" or "-ilol"

Altace/ Ramipril





WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:



Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-clocker icine that ends in "-clo!" or

is any medicine that ends in "-olol" or "-ilol"

Accupril/ Quinapril





WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:




Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-clocker

is any medicine that ends in "-olol" or "-ilol"

Tenormin/ Atenolol



High blood pressure, high heart rates, decreases the workload of the heart

MOST COMMON SIDE EFFECTS:

Dizziness (caused by a low blood pressure), low heart rate





Toprol/ Toprol XL



High blood pressure, high heart rates, decreases the workload of the heart

MOST COMMON SIDE EFFECTS:

Dizziness (caused by a low blood pressure), low heart rate





Micardis/ Telmisartan



Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:



Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



Rev. 11/14

Diovan/ Valsartan



WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

MOST COMMON SIDE EFFECTS:



Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



Rev. 11/14

Avelox/ Moxifloxacin

WHAT DOES IT TREAT?

This is an antibiotic.

MOST COMMON SIDE EFFECTS:

Nausea and Diarrhea.







Rev. 11/14

Catapres/ Clonidine

WHAT DOES IT TREAT?

Helps to lower your blood pressure.

MOST COMMON SIDE EFFECTS:

Drowsiness, dizziness, constipation and dry mouth.







Rev. 11/14

Flagyl/ Metronidazole

WHAT DOES IT TREAT?

This is an antibiotic.

MOST COMMON SIDE EFFECTS:

Headache, nausea and diarrhea.







Rev. 11/14

Celexa/ Citalopram

WHAT DOES IT TREAT?

This is an antidepressant.

MOST COMMON SIDE EFFECTS:

Difficulty sleeping, suicidal ideations, dry mouth, nausea and increased sweating.









It is used to thin the blood so clots will not form.

MOST COMMON SIDE EFFECTS:

Bleeding problems (blood in urine or stool), Upset Stomach, Fever and Bruising Easily





Rev. 11/14

Zestril/ Lisinopril



WHAT DOES IT TREAT?

High Blood Pressure and Heart Failure

MOST COMMON SIDE EFFECTS:

Dizziness (especially when sitting up), Headache, Nasal congestion,
Diarrhea, Allergic reactionitching or swelling of face



Lovenox/ Enoxaparin

WHAT DOES IT TREAT?

Blood Clots

MOST COMMON SIDE EFFECTS:

Bruising, Nausea, Unusual bleeding





Aleve, Naprosyn/ Naproxen



WHAT DOES IT TREAT?

Fever and Pain-by decreasing the bodies response to inflammation.


MOST COMMON SIDE EFFECTS:

Ringing in the ears, Nausea, Stomach pain, Heartburn, Gas, Diarrhea, Constipation



Rev. 11/14

Neurontin/ Gabapentin



Seizures, Neuropathy and Restless Leg Syndrome

MOST COMMON SIDE EFFECTS:

Dizziness, Fatigue, Weight gain, Dry mouth, Nausea









Asthma or COPD
This medication is a combination of steroid and bronchodilator

MOST COMMON SIDE EFFECTS:

Bone Or Muscle Pain, Dry Mouth, Hoarseness or Voice Changes





Rev. 11/14 M-687-47

Synthroid/ Levothyroxine



Thyroid hormone replacement.

MOST COMMON SIDE EFFECTS:

Nervousness, Tremor, Fast heart rate, Palpitations, Weight loss, Increased appetite, Heat intolerance





Reglan/ Metoclopramide

WHAT DOES IT TREAT?

Nausea

MOST COMMON SIDE EFFECTS:

Anxiety, Drowsiness, Fatigue







Rev. 11/14

Vancocin/ Vancomycin

WHAT DOES IT TREAT?

An antibiotic used for infection.

MOST COMMON SIDE EFFECTS:

Nausea







Rev. 11/14

BiDil/ Isosorbide and Hydralazine



Chest pain, Blood pressure and Heart failure

MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Flushing, Nausea, Joint or Muscle Pain





Rev. 11/14

Ciprofloxacin/ Cipro

WHAT DOES IT TREAT?

Infections

MOST COMMON SIDE EFFECTS:

Diarrhea, Nausea, Mild skin rash or Itching







Claforan/ Cefotaxime

WHAT DOES IT TREAT?

Infections

MOST COMMON SIDE EFFECTS:

Diarrhea and Headache







Rev. 11/14

Dilaudid/ Hydromorphone



WHAT DOES IT TREAT?

Moderate to Severe Chronic Pain

MOST COMMON SIDE EFFECTS:

Dizziness, Headache, Nausea,
Vomiting, Blurred Vision,
Constipation, Dry Mouth
and Unusual Drowsiness



Rev. 11/14 M-687-54

Folic Acid



A "B"vitamin given for some types of anemia. It is also given to pregnant women as a supplement.

MOST COMMON SIDE EFFECTS:

0

Altered sleep pattern, Difficulty concentrating, Nausea, Bitter taste



Rev. 11/14

Glucophage/ Metformin

WHAT DOES IT TREAT?

Helps to lower blood sugar levels.

MOST COMMON SIDE EFFECTS:

Diarrhea, Nausea, Vomiting, Gas, Metallic taste in the mouth







Humulin R, Novolin R/ Insulin (regular)



WHAT DOES IT TREAT?

Short acting antidiabetic medication. Helps lower your blood sugar.

MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Increased thirst or appetite,
Redness or swelling where shot is given



Rev. 11/14 M-687-57

Humalog/ Insulin (Lispro)



Short acting antidiabetic medication. Helps lower your blood sugar.

MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Redness or swelling where shot is given





Rev. 11/14

Lantus/ Insulin Glargine



Longer acting antidiabetic medication. Helps lower your blood sugar.

MOST COMMON SIDE EFFECTS:

Rash and Pain at injection site





K-Dur/ Potassium Chloride



Low Potassium Levels
**Take with food.

MOST COMMON SIDE EFFECTS:

Weakness in arms and legs, Nausea,
Diarrhea





Imdur/ Isosorbide



Helps to prevent chest pain.

MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Dizziness, Low blood pressure.



DO NOT TAKE VIAGRA (Cialis or Levitra) WHILE ON THIS MEDICATION.



Rev. 11/14

Senna, Senokot



This is a laxative used to relieve constipation by helping you have a bowel movement.

MOST COMMON SIDE EFFECTS:

Abdominal cramping, Gas, Nausea





Rev. 11/14

Vicoden/ Acetaminophen & Hydrocodone



WHAT DOES IT TREAT?

Pain

MOST COMMON SIDE EFFECTS:


Upset stomach, Dizziness, Lightheadness, Sleepiness

Ask your doctor before taking additional Acetaminophen (Tylenol).



Rev. 11/14

Xanax/ Alprazolam



Anxiety, Pain Disorder, Trouble Sleeping

MOST COMMON SIDE EFFECTS:

Insomnia, Dizziness, Headache,
Drowsiness, Dry Mouth
and Memory Problems





Rev. 11/14 M-687-64

Zofran/ Ondansetron

WHAT DOES IT TREAT?

Nausea

MOST COMMON SIDE EFFECTS:

Dizziness, Fatigue, Headache and Agitation







Zosyn/ Piperacillin and Tazobactam



Infections

MOST COMMON SIDE EFFECTS:

Pain at the site of the injection, Headache, Nausea, Insomnia and Sore Mouth or Tongue





Rev. 11/14 M-687-66

Oretic, Microzide/ Hydrochlorothiazide



Helps to decrease excess fluid/ swelling. Used alone or with other medications to treat high blood pressure and fluid retention.



MOST COMMON SIDE EFFECTS:

Dizziness, Headache, Nausea, Diarrhea, Constipation, Muscle Cramps, and Frequent Urination



Rev. 11/14 M-687-67

Albuterol



Treats or prevents bronchospasm with asthma, emphysema, chronic bronchitis, or other lung diseases-also prevents wheezing caused by exercise.

60

MOST COMMON SIDE EFFECTS:

Cough, Sore Throat, Nasal Congestion, Fast or Uneven Heartbeat



Rev. 11/14

Tylenol/ Acetaminophen



This treats minor aches and pains, and reduces fever.

MOST COMMON SIDE EFFECTS:

Rash, Dark Colored Urine, Unusual
Bleeding or Bruising





Rev. 11/14

Azithromycin

WHAT DOES IT TREAT?

This is used to treat infection.

MOST COMMON SIDE EFFECTS:

Sleepiness, Headache and Dizziness







Rev. 11/14