

McLaren Print System Order

Order No: 9618 Reprint Previous Order No: 5528 Order Date: 2015-03-05 User: lynn thomas Phone: 810-487-3500

Ship Location: Flushing Community Medical Center 2487 N Elms Rd Flushing, MI 48433

Forms Quantity: 500 Paragon Dept No: 63600 Dept Name: Flushing Company Number: 810

Order Total Price: 47.40

Item Number: MM-3359 Item Description: Normal Lab Results Card (Adult) Revision Date: 10/2013 Print: 2 sided black and white Paper: 65# White Cover Size: 8.5 x 11 Fold: Bi-Fold (1/2) Finish: Drill: Misc Info:

Total chokesheral shout/be under 200
 HEX. (pool chokesheral shout) be uner 40 and un

- the improved with regular sensitive. I ER, Hall Antonino, it invalid to risks Team 120. By Person al accentry in the Person provide with instrument with infrancial for the Person Person (V). Progeties with instrument actives distances, distribution, activation, or contribution actives and between Characteristics of the Source 11, instrumes and between Characteristics in part dust and instrume and between Characteristics in part dust and instrumes and participation.
- Toggoundies as toward tool structly to uses then 150 Reduction of delay's carbonychesis devects parties, only environment of another induces proposition.
   Theready delay (2021) is a measure of test block order.
- Firm, you have a works. • Normal Rading Mixed appents: at placese F70:100 Discuss intelling Witch 201-108, Annual our
- 10 may inclusiv diabatis.
  High 4.10 g(mil): a a measure reflecting the average bined accer due and three months.
- GHB under 1 p.a. scionstender für dabete gebene.
   TBR (Transit scionering that is smalled is under-
- TBP (Physical acrossing loss in consultation in order author Explosite and time in secretables (Explosite PEA, Physical explosite artigrant in a measure of provide activity Normal sectors are \$1.5 Higher
- BUN and Oracitive are sinchesy function tests are other are high, the kickeys are not functioning united.

 Enclosingles admortantities may be caused by and price earliest produces, during deficiences or othe medical produces.

- Next Quark Band is a test for tetter trace/or Product and one may be access bracket annual of particles proceeding trace's contenting White Band Qall Council is also structure in
- automic attivistica papi ansare are an importanti any in actuant to constant various. For automatic behavior to applie of tip-and this, the Amontoin Danion Society Associations and applications and only one to Determine Associations and applications and other and the Beneropaper. Phases associated the determined the applies. Phases associated the determined of the Beneropaper. Phases associated the determined of the Beneropaper. Phases associated the determined of the determined and applies. Phases associated the determined of the determined o
- cancere amout be have by inaninopamic, and the only detection regime a continuation of incetting and coammution, pranty cites at levand ocame, and youtry maintengeme.

100 (100 Per - 107 10)

Thank you

for chassing

McLaren HEALTH CARE

and the physicians and staff who serve you.

Enclosed are the acults of your recent laboratory tests for your personal file.

Please bring all modications to our next physician appointment.

r,