

DATE: \_\_\_\_\_ TIME SEEN: \_\_\_\_\_ on arrival RM: \_\_\_\_\_ EMS Arrival  
 HISTORIAN: patient spouse paramedics \_\_\_\_\_  
 \_\_\_ HX / \_\_\_ EXAM LIMITED BY: \_\_\_\_\_  
 unable to obtain

**HPI**

**chief complaint:** \_\_\_\_\_

---

<b>onset / duration:</b> just PTA today / yesterday _____ _____ min / hrs / days ago	<b>where:</b> home school neighbor's park work street
---	---

**mechanism of trauma:** fists kicked choking  
 pushed / thrown down pushed / thrown against wall  
 weapon(s) or object(s) used: \_\_\_\_\_  
 threatened with \_\_\_\_\_  
 vaginal penetration **Assailant:**  
 rectal penetration known unknown  
 oral penetration multiple assailants \_\_\_\_\_

---

<b>location of pain / injuries:</b>	<b>-right-</b>	<b>-left-</b>
head face mouth	shldr hip	shldr hip
neck chest breast R / L	arm thigh	arm thigh
abdomen perineum rectum	elbow knee	elbow knee
vagina penis scrotum	f-arm leg	f-arm leg
back upper mid lower	wrist ankle	wrist ankle
radiating to R / L thigh / leg	hand foot	hand foot

**severity of pain:**  
 pelvic pain  
 • mild / mod / severe (1/10) \_\_\_\_\_ sudden / intermittent / constant  
 • cramping / pressure / "pain" burning / sharp  
 vulvar / vaginal pain \_\_\_\_\_ rectal \_\_\_\_\_  
 penile / scrotal pain \_\_\_\_\_  
 low back pain / flank pain \_\_\_\_\_  
 abdominal pain: generalized RUQ LUQ RLQ LLQ \_\_\_\_\_

---

**LNMP:** \_\_\_\_\_ post-menop. s / p hyst.  
 pregnant / pos home HCG \_\_\_\_\_ MOS EDC \_\_\_\_\_  
 irregular / missed period(s) \_\_\_\_\_  
 prior abnormal period(s) \_\_\_\_\_

---

**vaginal bleeding:**  
 abnormal bleeding (started) \_\_\_\_\_  
 compared to menstrual periods: severe / heavier / similar / lighter / spotting  
 passing clots / tissue \_\_\_\_\_

**ROS**

CONST - fever / chills	NEURO - headache
RESP - chest pain / cough	EYE - problems with vision
MS - neck / back pain	SKIN - rash
GI - vomiting / diarrhea	LYMPH - joint pain / swelling (R/L)
GU - problems urinating	PSYCH - anxiety / depression

except as marked positive, all systems above reviewed and found negative

**PAST HX** \_\_\_no chronic diseases

cardiac disease Afb CAD CHF MI hypertension  
 diabetes Type 1 Type 2 diet / oral / insulin  
 \_\_\_old records reviewed / summary: \_\_\_\_\_

Obstetric Hx: Grav \_\_\_\_\_ Para \_\_\_\_\_ Ab \_\_\_\_\_  
 Tetanus immun. UTD / given in ED \_\_\_\_\_  
 Meds- \_\_\_none / see nurses note \_\_\_\_\_  
 Allergies- \_\_\_NKDA / see nurses note \_\_\_\_\_

**SOCIAL HX** smoker \_\_\_ppd / never / past / quit: \_\_\_\_\_ ago  
 tobacco: use / dependence \_\_\_\_\_ nicotine: use / dependence \_\_\_\_\_  
 drugs \_\_\_\_\_ alcohol (recent / heavy / occasional) screening \_\_\_\_\_

**FAMILY HX** \_\_\_negative

Nursing Assessment Reviewed  Vitals Reviewed  
 V/S BP \_\_\_\_\_ HR \_\_\_\_\_ RR \_\_\_\_\_ Temp \_\_\_\_\_

**PHYSICAL EXAM**

**General Appearance**  
 \_\_\_no acute distress \_\_\_c-collar/ backboard ( PTA / in ED )  
 \_\_\_alert \_\_\_mild / moderate / severe distress  
 \_\_\_anxious / lethargic

**HEAD**

\_\_\_no evidence of trauma \_\_\_raccoon eyes / Battle's sign ( R / L )

**NECK**

\_\_\_non-tender \_\_\_vertebral point-tenderness  
 \_\_\_painless ROM \_\_\_muscle spasm / decreased ROM  
 \_\_\_pain on movement of neck

**EYES**


\_\_\_PERLL \_\_\_EOM entrapment / palsy ( R / L )  
 \_\_\_EOMI \_\_\_subconjunctival hemorrhage

**ENT**

\_\_\_nml external \_\_\_hemotympanum ( R / L )  
 inspection \_\_\_nasal septal hematoma ( R / L )  
 \_\_\_no dental injury \_\_\_TM obscured by wax ( R / L )  
 \_\_\_clotted nasal blood ( R / L )  
 \_\_\_dental injury / malocclusion

**Wound Description / Repair:** \_\_\_\_\_ cm location \_\_\_\_\_  
 linear stellate irregular flap into: subcut / muscle  
 clean contaminated moderately / heavily  
 distal NVT: neuro / vasc intact galea intact  
 anesthesia: local topical lidocaine / bupivacaine epi / bicarb  
 prep: Betadine / other  
 irrigated with saline  
 wound explored  
 to base / in bloodless field  
 foreign body identified: \_\_\_\_\_  
 wood glass metal other  
 foreign material removed  
 repair: superficial deep complicated  
 Wound closed with: adhesive / Dermabond / steri-strips  
 SKIN- # \_\_\_\_\_ nylon / prolene / staples /  
 silk / ethilon / dexon  
 SUBCUT- # \_\_\_\_\_ vicryl / chromic

**PROCEDURES**



**PELVIC EXAM / GU**  
 external exam nml  
 herpes-like ulcerations  
 external trauma  
 secretions on skin  
 abrasions / ecchymosis  
 vaginal discharge  
 vaginal fluid leakage (pregnant)  
 nitrazine pos / neg  
 catheter present  
 speculum exam nml  
 active bleeding mild / mod / severe  
 blood / clots in vaginal vault  
 cervicitis  
 tissue present in cervix / vagina  
 bimanual exam nml  
 cerv. motion tenderness  
 cervical dilation / cervical os open  
 adnexal / uterine mass / tenderness  
 enlarged uterus  
 consistent with dates \_\_\_\_\_ wk

**RESP / CVS**  
 chest non-tender  
 breath sounds nml  
 heart sounds nml  
 see diagram  
 decreased breath sounds (R/L)  
 splinting / paradoxical movements  
 tachycardia / bradycardia

**ABDOMEN**  
 A=Abrasion  
 B=Burn  
 E=Ecchymosis  
 Lac=Laceration  
 PT=Point Tenderness  
 S=Swelling  
 T=Tenderness  
 ⊕=without  
 m=mild  
 mod=moderate  
 sv=severe

**NEURO / PSYCH**  
 oriented x4  
 CN'S nml (2-12)  
 sensation nml  
 motor nml  
 neuro / psych

**SKIN**  
 intact  
 warm, dry  
 see diagram  
 crepitus / diaphoresis  
 pressure ulcer: location \_\_\_\_\_  
 depth / stage: 1 2 3 4

**BACK**  
 no CVA  
 tenderness  
 no vertebral  
 tenderness  
 CVA tenderness (R/L)  
 muscle spasm

**EXTREMITIES**  
 no evidence  
 of trauma  
 bony point-tenderness (R/L)  
 painful / unable to bear weight (R/L)  
 pulse deficit (R/L)  
 joint Exam:  
 limited ROM / ligaments laxity: (R/L)  
 joint effusion (R/L)

**RECTAL**  
 non-tender  
 stool nml color  
 heme neg stool  
 gross blood present  
 black / bloody / blood-streaked stool  
 rectal prostate unable to examine digitally

**RECTAL ROM**  
 limited ROM / ligaments laxity: (R/L)  
 joint Effusion (R/L)

**XRAYS / CT**

(add'l fracture findings on pg 4)

**Xrays done:** head face spine: C T L CXR KUB pelvis  
**Interpretation:**  By me  Viewed by me  Discsd w/ radiologist  
 \_\_\_ nml / NAD \_\_\_ no fracture \_\_\_ nml alignment \_\_\_ nml soft tissue  
 abnml: fracture (see below) STS DJD FB  
 R/L hemothorax pneumothorax tension pulm. contusion

**CT done:** head chest abdomen pelvis  
**Interpretation:**  By me  Viewed by me  Discsd w/ radiologist  
 \_\_\_ nml / NAD  
 abnml:

**Fracture:**  
**Skull:** frontal parietal temporal occipital basilar: ant mid post  
 R/L linear comminuted depressed

**Facial:** nasal orbit malar maxilla zygoma Le Fort: I II III  
 R/L mandible: ramus angle body condyle subcondyle symphysis

**C T L:** wedge teardrop burst spinous process  
 # \_\_\_ : stable unstable nondisplaced displaced

**C T L:** wedge teardrop burst spinous process  
 # \_\_\_ : stable unstable nondisplaced displaced

**Ultrasound / FAST Exam:** heart / pericardium abdomen  
**Interpretation:**  By me  By radiologist  
 \_\_\_ nml / NAD  
 abnml:

**LABS**

CBC	Chemistries	HCG	UA
normal except	normal except	serum / urine	normal except
WBC	Na	POS NEG	WBC
Hgb	K		RBC
Hct	CO2		bacteria
Platelets	Gluc	HIV	dip:
segs	BUN	hepatitis	ETOH
	Creat	VDRL	TOX
cultures obtained: GC chlamydia			
wet mount sperm present			
sexual assault evidence kit complete			

**PROGRESS**

Time \_\_\_\_\_ unchanged improved re-examined

\_\_\_ STD prophylaxis given  
 rocephin doxycycline other \_\_\_\_\_  
 \_\_\_ pregnancy prophylaxis given  
 \_\_\_ authorities notified  
 \_\_\_ forensic collection performed  
 \_\_\_ social services consult

◆ **BP Screen** - > 18 y / screening / follow-up documented  
 ◆ **Minor head trauma** - 2y - 17y / > 18 y / GCS 15 / PECARN risk: high low  
 / CT head \_\_\_\_\_ see PECARN rule on quality addendum template #200  
 \_\_\_ measure exclusions: not eligible / refused / not indicated / contraindicated  
 \_\_\_ Discussed with Dr. \_\_\_\_\_ Time: \_\_\_\_\_  
 will see patient in: ED / hospital / office

Counseled patient / family regarding: \_\_\_\_\_ Additional history from:  
 lab / rad. results diagnosis need for follow-up family caretaker paramedics  
 \_\_\_ Rx given  
 \_\_\_ Tobacco cessation: discussed: plan / trigger / challenges / gave Rx  
 \_\_\_ Alcohol cessation: discussed: plan / risk / coping measures  
**CRIT CARE TIME** (excluding separately billable procedures) \_\_\_\_\_ min

Initial visit unless marked:

**CLINICAL IMPRESSION**

subsequent  sequelae

**Skin** (\*\*R/L; FB; specify anatomy)

Laceration: \_\_\_\_\_  
 Abrasion: \_\_\_\_\_  
 Open Bite: \_\_\_\_\_  
 Contusion: \_\_\_\_\_

**Strain** (\*\*R/L; specify anatomy)

**Sprain** (\*\*R/L; except for spine specify joint & ligament)

Spine: C T L

**Ortho** (See Xrays / CT)

Fracture / Dislocation : closed / open

**Neuro** (See HPI & PE)

Concussion

**LOC:** unknown few sec < min  
 \_\_\_ sec / mins unk time

**CV / Resp** (See Xrays / CT)

R / L Hemothorax  
 R / L Pneumothorax tension  
 R / L Pulmonary: contusion lac

**Abdomen / GI / GU**

Hemoperitoneum  
 Liver: contusion  
 lac: \_\_\_ cm stellate multiple  
 Spleen: contusion: <2cm >2cm  
 lac: < \_\_\_ mm  
 Kidney: R / L :  
 contusion: <2cm >2cm  
 lac: <1cm 1-3cm >3cm

**Other**

Sexual assault reported  
 Psychological abuse reported

to: head neck: ant post  
 thorax abd low back  
 pelvic ext genitals

Shock: traumatic hypovolemic

Crush injury to: \_\_\_\_\_  
 Tooth# \_\_\_\_\_: fx avulsion sublux

**DISPOSITION DECISION TIME-** \_\_\_\_\_  home  transfer

admit \_\_\_ POA pressure ulcer / UTI (foley)

**CONDITION-**  unchanged  improved  stable

Care transferred to Dr. \_\_\_\_\_ Time: \_\_\_\_\_

MD / DO

Template Complete  See Addendum (Dictated / Template # \_\_\_\_\_)

