

1100 S. Van Dyke

THUMB REGION

Bad Axe, MI 48413 • 989-269-9521


EMERGENCY PHYSICIAN RECORD


Acute Stroke Assessment NIH Stroke Scale

	/. Limb Ataxia (finger / nose neel / shin)
All Chales Cools	0 = Absent
NIH Stroke Scale Initial Pre-treatment	1 = Present in limb
	2 = Present in two limbs
1a. Level of Consciousness	If present, ataxia in
0 = Alert, keenly responsive	Right arm yes no
1 = Not alert, arouseable by minor	Left arm yes no
stimulation to obey, answer,	Right leg yes no
or respond	Left leg yes no
2 = Not alert; requires repeated	
stimulation, obtunded and	8. Sensory Loss (pinprick arms / legs / face)
requires painful stimulation	0 = No sensory loss
2 - Hannamanaira	1 = Mild, aware yet dulled
3 = Unresponsive	2 = Severe to total loss, Comatose
1b. LOC Questions (Month & Age)	
0 = Answers both correctly	9. Language Aphasia (description / naming / reading)
1 = Answers one correctly	0 = No aphasia; normal
2 = Answers neither correctly	1 = Mild, loss fluency,
	anomia, yet understandable
10 LOC Commanda (Onen Lalega euro / fict)	2 = Severe, fragmentary, not
1c. LOC Commands (Open / close eyes / fist)	understandable
0 = Performs both correctly 1 = Performs one correctly	3 = Mute, global aphasia
· · · · · · · · · · · · · · · · · · ·	
2 = Performs neither correctly	10. Dysarthria (speech clarity)
	0 = Normal
2. Lateral Gaze Paresis	1 = Slurring, intelligible
0 = None	2 = Severe slurring, unintelligible
1 = Partial paresis one or both eyes	or mute
2 = Total or forced gaze paresis	Intubated or physical barrier
	intubated of physical barrier
3. Visual Field Loss	11 5-4
0 = No visual field loss	11. Extinction and Inattention
1 = Partial hemianopsia	(visual / tactile / auditory / spatial / personal)
2 = Complete hemianopsia	0 = No abnormality
3 = Bilateral hemianopsia (blind)	1 = Abnormal in one modality
	2 = Profound hemi-inattention in
4. Facial Palsy	multiple modalities
0 = Normal symmetrical movement	
1 = Minor paralysis	TOTAL STROKE SCALE SCORE
2 = Partial, near, or total lower	
facial paralysis	Time Onset: Time Arrival:
3 = Complete, one, or both sides	
upper and lower face	CBC PT Glucose normal PTT
	normal PTT
5. Motor Arm (10 second hold)	abnormals include INR
0 = No drift	wbc
1 = Drift; does not touch bed	hgb%
2 = Drift; effort, yet touches bed	hct
3 = No effort, limb falls	plat
4 = No movement	diff
5a. Left Arm	
5b. Right Arm	EKGnormal
Not Testable (amputation, joint	
fusion, explain	CT HEAD Interpreted by me / radiologist / neurologist
	normal
6. Motor Leg (5 second hold)	normal
0 = No drift	
1 = Drift; does not touch bed	
2 = Drift; effort, yet touches bed	
3 = No effort, limb falls	
4 = No movement	
6a. Left Leg	
6b. Right Leg	Marrie & U.S.
Not Testable (amputation, joint	
fusion, explain	
Tablott, Capitalit	

MD/DO

NIH STROKE SCALE TESTING CARDS





Sentences

You know how.

I got home from work.

Near the table in the dining room.

They heard him speak on the radio last night.

Word List

MAMA
TIP-TOP
THANKS
HUCKLEBERRY
THANKS
HUCKLEBERRY
BASEBALL PLAYER