

McLaren Print System Order

Order No: 67910
Order Date: 2022-02-24
User: Renee Pifer
Phone: 810-342-2325

Ship Location: McLaren Flint ICU / Renee Pifer
401 S. Ballenger Hwy.
Flint , Mi

Forms

Quantity: 1
Paragon Dept No: 20010
Dept Name: McLaren Flint ICU
Company Number: 60

Order Total Price: 200.00

Item Number: 17841-C
Item Description: Stroke Critical Care Flow Sheet
Revision Date: 9/2021
Print:
Paper:
Size:
Fold:
Finish:
Drill:
Misc Info: 100 per pkg, Color, DS, 2 perfs, 11 x 25.5 flat

McLaren Flint
STROKE CRITICAL CARE FLOWSHEET

Spec Info:

NIH STROKE SCALE ITEM	Scoring Definitions	Date	Time						
1a. LOC	0 = Alert and responsive 1 = Arousable to minor stimulation 2 = Arousable only to painful stimulation 3 = Reflex responses or an arousable								
1b. LOC Questions - Ask patient's age and month. Must be exact.	0 = Both correct 1 = One correct (or dysarthria, intubated, foreign language) 2 = Neither correct								
1c. Commands - Open/close eyes, grip and release no n-paretic hand, (O) for 1-step commands or mimic ok).	0 = Both correct (okay if impaired by weakness) 1 = One correct 2 = Neither correct								
2. Best Gaze - Horizontal EOM by voluntary or Doll's.	0 = Normal 1 = Partial gaze palsy; abn gaze in 1 or both eyes 2 = Forced eye deviation or total paresis which cannot be overcome by Doll's								
3. Visual Field - Use visual threat if necessary. If monocular, score field of good eye.	0 = No visual loss 1 = Partial hemianopia, quadrantanopia, extinction 2 = Complete hemianopia 3 = Bilateral hemianopia or blindness								
4. Facial Palsy - If suporous, check symmetry of grimace to pain.	0 = Normal 1 = Minor paralysis, flat NLF, asym smile 2 = Partial paralysis (lower face = UMN) 3 = Complete paralysis (upper and lower face)								
5. Motor Arm - Arms outstretched 90° (sitting) or 45° (upine) for 10 secs. Encourage best effort. Circle paretic arm in score box.	0 = No drift x 10 secs. 1 = Drift but doesn't hit bed 2 = Some antigravity effort, but can't sustain 3 = No antigravity effort, but even minimal movement counts 4 = No movement at all X = Unable to assess due to amputation, fusion, fx, etc.	Lor R	Lor R	Lor R	Lor R	Lor R	Lor R	Lor R	Lor R
6. Motor Leg - Raise leg to 30° supine x 5 secs.	0 = No drift x 5 secs. 1 = Drift but doesn't hit bed 2 = Some antigravity effort, but can't sustain 3 = No antigravity effort, but even minimal movement counts 4 = No movement at all X = Unable to assess due to amputation, fusion, fx, etc.	Lor R	Lor R	Lor R	Lor R	Lor R	Lor R	Lor R	Lor R
7. Limb Ataxia - Check finger-nose-finger; heel-shin; and score only if out of proportion to paralysis.	0 = No ataxia (or aphasic, hemiplegic) 1 = Ataxia in upper or lower extremity 2 = Ataxia in upper AND lower extremity X = Unable to assess due to amputation, fusion, fx, etc.	Lor R	Lor R	Lor R	Lor R	Lor R	Lor R	Lor R	Lor R
8. Sensory - Use safety pin. Check grimace or withhold nail if stuporous. Score only stroke-related losses.	0 = Normal 1 = Mild-moderate unilateral loss but patient aware of touch (or aphasic, confused) 2 = Total loss, patient unaware of touch. Coma, bilateral loss								
9. Best Language - Describe cookie jar picture, name objects, read sentences. May use repeating, writing, stereo gnosis.	0 = Normal 1 = Mild-moderate aphasia; (different but partly comprehensible) 2 = Severe aphasia; (almost no info exchanged) 3 = Multiple aphasia, coma. No 1-step commands								
10. Dysarthria - Read list of words.	0 = Normal 1 = Mild-moderate; slurred but intelligible 2 = Severe; unintelligible or mute X = Intubation or mech barrier								
11. Extinction/Neglect - Simultaneously touch patient on both hands, show fingers in both vision fields, ask about deficit, left hand.	0 = Normal, non-detected. (vision loss alone) 1 = Neglects or extinguishes to double simultaneous stimulation in any modality (vis, aud, sens, spatial, body parts) 2 = Pro found neglect in more than one modality								

