

# Lopressor/ Metoprolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-1

# Lopressor/ Metoprolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-1

# Lopressor/ Metoprolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-1

# Lopressor/ Metoprolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-1

# Lopressor/ Metoprolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-1

# Lopressor/ Metoprolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-1

# Lopressor/ Metoprolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-1

# Lopressor/ Metoprolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-1





# Prilosec/ Omeprazole

**WHAT DOES IT TREAT?**  
Gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-4

# Prilosec/ Omeprazole

**WHAT DOES IT TREAT?**  
Gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-4

# Prilosec/ Omeprazole

**WHAT DOES IT TREAT?**  
Gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-4

# Prilosec/ Omeprazole

**WHAT DOES IT TREAT?**  
Gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-4

# Prilosec/ Omeprazole

**WHAT DOES IT TREAT?**  
Gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-4

# Prilosec/ Omeprazole

**WHAT DOES IT TREAT?**  
Gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-4

# Prilosec/ Omeprazole

**WHAT DOES IT TREAT?**  
Gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-4

# Prilosec/ Omeprazole

**WHAT DOES IT TREAT?**  
Gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-4

# Nexium/ Esomeprazole

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-5

# Nexium/ Esomeprazole

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-5

# Nexium/ Esomeprazole

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-5

# Nexium/ Esomeprazole

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-5

# Nexium/ Esomeprazole

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-5

# Nexium/ Esomeprazole

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-5

# Nexium/ Esomeprazole

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-5

# Nexium/ Esomeprazole

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



Rev. 01/15

M-687-5

# Zantac/ Ranitidine

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



**McLaren**

Rev. 01/15

M-687-6

# Zantac/ Ranitidine

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



**McLaren**

Rev. 01/15

M-687-6

# Zantac/ Ranitidine

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



**McLaren**


Rev. 01/15

M-687-6

# Zantac/ Ranitidine

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



**McLaren**

Rev. 01/15

M-687-6

# Zantac/ Ranitidine

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



**McLaren**

Rev. 01/15

M-687-6

# Zantac/ Ranitidine

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



**McLaren**

Rev. 01/15

M-687-6

# Zantac/ Ranitidine

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



**McLaren**

Rev. 01/15

M-687-6

# Zantac/ Ranitidine

**WHAT DOES IT TREAT?**  
Ulcers, gastroesophageal reflux disease (gerd), a condition in which backward flow of acid from the stomach causes heartburn

**MOST COMMON SIDE EFFECTS:**  
Headache, constipation, diarrhea, nausea, vomiting, stomach pain



**McLaren**

Rev. 01/15

M-687-6

# Pradaxa/ Dabigatrain

## WHAT DOES IT TREAT?

It is a blood thinner used to prevent blood clots from forming, used to prevent strokes in those with A-fib due to non-heart valve causes

## MOST COMMON SIDE EFFECTS:

Excessive bleeding (if you cut yourself), weakness, easy bruising, blood in urine or stool, joint pain or swelling



**McLaren**

Rev. 01/15

M-687-7

# Pradaxa/ Dabigatrain

## WHAT DOES IT TREAT?

It is a blood thinner used to prevent blood clots from forming, used to prevent strokes in those with A-fib due to non-heart valve causes

## MOST COMMON SIDE EFFECTS:

Excessive bleeding (if you cut yourself), weakness, easy bruising, blood in urine or stool, joint pain or swelling



**McLaren**

Rev. 01/15

M-687-7

# Pradaxa/ Dabigatrain

## WHAT DOES IT TREAT?

It is a blood thinner used to prevent blood clots from forming, used to prevent strokes in those with A-fib due to non-heart valve causes

## MOST COMMON SIDE EFFECTS:

Excessive bleeding (if you cut yourself), weakness, easy bruising, blood in urine or stool, joint pain or swelling



**McLaren**

Rev. 01/15

M-687-7


# Pradaxa/ Dabigatrain

## WHAT DOES IT TREAT?

It is a blood thinner used to prevent blood clots from forming, used to prevent strokes in those with A-fib due to non-heart valve causes

## MOST COMMON SIDE EFFECTS:

Excessive bleeding (if you cut yourself), weakness, easy bruising, blood in urine or stool, joint pain or swelling



**McLaren**

Rev. 01/15

M-687-7


# Pradaxa/ Dabigatrain

## WHAT DOES IT TREAT?

It is a blood thinner used to prevent blood clots from forming, used to prevent strokes in those with A-fib due to non-heart valve causes

## MOST COMMON SIDE EFFECTS:

Excessive bleeding (if you cut yourself), weakness, easy bruising, blood in urine or stool, joint pain or swelling



**McLaren**

Rev. 01/15

M-687-7

# Pradaxa/ Dabigatrain

## WHAT DOES IT TREAT?

It is a blood thinner used to prevent blood clots from forming, used to prevent strokes in those with A-fib due to non-heart valve causes

## MOST COMMON SIDE EFFECTS:

Excessive bleeding (if you cut yourself), weakness, easy bruising, blood in urine or stool, joint pain or swelling



**McLaren**

Rev. 01/15

M-687-7

# Pradaxa/ Dabigatrain

## WHAT DOES IT TREAT?

It is a blood thinner used to prevent blood clots from forming, used to prevent strokes in those with A-fib due to non-heart valve causes

## MOST COMMON SIDE EFFECTS:

Excessive bleeding (if you cut yourself), weakness, easy bruising, blood in urine or stool, joint pain or swelling



**McLaren**

Rev. 01/15

M-687-7


# Pradaxa/ Dabigatrain

## WHAT DOES IT TREAT?

It is a blood thinner used to prevent blood clots from forming, used to prevent strokes in those with A-fib due to non-heart valve causes

## MOST COMMON SIDE EFFECTS:

Excessive bleeding (if you cut yourself), weakness, easy bruising, blood in urine or stool, joint pain or swelling



**McLaren**

Rev. 01/15

M-687-7





# Nitroglycerin

**WHAT DOES IT TREAT?**

Chest pain, relaxes blood vessels so heart does not have to work as hard

**MOST COMMON SIDE EFFECTS:**

Headache, dizziness, swelling of hands, feet, ankles or lower legs, fainting



Rev. 01/15

M-687-9

# Nitroglycerin

**WHAT DOES IT TREAT?**

Chest pain, relaxes blood vessels so heart does not have to work as hard

**MOST COMMON SIDE EFFECTS:**

Headache, dizziness, swelling of hands, feet, ankles or lower legs, fainting



Rev. 01/15

M-687-9

# Nitroglycerin

**WHAT DOES IT TREAT?**

Chest pain, relaxes blood vessels so heart does not have to work as hard

**MOST COMMON SIDE EFFECTS:**

Headache, dizziness, swelling of hands, feet, ankles or lower legs, fainting



Rev. 01/15

M-687-9

# Nitroglycerin

**WHAT DOES IT TREAT?**

Chest pain, relaxes blood vessels so heart does not have to work as hard

**MOST COMMON SIDE EFFECTS:**

Headache, dizziness, swelling of hands, feet, ankles or lower legs, fainting



Rev. 01/15

M-687-9

# Nitroglycerin

**WHAT DOES IT TREAT?**

Chest pain, relaxes blood vessels so heart does not have to work as hard

**MOST COMMON SIDE EFFECTS:**

Headache, dizziness, swelling of hands, feet, ankles or lower legs, fainting



Rev. 01/15

M-687-9

# Nitroglycerin

**WHAT DOES IT TREAT?**

Chest pain, relaxes blood vessels so heart does not have to work as hard

**MOST COMMON SIDE EFFECTS:**

Headache, dizziness, swelling of hands, feet, ankles or lower legs, fainting



Rev. 01/15

M-687-9

# Nitroglycerin

**WHAT DOES IT TREAT?**

Chest pain, relaxes blood vessels so heart does not have to work as hard

**MOST COMMON SIDE EFFECTS:**

Headache, dizziness, swelling of hands, feet, ankles or lower legs, fainting



Rev. 01/15

M-687-9


# Nitroglycerin

**WHAT DOES IT TREAT?**

Chest pain, relaxes blood vessels so heart does not have to work as hard

**MOST COMMON SIDE EFFECTS:**

Headache, dizziness, swelling of hands, feet, ankles or lower legs, fainting



Rev. 01/15

M-687-9

# Lanoxin/ Digoxin

**WHAT DOES IT TREAT?**  
Increases the strength and vigor of heart contractions, and is useful in the treatment of heart failure

**MOST COMMON SIDE EFFECTS:**  
Headache, dizziness, skin rash, mental changes

Many Digoxin side effects are dose dependent and happen when blood levels are over the narrow therapeutic range; therefore, you will have to have your blood drawn to check the level of Digoxin in your bloodstream



Rev. 01/15

M-687-10

# Lanoxin/ Digoxin

**WHAT DOES IT TREAT?**  
Increases the strength and vigor of heart contractions, and is useful in the treatment of heart failure

**MOST COMMON SIDE EFFECTS:**  
Headache, dizziness, skin rash, mental changes

Many Digoxin side effects are dose dependent and happen when blood levels are over the narrow therapeutic range; therefore, you will have to have your blood drawn to check the level of Digoxin in your bloodstream



Rev. 01/15

M-687-10

# Lanoxin/ Digoxin

**WHAT DOES IT TREAT?**  
Increases the strength and vigor of heart contractions, and is useful in the treatment of heart failure

**MOST COMMON SIDE EFFECTS:**  
Headache, dizziness, skin rash, mental changes

Many Digoxin side effects are dose dependent and happen when blood levels are over the narrow therapeutic range; therefore, you will have to have your blood drawn to check the level of Digoxin in your bloodstream



Rev. 01/15

M-687-10

# Lanoxin/ Digoxin

**WHAT DOES IT TREAT?**  
Increases the strength and vigor of heart contractions, and is useful in the treatment of heart failure

**MOST COMMON SIDE EFFECTS:**  
Headache, dizziness, skin rash, mental changes

Many Digoxin side effects are dose dependent and happen when blood levels are over the narrow therapeutic range; therefore, you will have to have your blood drawn to check the level of Digoxin in your bloodstream



Rev. 01/15

M-687-10

# Lanoxin/ Digoxin

**WHAT DOES IT TREAT?**  
Increases the strength and vigor of heart contractions, and is useful in the treatment of heart failure

**MOST COMMON SIDE EFFECTS:**  
Headache, dizziness, skin rash, mental changes

Many Digoxin side effects are dose dependent and happen when blood levels are over the narrow therapeutic range; therefore, you will have to have your blood drawn to check the level of Digoxin in your bloodstream



Rev. 01/15

M-687-10

# Lanoxin/ Digoxin

**WHAT DOES IT TREAT?**  
Increases the strength and vigor of heart contractions, and is useful in the treatment of heart failure

**MOST COMMON SIDE EFFECTS:**  
Headache, dizziness, skin rash, mental changes

Many Digoxin side effects are dose dependent and happen when blood levels are over the narrow therapeutic range; therefore, you will have to have your blood drawn to check the level of Digoxin in your bloodstream



Rev. 01/15

M-687-10

# Lanoxin/ Digoxin

**WHAT DOES IT TREAT?**  
Increases the strength and vigor of heart contractions, and is useful in the treatment of heart failure

**MOST COMMON SIDE EFFECTS:**  
Headache, dizziness, skin rash, mental changes

Many Digoxin side effects are dose dependent and happen when blood levels are over the narrow therapeutic range; therefore, you will have to have your blood drawn to check the level of Digoxin in your bloodstream



Rev. 01/15

M-687-10

# Lanoxin/ Digoxin

**WHAT DOES IT TREAT?**  
Increases the strength and vigor of heart contractions, and is useful in the treatment of heart failure

**MOST COMMON SIDE EFFECTS:**  
Headache, dizziness, skin rash, mental changes

Many Digoxin side effects are dose dependent and happen when blood levels are over the narrow therapeutic range; therefore, you will have to have your blood drawn to check the level of Digoxin in your bloodstream



Rev. 01/15

M-687-10

# Cordarone, Pacerone/ Amiodarone

## WHAT DOES IT TREAT?

Helps to prevent certain types of life-threatening ventricular arrhythmias (certain type of abnormal heart rhythm), works by relaxing overactive heart muscles.

## MOST COMMON SIDE EFFECTS:

Constipation, loss of appetite, difficulty falling asleep or staying asleep, decreased sex drive, headache



Rev. 01/15

M-687-11

# Cordarone, Pacerone/ Amiodarone

## WHAT DOES IT TREAT?

Helps to prevent certain types of life-threatening ventricular arrhythmias (certain type of abnormal heart rhythm), works by relaxing overactive heart muscles.

## MOST COMMON SIDE EFFECTS:

Constipation, loss of appetite, difficulty falling asleep or staying asleep, decreased sex drive, headache



Rev. 01/15

M-687-11

# Cordarone, Pacerone/ Amiodarone

## WHAT DOES IT TREAT?

Helps to prevent certain types of life-threatening ventricular arrhythmias (certain type of abnormal heart rhythm), works by relaxing overactive heart muscles.

## MOST COMMON SIDE EFFECTS:

Constipation, loss of appetite, difficulty falling asleep or staying asleep, decreased sex drive, headache



Rev. 01/15

M-687-11

# Cordarone, Pacerone/ Amiodarone

## WHAT DOES IT TREAT?

Helps to prevent certain types of life-threatening ventricular arrhythmias (certain type of abnormal heart rhythm), works by relaxing overactive heart muscles.

## MOST COMMON SIDE EFFECTS:

Constipation, loss of appetite, difficulty falling asleep or staying asleep, decreased sex drive, headache



Rev. 01/15

M-687-11

# Cordarone, Pacerone/ Amiodarone

## WHAT DOES IT TREAT?

Helps to prevent certain types of life-threatening ventricular arrhythmias (certain type of abnormal heart rhythm), works by relaxing overactive heart muscles.

## MOST COMMON SIDE EFFECTS:

Constipation, loss of appetite, difficulty falling asleep or staying asleep, decreased sex drive, headache



Rev. 01/15

M-687-11

# Cordarone, Pacerone/ Amiodarone

## WHAT DOES IT TREAT?

Helps to prevent certain types of life-threatening ventricular arrhythmias (certain type of abnormal heart rhythm), works by relaxing overactive heart muscles.

## MOST COMMON SIDE EFFECTS:

Constipation, loss of appetite, difficulty falling asleep or staying asleep, decreased sex drive, headache



Rev. 01/15

M-687-11

# Cordarone, Pacerone/ Amiodarone

## WHAT DOES IT TREAT?

Helps to prevent certain types of life-threatening ventricular arrhythmias (certain type of abnormal heart rhythm), works by relaxing overactive heart muscles.

## MOST COMMON SIDE EFFECTS:

Constipation, loss of appetite, difficulty falling asleep or staying asleep, decreased sex drive, headache



Rev. 01/15

M-687-11

# Cordarone, Pacerone/ Amiodarone

## WHAT DOES IT TREAT?

Helps to prevent certain types of life-threatening ventricular arrhythmias (certain type of abnormal heart rhythm), works by relaxing overactive heart muscles.

## MOST COMMON SIDE EFFECTS:

Constipation, loss of appetite, difficulty falling asleep or staying asleep, decreased sex drive, headache



Rev. 01/15

M-687-11


# Calan, Isoptin/ Verapamil

## WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

## MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-12


# Calan, Isoptin/ Verapamil

## WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

## MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-12

# Calan, Isoptin/ Verapamil

## WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

## MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-12

# Calan, Isoptin/ Verapamil

## WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

## MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-12

# Calan, Isoptin/ Verapamil

## WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

## MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-12

# Calan, Isoptin/ Verapamil

## WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

## MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-12

# Calan, Isoptin/ Verapamil

## WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

## MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-12

# Calan, Isoptin/ Verapamil

## WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

## MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-12

# Adalat, Procardia/ Nifedipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-13

# Adalat, Procardia/ Nifedipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-13

# Adalat, Procardia/ Nifedipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-13

# Adalat, Procardia/ Nifedipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-13

# Adalat, Procardia/ Nifedipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-13

# Adalat, Procardia/ Nifedipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**


Rev. 01/15

M-687-13

# Adalat, Procardia/ Nifedipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-13

# Adalat, Procardia/ Nifedipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



**McLaren**

Rev. 01/15

M-687-13

# Cozaar/ Losartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness or faint, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



 McLaren

Rev. 01/15

M-687-14

# Cozaar/ Losartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness or faint, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



 McLaren

Rev. 01/15

M-687-14

# Cozaar/ Losartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness or faint, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



 McLaren

Rev. 01/15

M-687-14


# Cozaar/ Losartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness or faint, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



 McLaren

Rev. 01/15

M-687-14

# Cozaar/ Losartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness or faint, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



 McLaren

Rev. 01/15

M-687-14


# Cozaar/ Losartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness or faint, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



 McLaren

Rev. 01/15

M-687-14


# Cozaar/ Losartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness or faint, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



 McLaren

Rev. 01/15

M-687-14


# Cozaar/ Losartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness or faint, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



 McLaren

Rev. 01/15

M-687-14



# Norvasc/ Amlodipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 01/15

M-687-16

# Norvasc/ Amlodipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 01/15

M-687-16

# Norvasc/ Amlodipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 01/15

M-687-16

# Norvasc/ Amlodipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 01/15

M-687-16

# Norvasc/ Amlodipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 01/15

M-687-16

# Norvasc/ Amlodipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 01/15

M-687-16

# Norvasc/ Amlodipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 01/15

M-687-16

# Norvasc/ Amlodipine

**WHAT DOES IT TREAT?**  
Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

**MOST COMMON SIDE EFFECTS:**  
Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



Rev. 01/15

M-687-16



# Benicar/ Olmesartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-17

# Benicar/ Olmesartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-17

# Benicar/ Olmesartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-17


# Benicar/ Olmesartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-17

# Benicar/ Olmesartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-17


# Benicar/ Olmesartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-17

# Benicar/ Olmesartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-17


# Benicar/ Olmesartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-17

# Avapro/ Candesarten

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-18

# Avapro/ Candesarten

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-18

# Avapro/ Candesarten

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-18

# Avapro/ Candesarten

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-18

# Avapro/ Candesarten

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-18

# Avapro/ Candesarten

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-18


# Avapro/ Candesarten

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-18


# Avapro/ Candesarten

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, light-headedness, or faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-18

# Plavix/ Clopidogrel

**WHAT DOES IT TREAT?**  
Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**  
Joint pain, head pain



Rev. 01/15

M-687-19

# Plavix/ Clopidogrel

**WHAT DOES IT TREAT?**  
Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**  
Joint pain, head pain



Rev. 01/15

M-687-19

# Plavix/ Clopidogrel

**WHAT DOES IT TREAT?**  
Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**  
Joint pain, head pain



Rev. 01/15

M-687-19

# Plavix/ Clopidogrel

**WHAT DOES IT TREAT?**  
Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**  
Joint pain, head pain



Rev. 01/15

M-687-19

# Plavix/ Clopidogrel

**WHAT DOES IT TREAT?**  
Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**  
Joint pain, head pain



Rev. 01/15

M-687-19

# Plavix/ Clopidogrel

**WHAT DOES IT TREAT?**  
Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**  
Joint pain, head pain



Rev. 01/15

M-687-19

# Plavix/ Clopidogrel

**WHAT DOES IT TREAT?**  
Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**  
Joint pain, head pain



Rev. 01/15

M-687-19

# Plavix/ Clopidogrel

**WHAT DOES IT TREAT?**  
Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third


**MOST COMMON SIDE EFFECTS:**  
Joint pain, head pain



Rev. 01/15

M-687-19

**Bufferin, Easprin,  
Ecotrin, Halfprin,  
Ascriptin/  
Acetylsalicylic  
(Aspirin)**



**WHAT DOES IT TREAT?**

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,  
Ecotrin, Halfprin,  
Ascriptin/  
Acetylsalicylic  
(Aspirin)**



**WHAT DOES IT TREAT?**

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,  
Ecotrin, Halfprin,  
Ascriptin/  
Acetylsalicylic  
(Aspirin)**



**WHAT DOES IT TREAT?**

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,  
Ecotrin, Halfprin,  
Ascriptin/  
Acetylsalicylic  
(Aspirin)**



**WHAT DOES IT TREAT?**

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**

Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,  
Ecotrin, Halfprin,  
Ascriptin/  
Acetylsalicylic  
(Aspirin)**



**WHAT DOES IT TREAT?**

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**

Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,  
Ecotrin, Halfprin,  
Ascriptin/  
Acetylsalicylic  
(Aspirin)**



**WHAT DOES IT TREAT?**

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,  
Ecotrin, Halfprin,  
Ascriptin/  
Acetylsalicylic  
(Aspirin)**



**WHAT DOES IT TREAT?**

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,  
Ecotrin, Halfprin,  
Ascriptin/  
Acetylsalicylic  
(Aspirin)**



**WHAT DOES IT TREAT?**

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

**MOST COMMON SIDE EFFECTS:**

Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

# Tricor/ Fenibrate

**WHAT DOES IT TREAT?**  
Reduces fatty substances like cholesterol and triglycerides in the blood and increases your HDL (good cholesterol)

**MOST COMMON SIDE EFFECTS:**  
Headache, back pain, flu-like symptoms, chest congestion/difficulty breathing, unexplained bleeding (report this side effect to your doctor),

feeling more tired than usual (report this side effect to your doctor)



Rev. 01/15

M-687-21

# Tricor/ Fenibrate

**WHAT DOES IT TREAT?**  
Reduces fatty substances like cholesterol and triglycerides in the blood and increases your HDL (good cholesterol)

**MOST COMMON SIDE EFFECTS:**  
Headache, back pain, flu-like symptoms, chest congestion/difficulty breathing, unexplained bleeding (report this side effect to your doctor),

feeling more tired than usual (report this side effect to your doctor)



Rev. 01/15

M-687-21

# Tricor/ Fenibrate

**WHAT DOES IT TREAT?**  
Reduces fatty substances like cholesterol and triglycerides in the blood and increases your HDL (good cholesterol)

**MOST COMMON SIDE EFFECTS:**  
Headache, back pain, flu-like symptoms, chest congestion/difficulty breathing, unexplained bleeding (report this side effect to your doctor),

feeling more tired than usual (report this side effect to your doctor)



Rev. 01/15

M-687-21

# Tricor/ Fenibrate

**WHAT DOES IT TREAT?**  
Reduces fatty substances like cholesterol and triglycerides in the blood and increases your HDL (good cholesterol)

**MOST COMMON SIDE EFFECTS:**  
Headache, back pain, flu-like symptoms, chest congestion/difficulty breathing, unexplained bleeding (report this side effect to your doctor),

feeling more tired than usual (report this side effect to your doctor)



Rev. 01/15

M-687-21

# Tricor/ Fenibrate

**WHAT DOES IT TREAT?**  
Reduces fatty substances like cholesterol and triglycerides in the blood and increases your HDL (good cholesterol)

**MOST COMMON SIDE EFFECTS:**  
Headache, back pain, flu-like symptoms, chest congestion/difficulty breathing, unexplained bleeding (report this side effect to your doctor),

feeling more tired than usual (report this side effect to your doctor)



Rev. 01/15

M-687-21

# Tricor/ Fenibrate

**WHAT DOES IT TREAT?**  
Reduces fatty substances like cholesterol and triglycerides in the blood and increases your HDL (good cholesterol)

**MOST COMMON SIDE EFFECTS:**  
Headache, back pain, flu-like symptoms, chest congestion/difficulty breathing, unexplained bleeding (report this side effect to your doctor),

feeling more tired than usual (report this side effect to your doctor)



Rev. 01/15

M-687-21

# Tricor/ Fenibrate

**WHAT DOES IT TREAT?**  
Reduces fatty substances like cholesterol and triglycerides in the blood and increases your HDL (good cholesterol)

**MOST COMMON SIDE EFFECTS:**  
Headache, back pain, flu-like symptoms, chest congestion/difficulty breathing, unexplained bleeding (report this side effect to your doctor),

feeling more tired than usual (report this side effect to your doctor)



Rev. 01/15

M-687-21

# Tricor/ Fenibrate

**WHAT DOES IT TREAT?**  
Reduces fatty substances like cholesterol and triglycerides in the blood and increases your HDL (good cholesterol)

**MOST COMMON SIDE EFFECTS:**  
Headache, back pain, flu-like symptoms, chest congestion/difficulty breathing, unexplained bleeding (report this side effect to your doctor),

feeling more tired than usual (report this side effect to your doctor)



Rev. 01/15

M-687-21

# Zocor/ Simvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



**McLaren**

Rev. 01/15

M-687-22

# Zocor/ Simvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



**McLaren**

Rev. 01/15

M-687-22

# Zocor/ Simvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



**McLaren**

Rev. 01/15

M-687-22

# Zocor/ Simvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



**McLaren**

Rev. 01/15

M-687-22

# Zocor/ Simvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



**McLaren**

Rev. 01/15

M-687-22

# Zocor/ Simvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



**McLaren**

Rev. 01/15

M-687-22

# Zocor/ Simvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



**McLaren**

Rev. 01/15

M-687-22

# Zocor/ Simvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



**McLaren**

Rev. 01/15

M-687-22

# Pravachol/ Pravastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-23

# Pravachol/ Pravastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-23

# Pravachol/ Pravastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-23

# Pravachol/ Pravastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-23

# Pravachol/ Pravastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-23

# Pravachol/ Pravastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-23

# Pravachol/ Pravastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-23

# Pravachol/ Pravastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-23

# Lipitor/ Atorvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



 **McLaren**

Rev. 01/15

M-687-24

# Lipitor/ Atorvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



 **McLaren**

Rev. 01/15

M-687-24

# Lipitor/ Atorvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



 **McLaren**

Rev. 01/15

M-687-24

# Lipitor/ Atorvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



 **McLaren**

Rev. 01/15

M-687-24

# Lipitor/ Atorvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



 **McLaren**

Rev. 01/15

M-687-24

# Lipitor/ Atorvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



 **McLaren**


Rev. 01/15

M-687-24

# Lipitor/ Atorvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



 **McLaren**


Rev. 01/15

M-687-24

# Lipitor/ Atorvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



 **McLaren**

Rev. 01/15

M-687-24



# Lescol/ Fluvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-25

# Lescol/ Fluvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-25

# Lescol/ Fluvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash




Rev. 01/15

M-687-25

# Lescol/ Fluvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-25

# Lescol/ Fluvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash




Rev. 01/15

M-687-25

# Lescol/ Fluvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-25

# Lescol/ Fluvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash




Rev. 01/15

M-687-25

# Lescol/ Fluvastatin

**WHAT DOES IT TREAT?**  
Lowers cholesterol

**MOST COMMON SIDE EFFECTS:**  
Soreness, tiredness or weakness in  
muscles, stomach/digestive problems,  
rash



Rev. 01/15

M-687-25

# Aldactone/ Spironolactone

**WHAT DOES IT TREAT?**  
Reduces the amount of water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Muscle weakness, changes in the heartbeat, extreme tiredness



**McLaren**

Rev. 01/15

M-687-26

# Aldactone/ Spironolactone

**WHAT DOES IT TREAT?**  
Reduces the amount of water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Muscle weakness, changes in the heartbeat, extreme tiredness



**McLaren**


Rev. 01/15

M-687-26

# Aldactone/ Spironolactone

**WHAT DOES IT TREAT?**  
Reduces the amount of water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Muscle weakness, changes in the heartbeat, extreme tiredness



**McLaren**

Rev. 01/15

M-687-26

# Aldactone/ Spironolactone

**WHAT DOES IT TREAT?**  
Reduces the amount of water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Muscle weakness, changes in the heartbeat, extreme tiredness



**McLaren**

Rev. 01/15

M-687-26

# Aldactone/ Spironolactone

**WHAT DOES IT TREAT?**  
Reduces the amount of water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Muscle weakness, changes in the heartbeat, extreme tiredness



**McLaren**

Rev. 01/15

M-687-26

# Aldactone/ Spironolactone

**WHAT DOES IT TREAT?**  
Reduces the amount of water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Muscle weakness, changes in the heartbeat, extreme tiredness



**McLaren**

Rev. 01/15

M-687-26

# Aldactone/ Spironolactone

**WHAT DOES IT TREAT?**  
Reduces the amount of water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Muscle weakness, changes in the heartbeat, extreme tiredness



**McLaren**

Rev. 01/15

M-687-26

# Aldactone/ Spironolactone

**WHAT DOES IT TREAT?**  
Reduces the amount of water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Muscle weakness, changes in the heartbeat, extreme tiredness




**McLaren**

Rev. 01/15

M-687-26

# Bumex/ Bumetanide



**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness, dry mouth, fainting, muscle cramps


You may be prescribed a potassium pill along with Lasix to supplement the potassium lost while on this medicine



Rev. 01/15

M-687-27

# Bumex/ Bumetanide



**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness, dry mouth, fainting, muscle cramps


You may be prescribed a potassium pill along with Lasix to supplement the potassium lost while on this medicine



Rev. 01/15

M-687-27

# Bumex/ Bumetanide



**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness, dry mouth, fainting, muscle cramps


You may be prescribed a potassium pill along with Lasix to supplement the potassium lost while on this medicine



Rev. 01/15

M-687-27

# Bumex/ Bumetanide



**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness, dry mouth, fainting, muscle cramps


You may be prescribed a potassium pill along with Lasix to supplement the potassium lost while on this medicine



Rev. 01/15

M-687-27

# Bumex/ Bumetanide



**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness, dry mouth, fainting, muscle cramps


You may be prescribed a potassium pill along with Lasix to supplement the potassium lost while on this medicine



Rev. 01/15

M-687-27

# Bumex/ Bumetanide



**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness, dry mouth, fainting, muscle cramps


You may be prescribed a potassium pill along with Lasix to supplement the potassium lost while on this medicine



Rev. 01/15

M-687-27

# Bumex/ Bumetanide



**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness, dry mouth, fainting, muscle cramps


You may be prescribed a potassium pill along with Lasix to supplement the potassium lost while on this medicine



Rev. 01/15

M-687-27

# Bumex/ Bumetanide



**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness, dry mouth, fainting, muscle cramps

You may be prescribed a potassium pill along with Lasix to supplement the potassium lost while on this medicine



Rev. 01/15

M-687-27

# Lasix/ Furosemide

**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness

You may be prescribed a potassium pill along with lasix to supplement the potassium lost while on this medicine



Rev. 01/15


M-687-28

# Lasix/ Furosemide

**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness

You may be prescribed a potassium pill along with lasix to supplement the potassium lost while on this medicine



Rev. 01/15


M-687-28

# Lasix/ Furosemide

**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness

You may be prescribed a potassium pill along with lasix to supplement the potassium lost while on this medicine



Rev. 01/15


M-687-28

# Lasix/ Furosemide

**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness

You may be prescribed a potassium pill along with lasix to supplement the potassium lost while on this medicine



Rev. 01/15


M-687-28

# Lasix/ Furosemide

**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness

You may be prescribed a potassium pill along with lasix to supplement the potassium lost while on this medicine



Rev. 01/15


M-687-28

# Lasix/ Furosemide

**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness

You may be prescribed a potassium pill along with lasix to supplement the potassium lost while on this medicine



Rev. 01/15


M-687-28

# Lasix/ Furosemide

**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness

You may be prescribed a potassium pill along with lasix to supplement the potassium lost while on this medicine



Rev. 01/15


M-687-28

# Lasix/ Furosemide

**WHAT DOES IT TREAT?**  
Reduces the amount of salt and water in the body by increasing urine production

**MOST COMMON SIDE EFFECTS:**  
Lowers blood pressure, dehydration, electrolyte depletion (for example, sodium, potassium), dizziness

You may be prescribed a potassium pill along with lasix to supplement the potassium lost while on this medicine



Rev. 01/15

M-687-28

# Vasotec/ Enalapril

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker is any medicine that ends in "-olol" or "-ilol")



Rev. 01/15

M-687-29

# Vasotec/ Enalapril

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker is any medicine that ends in "-olol" or "-ilol")



Rev. 01/15


M-687-29

# Vasotec/ Enalapril

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker is any medicine that ends in "-olol" or "-ilol")



Rev. 01/15


M-687-29

# Vasotec/ Enalapril

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker is any medicine that ends in "-olol" or "-ilol")



Rev. 01/15


M-687-29

# Vasotec/ Enalapril

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker is any medicine that ends in "-olol" or "-ilol")



Rev. 01/15


M-687-29

# Vasotec/ Enalapril

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker is any medicine that ends in "-olol" or "-ilol")



Rev. 01/15

M-687-29

# Vasotec/ Enalapril

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker is any medicine that ends in "-olol" or "-ilol")



Rev. 01/15


M-687-29

# Vasotec/ Enalapril

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker is any medicine that ends in "-olol" or "-ilol")



Rev. 01/15

M-687-29

# Prinivil/ Zestril/ Lisinopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-30

# Prinivil/ Zestril/ Lisinopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-30

# Prinivil/ Zestril/ Lisinopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-30

# Prinivil/ Zestril/ Lisinopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-30

# Prinivil/ Zestril/ Lisinopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-30

# Prinivil/ Zestril/ Lisinopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-30

# Prinivil/ Zestril/ Lisinopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-30

# Prinivil/ Zestril/ Lisinopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-30

# Capoten/ Captopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-31

# Capoten/ Captopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-31

# Capoten/ Captopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-31

# Capoten/ Captopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-31

# Capoten/ Captopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-31

# Capoten/ Captopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-31

# Capoten/ Captopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-31

# Capoten/ Captopril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-31

# Altace/ Ramipril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-32

# Altace/ Ramipril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-32

# Altace/ Ramipril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-32

# Altace/ Ramipril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-32

# Altace/ Ramipril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-32

# Altace/ Ramipril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-32

# Altace/ Ramipril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-32

# Altace/ Ramipril

## WHAT DOES IT TREAT?


Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")



**McLaren**

Rev. 01/15

M-687-32



# Accupril/ Quinapril

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")

 McLaren

Rev. 01/15

M-687-33

# Accupril/ Quinapril

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")

 McLaren

Rev. 01/15

M-687-33

# Accupril/ Quinapril

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")

 McLaren

Rev. 01/15

M-687-33

# Accupril/ Quinapril

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")

 McLaren

Rev. 01/15

M-687-33

# Accupril/ Quinapril

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")

 McLaren

Rev. 01/15

M-687-33

# Accupril/ Quinapril

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")

 McLaren

Rev. 01/15

M-687-33

# Accupril/ Quinapril

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")

 McLaren

Rev. 01/15

M-687-33

# Accupril/ Quinapril

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers your blood pressure and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Trouble breathing, hives, irregular, heartbeats, dizziness, fainting, headache

Be sure to take this medicine 2 hours before any beta-blockers you are prescribed (a beta-blocker

is any medicine that ends in "-olol" or "-ilol")

 McLaren

Rev. 01/15

M-687-33

# Tenormin/ Atenolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-34

# Tenormin/ Atenolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**


Rev. 01/15

M-687-34

# Tenormin/ Atenolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-34

# Tenormin/ Atenolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-34

# Tenormin/ Atenolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-34

# Tenormin/ Atenolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-34

# Tenormin/ Atenolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-34

# Tenormin/ Atenolol

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-34

# Toprol/ Toprol XL

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-35

# Toprol/ Toprol XL

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-35

# Toprol/ Toprol XL

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-35

# Toprol/ Toprol XL

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-35

# Toprol/ Toprol XL

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-35

# Toprol/ Toprol XL

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-35

# Toprol/ Toprol XL

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-35

# Toprol/ Toprol XL

**WHAT DOES IT TREAT?**  
High blood pressure, high heart rates,  
decreases the workload of the heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness (caused by a low blood  
pressure), low heart rate



**McLaren**

Rev. 01/15

M-687-35

# Micardis/ Telmisartan

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-36

# Micardis/ Telmisartan

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-36

# Micardis/ Telmisartan

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-36

# Micardis/ Telmisartan

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-36

# Micardis/ Telmisartan

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-36

# Micardis/ Telmisartan

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-36

# Micardis/ Telmisartan

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-36

# Micardis/ Telmisartan

**WHAT DOES IT TREAT?**  
Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

**MOST COMMON SIDE EFFECTS:**  
Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-36

# Diovan/ Valsartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-37


# Diovan/ Valsartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-37

# Diovan/ Valsartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-37


# Diovan/ Valsartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-37

# Diovan/ Valsartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-37


# Diovan/ Valsartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-37

# Diovan/ Valsartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-37


# Diovan/ Valsartan

## WHAT DOES IT TREAT?

Relaxes blood vessels, improves blood flow, lowers blood pressure, and reduces the work load of your heart

## MOST COMMON SIDE EFFECTS:

Dizziness, lightheadedness, faintness, diarrhea, muscle cramps or weakness, irregular heartbeat, confusion



**McLaren**

Rev. 01/15

M-687-37



# Catapres/ Clonidine

**WHAT DOES IT TREAT?**  
Helps to lower your blood pressure.

**MOST COMMON SIDE EFFECTS:**  
Drowsiness, dizziness, constipation  
and dry mouth.



**McLaren**

Rev. 01/15

M-687-39

# Catapres/ Clonidine

**WHAT DOES IT TREAT?**  
Helps to lower your blood pressure.

**MOST COMMON SIDE EFFECTS:**  
Drowsiness, dizziness, constipation  
and dry mouth.



**McLaren**

Rev. 01/15

M-687-39

# Catapres/ Clonidine

**WHAT DOES IT TREAT?**  
Helps to lower your blood pressure.

**MOST COMMON SIDE EFFECTS:**  
Drowsiness, dizziness, constipation  
and dry mouth.



**McLaren**

Rev. 01/15

M-687-39

# Catapres/ Clonidine

**WHAT DOES IT TREAT?**  
Helps to lower your blood pressure.

**MOST COMMON SIDE EFFECTS:**  
Drowsiness, dizziness, constipation  
and dry mouth.



**McLaren**

Rev. 01/15

M-687-39

# Catapres/ Clonidine

**WHAT DOES IT TREAT?**  
Helps to lower your blood pressure.

**MOST COMMON SIDE EFFECTS:**  
Drowsiness, dizziness, constipation  
and dry mouth.



**McLaren**

Rev. 01/15

M-687-39

# Catapres/ Clonidine

**WHAT DOES IT TREAT?**  
Helps to lower your blood pressure.

**MOST COMMON SIDE EFFECTS:**  
Drowsiness, dizziness, constipation  
and dry mouth.



**McLaren**

Rev. 01/15

M-687-39

# Catapres/ Clonidine

**WHAT DOES IT TREAT?**  
Helps to lower your blood pressure.

**MOST COMMON SIDE EFFECTS:**  
Drowsiness, dizziness, constipation  
and dry mouth.



**McLaren**


Rev. 01/15

M-687-39

# Catapres/ Clonidine

**WHAT DOES IT TREAT?**  
Helps to lower your blood pressure.

**MOST COMMON SIDE EFFECTS:**  
Drowsiness, dizziness, constipation  
and dry mouth.



**McLaren**

Rev. 01/15

M-687-39

# Flagyl/ Metronidazole

**WHAT DOES IT TREAT?**  
This is an antibiotic.

**MOST COMMON SIDE EFFECTS:**  
Headache, nausea and diarrhea.



Rev. 01/15

M-687-40

# Flagyl/ Metronidazole

**WHAT DOES IT TREAT?**  
This is an antibiotic.

**MOST COMMON SIDE EFFECTS:**  
Headache, nausea and diarrhea.



Rev. 01/15

M-687-40

# Flagyl/ Metronidazole

**WHAT DOES IT TREAT?**  
This is an antibiotic.

**MOST COMMON SIDE EFFECTS:**  
Headache, nausea and diarrhea.



Rev. 01/15

M-687-40

# Flagyl/ Metronidazole

**WHAT DOES IT TREAT?**  
This is an antibiotic.

**MOST COMMON SIDE EFFECTS:**  
Headache, nausea and diarrhea.



Rev. 01/15

M-687-40

# Flagyl/ Metronidazole

**WHAT DOES IT TREAT?**  
This is an antibiotic.

**MOST COMMON SIDE EFFECTS:**  
Headache, nausea and diarrhea.



Rev. 01/15

M-687-40

# Flagyl/ Metronidazole

**WHAT DOES IT TREAT?**  
This is an antibiotic.

**MOST COMMON SIDE EFFECTS:**  
Headache, nausea and diarrhea.




Rev. 01/15

M-687-40

# Flagyl/ Metronidazole

**WHAT DOES IT TREAT?**  
This is an antibiotic.

**MOST COMMON SIDE EFFECTS:**  
Headache, nausea and diarrhea.




Rev. 01/15

M-687-40

# Flagyl/ Metronidazole

**WHAT DOES IT TREAT?**  
This is an antibiotic.

**MOST COMMON SIDE EFFECTS:**  
Headache, nausea and diarrhea.



Rev. 01/15

M-687-40



# Celexa/ Citalopram

**WHAT DOES IT TREAT?**  
This is an antidepressant.

**MOST COMMON SIDE EFFECTS:**  
Difficulty sleeping, suicidal ideations,  
dry mouth, nausea and increased  
sweating.



 McLaren

Rev. 01/15

M-687-41

# Celexa/ Citalopram

**WHAT DOES IT TREAT?**  
This is an antidepressant.

**MOST COMMON SIDE EFFECTS:**  
Difficulty sleeping, suicidal ideations,  
dry mouth, nausea and increased  
sweating.



 McLaren

Rev. 01/15

M-687-41

# Celexa/ Citalopram

**WHAT DOES IT TREAT?**  
This is an antidepressant.

**MOST COMMON SIDE EFFECTS:**  
Difficulty sleeping, suicidal ideations,  
dry mouth, nausea and increased  
sweating.



 McLaren

Rev. 01/15

M-687-41

# Celexa/ Citalopram

**WHAT DOES IT TREAT?**  
This is an antidepressant.

**MOST COMMON SIDE EFFECTS:**  
Difficulty sleeping, suicidal ideations,  
dry mouth, nausea and increased  
sweating.



 McLaren

Rev. 01/15

M-687-41

# Celexa/ Citalopram

**WHAT DOES IT TREAT?**  
This is an antidepressant.

**MOST COMMON SIDE EFFECTS:**  
Difficulty sleeping, suicidal ideations,  
dry mouth, nausea and increased  
sweating.



 McLaren

Rev. 01/15

M-687-41

# Celexa/ Citalopram

**WHAT DOES IT TREAT?**  
This is an antidepressant.

**MOST COMMON SIDE EFFECTS:**  
Difficulty sleeping, suicidal ideations,  
dry mouth, nausea and increased  
sweating.



 McLaren


Rev. 01/15

M-687-41

# Celexa/ Citalopram

**WHAT DOES IT TREAT?**  
This is an antidepressant.

**MOST COMMON SIDE EFFECTS:**  
Difficulty sleeping, suicidal ideations,  
dry mouth, nausea and increased  
sweating.



 McLaren

Rev. 01/15

M-687-41

# Celexa/ Citalopram

**WHAT DOES IT TREAT?**  
This is an antidepressant.

**MOST COMMON SIDE EFFECTS:**  
Difficulty sleeping, suicidal ideations,  
dry mouth, nausea and increased  
sweating.



 McLaren

Rev. 01/15

M-687-41

# Arixtra

## WHAT DOES IT TREAT?

It is used to thin the blood so clots will not form.

## MOST COMMON SIDE EFFECTS:

Bleeding problems (blood in urine or stool), Upset Stomach, Fever and Bruising Easily



 McLaren

Rev. 01/15

M-687-42


# Arixtra

## WHAT DOES IT TREAT?

It is used to thin the blood so clots will not form.

## MOST COMMON SIDE EFFECTS:

Bleeding problems (blood in urine or stool), Upset Stomach, Fever and Bruising Easily



 McLaren

Rev. 01/15

M-687-42

# Arixtra

## WHAT DOES IT TREAT?

It is used to thin the blood so clots will not form.

## MOST COMMON SIDE EFFECTS:

Bleeding problems (blood in urine or stool), Upset Stomach, Fever and Bruising Easily



 McLaren

Rev. 01/15

M-687-42


# Arixtra

## WHAT DOES IT TREAT?

It is used to thin the blood so clots will not form.

## MOST COMMON SIDE EFFECTS:

Bleeding problems (blood in urine or stool), Upset Stomach, Fever and Bruising Easily



 McLaren

Rev. 01/15

M-687-42

# Arixtra

## WHAT DOES IT TREAT?

It is used to thin the blood so clots will not form.

## MOST COMMON SIDE EFFECTS:

Bleeding problems (blood in urine or stool), Upset Stomach, Fever and Bruising Easily



 McLaren

Rev. 01/15

M-687-42

# Arixtra

## WHAT DOES IT TREAT?

It is used to thin the blood so clots will not form.

## MOST COMMON SIDE EFFECTS:

Bleeding problems (blood in urine or stool), Upset Stomach, Fever and Bruising Easily



 McLaren

Rev. 01/15

M-687-42

# Arixtra

## WHAT DOES IT TREAT?

It is used to thin the blood so clots will not form.

## MOST COMMON SIDE EFFECTS:

Bleeding problems (blood in urine or stool), Upset Stomach, Fever and Bruising Easily



 McLaren

Rev. 01/15

M-687-42

# Arixtra

## WHAT DOES IT TREAT?

It is used to thin the blood so clots will not form.

## MOST COMMON SIDE EFFECTS:

Bleeding problems (blood in urine or stool), Upset Stomach, Fever and Bruising Easily



 McLaren

Rev. 01/15

M-687-42

# Zestril/ Lisinopril

**WHAT DOES IT TREAT?**  
High Blood Pressure and Heart Failure

**MOST COMMON SIDE EFFECTS:**  
Dizziness (especially when sitting up), Headache, Nasal congestion, Diarrhea, Allergic reaction-itching or swelling of face



**McLaren**

Rev. 01/15

M-687-43

# Zestril/ Lisinopril

**WHAT DOES IT TREAT?**  
High Blood Pressure and Heart Failure

**MOST COMMON SIDE EFFECTS:**  
Dizziness (especially when sitting up), Headache, Nasal congestion, Diarrhea, Allergic reaction-itching or swelling of face



**McLaren**

Rev. 01/15

M-687-43

# Zestril/ Lisinopril

**WHAT DOES IT TREAT?**  
High Blood Pressure and Heart Failure

**MOST COMMON SIDE EFFECTS:**  
Dizziness (especially when sitting up), Headache, Nasal congestion, Diarrhea, Allergic reaction-itching or swelling of face



**McLaren**

Rev. 01/15

M-687-43

# Zestril/ Lisinopril

**WHAT DOES IT TREAT?**  
High Blood Pressure and Heart Failure

**MOST COMMON SIDE EFFECTS:**  
Dizziness (especially when sitting up), Headache, Nasal congestion, Diarrhea, Allergic reaction-itching or swelling of face



**McLaren**

Rev. 01/15

M-687-43

# Zestril/ Lisinopril

**WHAT DOES IT TREAT?**  
High Blood Pressure and Heart Failure

**MOST COMMON SIDE EFFECTS:**  
Dizziness (especially when sitting up), Headache, Nasal congestion, Diarrhea, Allergic reaction-itching or swelling of face



**McLaren**

Rev. 01/15

M-687-43

# Zestril/ Lisinopril

**WHAT DOES IT TREAT?**  
High Blood Pressure and Heart Failure

**MOST COMMON SIDE EFFECTS:**  
Dizziness (especially when sitting up), Headache, Nasal congestion, Diarrhea, Allergic reaction-itching or swelling of face



**McLaren**

Rev. 01/15

M-687-43

# Zestril/ Lisinopril

**WHAT DOES IT TREAT?**  
High Blood Pressure and Heart Failure

**MOST COMMON SIDE EFFECTS:**  
Dizziness (especially when sitting up), Headache, Nasal congestion, Diarrhea, Allergic reaction-itching or swelling of face



**McLaren**

Rev. 01/15

M-687-43

# Zestril/ Lisinopril

**WHAT DOES IT TREAT?**  
High Blood Pressure and Heart Failure

**MOST COMMON SIDE EFFECTS:**  
Dizziness (especially when sitting up), Headache, Nasal congestion, Diarrhea, Allergic reaction-itching or swelling of face



**McLaren**

Rev. 01/15

M-687-43

# Lovenox/ Enoxaparin

**WHAT DOES IT TREAT?**  
Blood Clots

**MOST COMMON SIDE EFFECTS:**  
Bruising, Nausea, Unusual bleeding



Rev. 01/15

M-687-44

# Lovenox/ Enoxaparin

**WHAT DOES IT TREAT?**  
Blood Clots

**MOST COMMON SIDE EFFECTS:**  
Bruising, Nausea, Unusual bleeding



Rev. 01/15

M-687-44

# Lovenox/ Enoxaparin

**WHAT DOES IT TREAT?**  
Blood Clots

**MOST COMMON SIDE EFFECTS:**  
Bruising, Nausea, Unusual bleeding



Rev. 01/15

M-687-44

# Lovenox/ Enoxaparin

**WHAT DOES IT TREAT?**  
Blood Clots

**MOST COMMON SIDE EFFECTS:**  
Bruising, Nausea, Unusual bleeding



Rev. 01/15

M-687-44

# Lovenox/ Enoxaparin

**WHAT DOES IT TREAT?**  
Blood Clots

**MOST COMMON SIDE EFFECTS:**  
Bruising, Nausea, Unusual bleeding



Rev. 01/15

M-687-44

# Lovenox/ Enoxaparin

**WHAT DOES IT TREAT?**  
Blood Clots

**MOST COMMON SIDE EFFECTS:**  
Bruising, Nausea, Unusual bleeding




Rev. 01/15

M-687-44

# Lovenox/ Enoxaparin

**WHAT DOES IT TREAT?**  
Blood Clots

**MOST COMMON SIDE EFFECTS:**  
Bruising, Nausea, Unusual bleeding



Rev. 01/15

M-687-44

# Lovenox/ Enoxaparin

**WHAT DOES IT TREAT?**  
Blood Clots

**MOST COMMON SIDE EFFECTS:**  
Bruising, Nausea, Unusual bleeding



Rev. 01/15

M-687-44

# Aleve, Naprosyn/ Naproxen

**WHAT DOES IT TREAT?**  
Fever and Pain-by decreasing the  
bodies response to inflammation.

**MOST COMMON SIDE EFFECTS:**  
Ringing in the ears, Nausea, Stomach  
pain, Heartburn, Gas,  
Diarrhea, Constipation



**McLaren**

Rev. 01/15

M-687-45

# Aleve, Naprosyn/ Naproxen

**WHAT DOES IT TREAT?**  
Fever and Pain-by decreasing the  
bodies response to inflammation.

**MOST COMMON SIDE EFFECTS:**  
Ringing in the ears, Nausea, Stomach  
pain, Heartburn, Gas,  
Diarrhea, Constipation



**McLaren**

Rev. 01/15

M-687-45

# Aleve, Naprosyn/ Naproxen

**WHAT DOES IT TREAT?**  
Fever and Pain-by decreasing the  
bodies response to inflammation.

**MOST COMMON SIDE EFFECTS:**  
Ringing in the ears, Nausea, Stomach  
pain, Heartburn, Gas,  
Diarrhea, Constipation



**McLaren**

Rev. 01/15

M-687-45

# Aleve, Naprosyn/ Naproxen

**WHAT DOES IT TREAT?**  
Fever and Pain-by decreasing the  
bodies response to inflammation.

**MOST COMMON SIDE EFFECTS:**  
Ringing in the ears, Nausea, Stomach  
pain, Heartburn, Gas,  
Diarrhea, Constipation



**McLaren**

Rev. 01/15

M-687-45

# Aleve, Naprosyn/ Naproxen

**WHAT DOES IT TREAT?**  
Fever and Pain-by decreasing the  
bodies response to inflammation.

**MOST COMMON SIDE EFFECTS:**  
Ringing in the ears, Nausea, Stomach  
pain, Heartburn, Gas,  
Diarrhea, Constipation



**McLaren**


Rev. 01/15

M-687-45

# Aleve, Naprosyn/ Naproxen

**WHAT DOES IT TREAT?**  
Fever and Pain-by decreasing the  
bodies response to inflammation.

**MOST COMMON SIDE EFFECTS:**  
Ringing in the ears, Nausea, Stomach  
pain, Heartburn, Gas,  
Diarrhea, Constipation



**McLaren**

Rev. 01/15

M-687-45

# Aleve, Naprosyn/ Naproxen

**WHAT DOES IT TREAT?**  
Fever and Pain-by decreasing the  
bodies response to inflammation.

**MOST COMMON SIDE EFFECTS:**  
Ringing in the ears, Nausea, Stomach  
pain, Heartburn, Gas,  
Diarrhea, Constipation



**McLaren**


Rev. 01/15

M-687-45

# Aleve, Naprosyn/ Naproxen

**WHAT DOES IT TREAT?**  
Fever and Pain-by decreasing the  
bodies response to inflammation.

**MOST COMMON SIDE EFFECTS:**  
Ringing in the ears, Nausea, Stomach  
pain, Heartburn, Gas,  
Diarrhea, Constipation



**McLaren**

Rev. 01/15

M-687-45

# Neurontin/ Gabapentin

**WHAT IS IT FOR?**  
Seizures, Neuropathy and Restless Leg Syndrome

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Fatigue, Weight gain, Dry mouth, Nausea



 McLaren

Rev. 01/15

M-687-46

# Neurontin/ Gabapentin

**WHAT IS IT FOR?**  
Seizures, Neuropathy and Restless Leg Syndrome

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Fatigue, Weight gain, Dry mouth, Nausea



 McLaren

Rev. 01/15

M-687-46

# Neurontin/ Gabapentin

**WHAT IS IT FOR?**  
Seizures, Neuropathy and Restless Leg Syndrome

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Fatigue, Weight gain, Dry mouth, Nausea



 McLaren

Rev. 01/15

M-687-46

# Neurontin/ Gabapentin

**WHAT IS IT FOR?**  
Seizures, Neuropathy and Restless Leg Syndrome

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Fatigue, Weight gain, Dry mouth, Nausea



 McLaren

Rev. 01/15

M-687-46

# Neurontin/ Gabapentin

**WHAT IS IT FOR?**  
Seizures, Neuropathy and Restless Leg Syndrome

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Fatigue, Weight gain, Dry mouth, Nausea



 McLaren


Rev. 01/15

M-687-46

# Neurontin/ Gabapentin

**WHAT IS IT FOR?**  
Seizures, Neuropathy and Restless Leg Syndrome

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Fatigue, Weight gain, Dry mouth, Nausea



 McLaren

Rev. 01/15

M-687-46

# Neurontin/ Gabapentin

**WHAT IS IT FOR?**  
Seizures, Neuropathy and Restless Leg Syndrome

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Fatigue, Weight gain, Dry mouth, Nausea



 McLaren


Rev. 01/15

M-687-46

# Neurontin/ Gabapentin

**WHAT IS IT FOR?**  
Seizures, Neuropathy and Restless Leg Syndrome

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Fatigue, Weight gain, Dry mouth, Nausea



 McLaren

Rev. 01/15

M-687-46

# Advair

**WHAT DOES IT TREAT?**

Asthma or COPD  
This medication is a combination of steroid and bronchodilator

**MOST COMMON SIDE EFFECTS:**

Bone Or Muscle Pain, Dry Mouth, Hoarseness or Voice Changes



Rev. 01/15

M-687-47

# Advair

**WHAT DOES IT TREAT?**

Asthma or COPD  
This medication is a combination of steroid and bronchodilator

**MOST COMMON SIDE EFFECTS:**

Bone Or Muscle Pain, Dry Mouth, Hoarseness or Voice Changes



Rev. 01/15

M-687-47

# Advair

**WHAT DOES IT TREAT?**

Asthma or COPD  
This medication is a combination of steroid and bronchodilator

**MOST COMMON SIDE EFFECTS:**

Bone Or Muscle Pain, Dry Mouth, Hoarseness or Voice Changes



Rev. 01/15

M-687-47


# Advair

**WHAT DOES IT TREAT?**

Asthma or COPD  
This medication is a combination of steroid and bronchodilator

**MOST COMMON SIDE EFFECTS:**

Bone Or Muscle Pain, Dry Mouth, Hoarseness or Voice Changes



Rev. 01/15

M-687-47

# Advair

**WHAT DOES IT TREAT?**

Asthma or COPD  
This medication is a combination of steroid and bronchodilator

**MOST COMMON SIDE EFFECTS:**

Bone Or Muscle Pain, Dry Mouth, Hoarseness or Voice Changes



Rev. 01/15

M-687-47

# Advair

**WHAT DOES IT TREAT?**

Asthma or COPD  
This medication is a combination of steroid and bronchodilator

**MOST COMMON SIDE EFFECTS:**

Bone Or Muscle Pain, Dry Mouth, Hoarseness or Voice Changes



Rev. 01/15

M-687-47

# Advair

**WHAT DOES IT TREAT?**

Asthma or COPD  
This medication is a combination of steroid and bronchodilator

**MOST COMMON SIDE EFFECTS:**

Bone Or Muscle Pain, Dry Mouth, Hoarseness or Voice Changes



Rev. 01/15

M-687-47


# Advair

**WHAT DOES IT TREAT?**

Asthma or COPD  
This medication is a combination of steroid and bronchodilator

**MOST COMMON SIDE EFFECTS:**

Bone Or Muscle Pain, Dry Mouth, Hoarseness or Voice Changes



Rev. 01/15

M-687-47

# Synthroid/ Levothyroxine

**WHAT IS IT FOR?**  
Thyroid hormone replacement.

**MOST COMMON SIDE EFFECTS:**  
Nervousness, Tremor, Fast heart rate,  
Palpitations, Weight loss, Increased  
appetite, Heat intolerance




Rev. 01/15

M-687-48

# Synthroid/ Levothyroxine

**WHAT IS IT FOR?**  
Thyroid hormone replacement.

**MOST COMMON SIDE EFFECTS:**  
Nervousness, Tremor, Fast heart rate,  
Palpitations, Weight loss, Increased  
appetite, Heat intolerance



Rev. 01/15

M-687-48

# Synthroid/ Levothyroxine

**WHAT IS IT FOR?**  
Thyroid hormone replacement.

**MOST COMMON SIDE EFFECTS:**  
Nervousness, Tremor, Fast heart rate,  
Palpitations, Weight loss, Increased  
appetite, Heat intolerance




Rev. 01/15

M-687-48

# Synthroid/ Levothyroxine

**WHAT IS IT FOR?**  
Thyroid hormone replacement.

**MOST COMMON SIDE EFFECTS:**  
Nervousness, Tremor, Fast heart rate,  
Palpitations, Weight loss, Increased  
appetite, Heat intolerance



Rev. 01/15

M-687-48

# Synthroid/ Levothyroxine

**WHAT IS IT FOR?**  
Thyroid hormone replacement.

**MOST COMMON SIDE EFFECTS:**  
Nervousness, Tremor, Fast heart rate,  
Palpitations, Weight loss, Increased  
appetite, Heat intolerance




Rev. 01/15

M-687-48

# Synthroid/ Levothyroxine

**WHAT IS IT FOR?**  
Thyroid hormone replacement.

**MOST COMMON SIDE EFFECTS:**  
Nervousness, Tremor, Fast heart rate,  
Palpitations, Weight loss, Increased  
appetite, Heat intolerance



Rev. 01/15

M-687-48

# Synthroid/ Levothyroxine

**WHAT IS IT FOR?**  
Thyroid hormone replacement.

**MOST COMMON SIDE EFFECTS:**  
Nervousness, Tremor, Fast heart rate,  
Palpitations, Weight loss, Increased  
appetite, Heat intolerance




Rev. 01/15

M-687-48

# Synthroid/ Levothyroxine

**WHAT IS IT FOR?**  
Thyroid hormone replacement.

**MOST COMMON SIDE EFFECTS:**  
Nervousness, Tremor, Fast heart rate,  
Palpitations, Weight loss, Increased  
appetite, Heat intolerance



Rev. 01/15

M-687-48



# Reglan/ Metoclopramide

**WHAT DOES IT TREAT?**  
Nausea

**MOST COMMON SIDE EFFECTS:**  
Anxiety, Drowsiness, Fatigue



Rev. 01/15

M-687-49

# Reglan/ Metoclopramide

**WHAT DOES IT TREAT?**  
Nausea

**MOST COMMON SIDE EFFECTS:**  
Anxiety, Drowsiness, Fatigue




Rev. 01/15

M-687-49

# Reglan/ Metoclopramide

**WHAT DOES IT TREAT?**  
Nausea

**MOST COMMON SIDE EFFECTS:**  
Anxiety, Drowsiness, Fatigue



Rev. 01/15

M-687-49

# Reglan/ Metoclopramide

**WHAT DOES IT TREAT?**  
Nausea

**MOST COMMON SIDE EFFECTS:**  
Anxiety, Drowsiness, Fatigue



Rev. 01/15

M-687-49

# Reglan/ Metoclopramide

**WHAT DOES IT TREAT?**  
Nausea

**MOST COMMON SIDE EFFECTS:**  
Anxiety, Drowsiness, Fatigue



Rev. 01/15

M-687-49

# Reglan/ Metoclopramide

**WHAT DOES IT TREAT?**  
Nausea

**MOST COMMON SIDE EFFECTS:**  
Anxiety, Drowsiness, Fatigue




Rev. 01/15

M-687-49

# Reglan/ Metoclopramide

**WHAT DOES IT TREAT?**  
Nausea

**MOST COMMON SIDE EFFECTS:**  
Anxiety, Drowsiness, Fatigue




Rev. 01/15

M-687-49

# Reglan/ Metoclopramide

**WHAT DOES IT TREAT?**  
Nausea

**MOST COMMON SIDE EFFECTS:**  
Anxiety, Drowsiness, Fatigue



Rev. 01/15

M-687-49

# Vancocin/ Vancomycin

**WHAT DOES IT TREAT?**  
An antibiotic used for infection.

**MOST COMMON SIDE EFFECTS:**  
Nausea



 McLaren

Rev. 01/15

M-687-50

# Vancocin/ Vancomycin

**WHAT DOES IT TREAT?**  
An antibiotic used for infection.

**MOST COMMON SIDE EFFECTS:**  
Nausea



 McLaren

Rev. 01/15

M-687-50

# Vancocin/ Vancomycin

**WHAT DOES IT TREAT?**  
An antibiotic used for infection.

**MOST COMMON SIDE EFFECTS:**  
Nausea



 McLaren

Rev. 01/15

M-687-50

# Vancocin/ Vancomycin

**WHAT DOES IT TREAT?**  
An antibiotic used for infection.

**MOST COMMON SIDE EFFECTS:**  
Nausea



 McLaren

Rev. 01/15

M-687-50

# Vancocin/ Vancomycin

**WHAT DOES IT TREAT?**  
An antibiotic used for infection.

**MOST COMMON SIDE EFFECTS:**  
Nausea



 McLaren

Rev. 01/15

M-687-50

# Vancocin/ Vancomycin

**WHAT DOES IT TREAT?**  
An antibiotic used for infection.

**MOST COMMON SIDE EFFECTS:**  
Nausea



 McLaren

Rev. 01/15

M-687-50

# Vancocin/ Vancomycin

**WHAT DOES IT TREAT?**  
An antibiotic used for infection.

**MOST COMMON SIDE EFFECTS:**  
Nausea



 McLaren

Rev. 01/15

M-687-50

# Vancocin/ Vancomycin

**WHAT DOES IT TREAT?**  
An antibiotic used for infection.

**MOST COMMON SIDE EFFECTS:**  
Nausea



 McLaren

Rev. 01/15

M-687-50

# BiDil/ Isosorbide and Hydralazine

## WHAT DOES IT TREAT?

Chest pain, Blood pressure and Heart failure

## MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Flushing,  
Nausea, Joint or Muscle  
Pain



**McLaren**

Rev. 01/15

M-687-51


# BiDil/ Isosorbide and Hydralazine

## WHAT DOES IT TREAT?

Chest pain, Blood pressure and Heart failure

## MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Flushing,  
Nausea, Joint or Muscle  
Pain



**McLaren**

Rev. 01/15

M-687-51

# BiDil/ Isosorbide and Hydralazine

## WHAT DOES IT TREAT?

Chest pain, Blood pressure and Heart failure

## MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Flushing,  
Nausea, Joint or Muscle  
Pain



**McLaren**

Rev. 01/15

M-687-51


# BiDil/ Isosorbide and Hydralazine

## WHAT DOES IT TREAT?

Chest pain, Blood pressure and Heart failure

## MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Flushing,  
Nausea, Joint or Muscle  
Pain



**McLaren**

Rev. 01/15

M-687-51

# BiDil/ Isosorbide and Hydralazine

## WHAT DOES IT TREAT?

Chest pain, Blood pressure and Heart failure

## MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Flushing,  
Nausea, Joint or Muscle  
Pain



**McLaren**

Rev. 01/15

M-687-51

# BiDil/ Isosorbide and Hydralazine

## WHAT DOES IT TREAT?

Chest pain, Blood pressure and Heart failure

## MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Flushing,  
Nausea, Joint or Muscle  
Pain



**McLaren**

Rev. 01/15

M-687-51

# BiDil/ Isosorbide and Hydralazine

## WHAT DOES IT TREAT?

Chest pain, Blood pressure and Heart failure

## MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Flushing,  
Nausea, Joint or Muscle  
Pain



**McLaren**

Rev. 01/15

M-687-51


# BiDil/ Isosorbide and Hydralazine

## WHAT DOES IT TREAT?

Chest pain, Blood pressure and Heart failure

## MOST COMMON SIDE EFFECTS:

Headache, Palpitations, Flushing,  
Nausea, Joint or Muscle  
Pain



**McLaren**

Rev. 01/15

M-687-51

# Ciprofloxacin/ Cipro

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea , Mild skin rash or  
Itching



**McLaren**

Rev. 01/15

M-687-52

# Ciprofloxacin/ Cipro

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea , Mild skin rash or  
Itching



**McLaren**

Rev. 01/15

M-687-52

# Ciprofloxacin/ Cipro

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea , Mild skin rash or  
Itching



**McLaren**

Rev. 01/15

M-687-52

# Ciprofloxacin/ Cipro

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea , Mild skin rash or  
Itching



**McLaren**

Rev. 01/15

M-687-52

# Ciprofloxacin/ Cipro

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea , Mild skin rash or  
Itching



**McLaren**


Rev. 01/15

M-687-52

# Ciprofloxacin/ Cipro

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea , Mild skin rash or  
Itching



**McLaren**

Rev. 01/15

M-687-52

# Ciprofloxacin/ Cipro

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea , Mild skin rash or  
Itching



**McLaren**


Rev. 01/15

M-687-52

# Ciprofloxacin/ Cipro

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea , Mild skin rash or  
Itching



**McLaren**

Rev. 01/15

M-687-52

# Claforan/ Cefotaxime

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea and Headache



**McLaren**

Rev. 01/15

M-687-53

# Claforan/ Cefotaxime

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea and Headache



**McLaren**


Rev. 01/15

M-687-53

# Claforan/ Cefotaxime

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea and Headache



**McLaren**

Rev. 01/15

M-687-53

# Claforan/ Cefotaxime

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea and Headache



**McLaren**

Rev. 01/15

M-687-53

# Claforan/ Cefotaxime

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea and Headache



**McLaren**

Rev. 01/15

M-687-53

# Claforan/ Cefotaxime

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea and Headache



**McLaren**


Rev. 01/15

M-687-53

# Claforan/ Cefotaxime

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea and Headache



**McLaren**


Rev. 01/15

M-687-53

# Claforan/ Cefotaxime

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Diarrhea and Headache



**McLaren**

Rev. 01/15

M-687-53

# Dilaudid/ Hydromorphone

**WHAT DOES IT TREAT?**  
Moderate to Severe Chronic Pain

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Headache, Nausea,  
Vomiting, Blurred Vision,  
Constipation, Dry Mouth  
and Unusual Drowsiness



Rev. 01/15

M-687-54

# Dilaudid/ Hydromorphone

**WHAT DOES IT TREAT?**  
Moderate to Severe Chronic Pain

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Headache, Nausea,  
Vomiting, Blurred Vision,  
Constipation, Dry Mouth  
and Unusual Drowsiness



Rev. 01/15

M-687-54

# Dilaudid/ Hydromorphone

**WHAT DOES IT TREAT?**  
Moderate to Severe Chronic Pain

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Headache, Nausea,  
Vomiting, Blurred Vision,  
Constipation, Dry Mouth  
and Unusual Drowsiness




Rev. 01/15

M-687-54

# Dilaudid/ Hydromorphone

**WHAT DOES IT TREAT?**  
Moderate to Severe Chronic Pain

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Headache, Nausea,  
Vomiting, Blurred Vision,  
Constipation, Dry Mouth  
and Unusual Drowsiness



Rev. 01/15

M-687-54

# Dilaudid/ Hydromorphone

**WHAT DOES IT TREAT?**  
Moderate to Severe Chronic Pain

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Headache, Nausea,  
Vomiting, Blurred Vision,  
Constipation, Dry Mouth  
and Unusual Drowsiness




Rev. 01/15

M-687-54

# Dilaudid/ Hydromorphone

**WHAT DOES IT TREAT?**  
Moderate to Severe Chronic Pain

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Headache, Nausea,  
Vomiting, Blurred Vision,  
Constipation, Dry Mouth  
and Unusual Drowsiness



Rev. 01/15

M-687-54

# Dilaudid/ Hydromorphone

**WHAT DOES IT TREAT?**  
Moderate to Severe Chronic Pain

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Headache, Nausea,  
Vomiting, Blurred Vision,  
Constipation, Dry Mouth  
and Unusual Drowsiness




Rev. 01/15

M-687-54

# Dilaudid/ Hydromorphone

**WHAT DOES IT TREAT?**  
Moderate to Severe Chronic Pain

**MOST COMMON SIDE EFFECTS:**  
Dizziness, Headache, Nausea,  
Vomiting, Blurred Vision,  
Constipation, Dry Mouth  
and Unusual Drowsiness



Rev. 01/15

M-687-54



# Glucophage/ Metformin

**WHAT DOES IT TREAT?**  
Helps to lower blood sugar levels.

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea, Vomiting, Gas,  
Metallic taste in the mouth



Rev. 01/15

M-687-56

# Glucophage/ Metformin

**WHAT DOES IT TREAT?**  
Helps to lower blood sugar levels.

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea, Vomiting, Gas,  
Metallic taste in the mouth



Rev. 01/15

M-687-56

# Glucophage/ Metformin

**WHAT DOES IT TREAT?**  
Helps to lower blood sugar levels.

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea, Vomiting, Gas,  
Metallic taste in the mouth



Rev. 01/15

M-687-56

# Glucophage/ Metformin

**WHAT DOES IT TREAT?**  
Helps to lower blood sugar levels.

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea, Vomiting, Gas,  
Metallic taste in the mouth



Rev. 01/15

M-687-56

# Glucophage/ Metformin

**WHAT DOES IT TREAT?**  
Helps to lower blood sugar levels.

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea, Vomiting, Gas,  
Metallic taste in the mouth



Rev. 01/15

M-687-56

# Glucophage/ Metformin

**WHAT DOES IT TREAT?**  
Helps to lower blood sugar levels.

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea, Vomiting, Gas,  
Metallic taste in the mouth



Rev. 01/15

M-687-56

# Glucophage/ Metformin

**WHAT DOES IT TREAT?**  
Helps to lower blood sugar levels.

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea, Vomiting, Gas,  
Metallic taste in the mouth




Rev. 01/15

M-687-56

# Glucophage/ Metformin

**WHAT DOES IT TREAT?**  
Helps to lower blood sugar levels.

**MOST COMMON SIDE EFFECTS:**  
Diarrhea, Nausea, Vomiting, Gas,  
Metallic taste in the mouth



Rev. 01/15

M-687-56



# Humulin R, Novolin R/ Insulin (regular)

## WHAT DOES IT TREAT?

Short acting antidiabetic medication.  
Helps lower your blood sugar.

## MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Increased  
thirst or appetite,  
Redness or swelling where  
shot is given



 McLaren

Rev. 01/15

M-687-57


# Humulin R, Novolin R/ Insulin (regular)

## WHAT DOES IT TREAT?

Short acting antidiabetic medication.  
Helps lower your blood sugar.

## MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Increased  
thirst or appetite,  
Redness or swelling where  
shot is given



 McLaren

Rev. 01/15

M-687-57

# Humulin R, Novolin R/ Insulin (regular)

## WHAT DOES IT TREAT?

Short acting antidiabetic medication.  
Helps lower your blood sugar.

## MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Increased  
thirst or appetite,  
Redness or swelling where  
shot is given



 McLaren

Rev. 01/15

M-687-57

# Humulin R, Novolin R/ Insulin (regular)

## WHAT DOES IT TREAT?

Short acting antidiabetic medication.  
Helps lower your blood sugar.

## MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Increased  
thirst or appetite,  
Redness or swelling where  
shot is given



 McLaren

Rev. 01/15

M-687-57

# Humulin R, Novolin R/ Insulin (regular)

## WHAT DOES IT TREAT?

Short acting antidiabetic medication.  
Helps lower your blood sugar.

## MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Increased  
thirst or appetite,  
Redness or swelling where  
shot is given



 McLaren

Rev. 01/15

M-687-57

# Humulin R, Novolin R/ Insulin (regular)

## WHAT DOES IT TREAT?

Short acting antidiabetic medication.  
Helps lower your blood sugar.

## MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Increased  
thirst or appetite,  
Redness or swelling where  
shot is given



 McLaren

Rev. 01/15

M-687-57

# Humulin R, Novolin R/ Insulin (regular)

## WHAT DOES IT TREAT?

Short acting antidiabetic medication.  
Helps lower your blood sugar.

## MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Increased  
thirst or appetite,  
Redness or swelling where  
shot is given



 McLaren

Rev. 01/15

M-687-57

# Humulin R, Novolin R/ Insulin (regular)

## WHAT DOES IT TREAT?

Short acting antidiabetic medication.  
Helps lower your blood sugar.

## MOST COMMON SIDE EFFECTS:

Dry mouth, Blurred vision, Increased  
thirst or appetite,  
Redness or swelling where  
shot is given



 McLaren

Rev. 01/15

M-687-57

# Humalog/ Insulin (Lispro)

**WHAT DOES IT TREAT?**

Short acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**

Dry mouth, Blurred vision, Redness or  
swelling where shot is given



**McLaren**

Rev. 01/15

M-687-58


# Humalog/ Insulin (Lispro)

**WHAT DOES IT TREAT?**

Short acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**

Dry mouth, Blurred vision, Redness or  
swelling where shot is given



**McLaren**

Rev. 01/15

M-687-58

# Humalog/ Insulin (Lispro)

**WHAT DOES IT TREAT?**

Short acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**

Dry mouth, Blurred vision, Redness or  
swelling where shot is given



**McLaren**

Rev. 01/15

M-687-58


# Humalog/ Insulin (Lispro)

**WHAT DOES IT TREAT?**

Short acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**

Dry mouth, Blurred vision, Redness or  
swelling where shot is given



**McLaren**

Rev. 01/15

M-687-58

# Humalog/ Insulin (Lispro)

**WHAT DOES IT TREAT?**

Short acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**

Dry mouth, Blurred vision, Redness or  
swelling where shot is given



**McLaren**

Rev. 01/15

M-687-58


# Humalog/ Insulin (Lispro)

**WHAT DOES IT TREAT?**

Short acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**

Dry mouth, Blurred vision, Redness or  
swelling where shot is given



**McLaren**

Rev. 01/15

M-687-58

# Humalog/ Insulin (Lispro)

**WHAT DOES IT TREAT?**

Short acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**

Dry mouth, Blurred vision, Redness or  
swelling where shot is given



**McLaren**

Rev. 01/15

M-687-58


# Humalog/ Insulin (Lispro)

**WHAT DOES IT TREAT?**

Short acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**

Dry mouth, Blurred vision, Redness or  
swelling where shot is given



**McLaren**

Rev. 01/15

M-687-58

# Lantus/ Insulin Glargine

**WHAT DOES IT TREAT?**  
Longer acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**  
Rash and Pain at injection site



Rev. 01/15

M-687-59

# Lantus/ Insulin Glargine

**WHAT DOES IT TREAT?**  
Longer acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**  
Rash and Pain at injection site



Rev. 01/15

M-687-59

# Lantus/ Insulin Glargine

**WHAT DOES IT TREAT?**  
Longer acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**  
Rash and Pain at injection site



Rev. 01/15

M-687-59

# Lantus/ Insulin Glargine

**WHAT DOES IT TREAT?**  
Longer acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**  
Rash and Pain at injection site



Rev. 01/15

M-687-59

# Lantus/ Insulin Glargine

**WHAT DOES IT TREAT?**  
Longer acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**  
Rash and Pain at injection site



Rev. 01/15

M-687-59

# Lantus/ Insulin Glargine

**WHAT DOES IT TREAT?**  
Longer acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**  
Rash and Pain at injection site



Rev. 01/15

M-687-59

# Lantus/ Insulin Glargine

**WHAT DOES IT TREAT?**  
Longer acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**  
Rash and Pain at injection site



Rev. 01/15

M-687-59

# Lantus/ Insulin Glargine

**WHAT DOES IT TREAT?**  
Longer acting antidiabetic medication.  
Helps lower your blood sugar.

**MOST COMMON SIDE EFFECTS:**  
Rash and Pain at injection site



Rev. 01/15

M-687-59

# K-Dur/ Potassium Chloride

**WHAT DOES IT TREAT?**

Low Potassium Levels

\*\*Take with food.

**MOST COMMON SIDE EFFECTS:**

Weakness in arms and legs, Nausea,  
Diarrhea



 **McLaren**

Rev. 01/15

M-687-60

# K-Dur/ Potassium Chloride


**WHAT DOES IT TREAT?**

Low Potassium Levels

\*\*Take with food.

**MOST COMMON SIDE EFFECTS:**

Weakness in arms and legs, Nausea,  
Diarrhea



 **McLaren**

Rev. 01/15

M-687-60

# K-Dur/ Potassium Chloride

**WHAT DOES IT TREAT?**

Low Potassium Levels

\*\*Take with food.

**MOST COMMON SIDE EFFECTS:**

Weakness in arms and legs, Nausea,  
Diarrhea



 **McLaren**

Rev. 01/15

M-687-60

# K-Dur/ Potassium Chloride


**WHAT DOES IT TREAT?**

Low Potassium Levels

\*\*Take with food.

**MOST COMMON SIDE EFFECTS:**

Weakness in arms and legs, Nausea,  
Diarrhea



 **McLaren**

Rev. 01/15

M-687-60

# K-Dur/ Potassium Chloride

**WHAT DOES IT TREAT?**

Low Potassium Levels

\*\*Take with food.

**MOST COMMON SIDE EFFECTS:**

Weakness in arms and legs, Nausea,  
Diarrhea



 **McLaren**

Rev. 01/15

M-687-60

# K-Dur/ Potassium Chloride


**WHAT DOES IT TREAT?**

Low Potassium Levels

\*\*Take with food.

**MOST COMMON SIDE EFFECTS:**

Weakness in arms and legs, Nausea,  
Diarrhea



 **McLaren**

Rev. 01/15

M-687-60

# K-Dur/ Potassium Chloride

**WHAT DOES IT TREAT?**

Low Potassium Levels

\*\*Take with food.

**MOST COMMON SIDE EFFECTS:**

Weakness in arms and legs, Nausea,  
Diarrhea



 **McLaren**

Rev. 01/15

M-687-60

# K-Dur/ Potassium Chloride


**WHAT DOES IT TREAT?**

Low Potassium Levels

\*\*Take with food.

**MOST COMMON SIDE EFFECTS:**

Weakness in arms and legs, Nausea,  
Diarrhea



 **McLaren**

Rev. 01/15

M-687-60

# Imdur/ Isosorbide

**WHAT DOES IT TREAT?**  
Helps to prevent chest pain.

**MOST COMMON SIDE EFFECTS:**  
Headache, Palpitations, Dizziness, Low  
blood pressure.

DO NOT TAKE VIAGRA  
(Cialis or Levitra) WHILE  
ON THIS MEDICATION.



**McLaren**

Rev. 01/15


M-687-61

# Imdur/ Isosorbide

**WHAT DOES IT TREAT?**  
Helps to prevent chest pain.

**MOST COMMON SIDE EFFECTS:**  
Headache, Palpitations, Dizziness, Low  
blood pressure.

DO NOT TAKE VIAGRA  
(Cialis or Levitra) WHILE  
ON THIS MEDICATION.



**McLaren**

Rev. 01/15

M-687-61

# Imdur/ Isosorbide

**WHAT DOES IT TREAT?**  
Helps to prevent chest pain.

**MOST COMMON SIDE EFFECTS:**  
Headache, Palpitations, Dizziness, Low  
blood pressure.

DO NOT TAKE VIAGRA  
(Cialis or Levitra) WHILE  
ON THIS MEDICATION.



**McLaren**

Rev. 01/15


M-687-61

# Imdur/ Isosorbide

**WHAT DOES IT TREAT?**  
Helps to prevent chest pain.

**MOST COMMON SIDE EFFECTS:**  
Headache, Palpitations, Dizziness, Low  
blood pressure.

DO NOT TAKE VIAGRA  
(Cialis or Levitra) WHILE  
ON THIS MEDICATION.



**McLaren**

Rev. 01/15

M-687-61

# Imdur/ Isosorbide

**WHAT DOES IT TREAT?**  
Helps to prevent chest pain.

**MOST COMMON SIDE EFFECTS:**  
Headache, Palpitations, Dizziness, Low  
blood pressure.

DO NOT TAKE VIAGRA  
(Cialis or Levitra) WHILE  
ON THIS MEDICATION.



**McLaren**

Rev. 01/15


M-687-61

# Imdur/ Isosorbide

**WHAT DOES IT TREAT?**  
Helps to prevent chest pain.

**MOST COMMON SIDE EFFECTS:**  
Headache, Palpitations, Dizziness, Low  
blood pressure.

DO NOT TAKE VIAGRA  
(Cialis or Levitra) WHILE  
ON THIS MEDICATION.



**McLaren**

Rev. 01/15

M-687-61

# Imdur/ Isosorbide

**WHAT DOES IT TREAT?**  
Helps to prevent chest pain.

**MOST COMMON SIDE EFFECTS:**  
Headache, Palpitations, Dizziness, Low  
blood pressure.

DO NOT TAKE VIAGRA  
(Cialis or Levitra) WHILE  
ON THIS MEDICATION.



**McLaren**

Rev. 01/15


M-687-61

# Imdur/ Isosorbide

**WHAT DOES IT TREAT?**  
Helps to prevent chest pain.

**MOST COMMON SIDE EFFECTS:**  
Headache, Palpitations, Dizziness, Low  
blood pressure.

DO NOT TAKE VIAGRA  
(Cialis or Levitra) WHILE  
ON THIS MEDICATION.



**McLaren**

Rev. 01/15

M-687-61

# Senna, Senokot

## WHAT DOES IT TREAT?

This is a laxative used to relieve constipation by helping you have a bowel movement.

## MOST COMMON SIDE EFFECTS:

Abdominal cramping, Gas, Nausea



Rev. 01/15

M-687-62

# Senna, Senokot

## WHAT DOES IT TREAT?

This is a laxative used to relieve constipation by helping you have a bowel movement.

## MOST COMMON SIDE EFFECTS:

Abdominal cramping, Gas, Nausea



Rev. 01/15

M-687-62

# Senna, Senokot

## WHAT DOES IT TREAT?

This is a laxative used to relieve constipation by helping you have a bowel movement.

## MOST COMMON SIDE EFFECTS:

Abdominal cramping, Gas, Nausea



Rev. 01/15

M-687-62

# Senna, Senokot

## WHAT DOES IT TREAT?

This is a laxative used to relieve constipation by helping you have a bowel movement.

## MOST COMMON SIDE EFFECTS:

Abdominal cramping, Gas, Nausea



Rev. 01/15

M-687-62

# Senna, Senokot

## WHAT DOES IT TREAT?

This is a laxative used to relieve constipation by helping you have a bowel movement.

## MOST COMMON SIDE EFFECTS:

Abdominal cramping, Gas, Nausea



Rev. 01/15

M-687-62

# Senna, Senokot

## WHAT DOES IT TREAT?

This is a laxative used to relieve constipation by helping you have a bowel movement.

## MOST COMMON SIDE EFFECTS:

Abdominal cramping, Gas, Nausea



Rev. 01/15

M-687-62

# Senna, Senokot

## WHAT DOES IT TREAT?

This is a laxative used to relieve constipation by helping you have a bowel movement.

## MOST COMMON SIDE EFFECTS:

Abdominal cramping, Gas, Nausea



Rev. 01/15

M-687-62

# Senna, Senokot

## WHAT DOES IT TREAT?

This is a laxative used to relieve constipation by helping you have a bowel movement.

## MOST COMMON SIDE EFFECTS:

Abdominal cramping, Gas, Nausea



Rev. 01/15

M-687-62

# Vicoden/ Acetaminophen & Hydrocodone

**WHAT DOES IT TREAT?**  
Pain

**MOST COMMON SIDE EFFECTS:**  
Upset stomach, Dizziness,  
Lightheadness, Sleepiness

Ask your doctor before  
taking additional  
Acetaminophen (Tylenol).



Rev. 01/15

M-687-63

# Vicoden/ Acetaminophen & Hydrocodone

**WHAT DOES IT TREAT?**  
Pain

**MOST COMMON SIDE EFFECTS:**  
Upset stomach, Dizziness,  
Lightheadness, Sleepiness

Ask your doctor before  
taking additional  
Acetaminophen (Tylenol).



Rev. 01/15

M-687-63

# Vicoden/ Acetaminophen & Hydrocodone

**WHAT DOES IT TREAT?**  
Pain

**MOST COMMON SIDE EFFECTS:**  
Upset stomach, Dizziness,  
Lightheadness, Sleepiness

Ask your doctor before  
taking additional  
Acetaminophen (Tylenol).



Rev. 01/15

M-687-63

# Vicoden/ Acetaminophen & Hydrocodone

**WHAT DOES IT TREAT?**  
Pain

**MOST COMMON SIDE EFFECTS:**  
Upset stomach, Dizziness,  
Lightheadness, Sleepiness

Ask your doctor before  
taking additional  
Acetaminophen (Tylenol).



Rev. 01/15

M-687-63

# Vicoden/ Acetaminophen & Hydrocodone

**WHAT DOES IT TREAT?**  
Pain

**MOST COMMON SIDE EFFECTS:**  
Upset stomach, Dizziness,  
Lightheadness, Sleepiness

Ask your doctor before  
taking additional  
Acetaminophen (Tylenol).



Rev. 01/15

M-687-63

# Vicoden/ Acetaminophen & Hydrocodone

**WHAT DOES IT TREAT?**  
Pain

**MOST COMMON SIDE EFFECTS:**  
Upset stomach, Dizziness,  
Lightheadness, Sleepiness

Ask your doctor before  
taking additional  
Acetaminophen (Tylenol).



Rev. 01/15

M-687-63

# Vicoden/ Acetaminophen & Hydrocodone

**WHAT DOES IT TREAT?**  
Pain

**MOST COMMON SIDE EFFECTS:**  
Upset stomach, Dizziness,  
Lightheadness, Sleepiness

Ask your doctor before  
taking additional  
Acetaminophen (Tylenol).



Rev. 01/15

M-687-63

# Vicoden/ Acetaminophen & Hydrocodone

**WHAT DOES IT TREAT?**  
Pain

**MOST COMMON SIDE EFFECTS:**  
Upset stomach, Dizziness,  
Lightheadness, Sleepiness

Ask your doctor before  
taking additional  
Acetaminophen (Tylenol).



Rev. 01/15

M-687-63

# Xanax/ Alprazolam

**WHAT DOES IT TREAT?**  
Anxiety, Pain Disorder, Trouble  
Sleeping

**MOST COMMON SIDE EFFECTS:**  
Insomnia, Dizziness, Headache,  
Drowsiness, Dry Mouth  
and Memory Problems



 **McLaren**

Rev. 01/15

M-687-64

# Xanax/ Alprazolam

**WHAT DOES IT TREAT?**  
Anxiety, Pain Disorder, Trouble  
Sleeping

**MOST COMMON SIDE EFFECTS:**  
Insomnia, Dizziness, Headache,  
Drowsiness, Dry Mouth  
and Memory Problems



 **McLaren**

Rev. 01/15

M-687-64

# Xanax/ Alprazolam

**WHAT DOES IT TREAT?**  
Anxiety, Pain Disorder, Trouble  
Sleeping

**MOST COMMON SIDE EFFECTS:**  
Insomnia, Dizziness, Headache,  
Drowsiness, Dry Mouth  
and Memory Problems



 **McLaren**


Rev. 01/15

M-687-64

# Xanax/ Alprazolam

**WHAT DOES IT TREAT?**  
Anxiety, Pain Disorder, Trouble  
Sleeping

**MOST COMMON SIDE EFFECTS:**  
Insomnia, Dizziness, Headache,  
Drowsiness, Dry Mouth  
and Memory Problems



 **McLaren**

Rev. 01/15

M-687-64

# Xanax/ Alprazolam

**WHAT DOES IT TREAT?**  
Anxiety, Pain Disorder, Trouble  
Sleeping

**MOST COMMON SIDE EFFECTS:**  
Insomnia, Dizziness, Headache,  
Drowsiness, Dry Mouth  
and Memory Problems



 **McLaren**


Rev. 01/15

M-687-64

# Xanax/ Alprazolam

**WHAT DOES IT TREAT?**  
Anxiety, Pain Disorder, Trouble  
Sleeping

**MOST COMMON SIDE EFFECTS:**  
Insomnia, Dizziness, Headache,  
Drowsiness, Dry Mouth  
and Memory Problems



 **McLaren**

Rev. 01/15

M-687-64

# Xanax/ Alprazolam

**WHAT DOES IT TREAT?**  
Anxiety, Pain Disorder, Trouble  
Sleeping

**MOST COMMON SIDE EFFECTS:**  
Insomnia, Dizziness, Headache,  
Drowsiness, Dry Mouth  
and Memory Problems



 **McLaren**


Rev. 01/15

M-687-64

# Xanax/ Alprazolam

**WHAT DOES IT TREAT?**  
Anxiety, Pain Disorder, Trouble  
Sleeping

**MOST COMMON SIDE EFFECTS:**  
Insomnia, Dizziness, Headache,  
Drowsiness, Dry Mouth  
and Memory Problems



 **McLaren**

Rev. 01/15

M-687-64



# Zofran/ Ondansetron

**WHAT DOES IT TREAT?**

Nausea

**MOST COMMON SIDE EFFECTS:**

Dizziness, Fatigue, Headache and Agitation



Rev. 01/15

M-687-65

# Zofran/ Ondansetron

**WHAT DOES IT TREAT?**

Nausea

**MOST COMMON SIDE EFFECTS:**

Dizziness, Fatigue, Headache and Agitation



Rev. 01/15

M-687-65

# Zofran/ Ondansetron

**WHAT DOES IT TREAT?**

Nausea

**MOST COMMON SIDE EFFECTS:**

Dizziness, Fatigue, Headache and Agitation



Rev. 01/15

M-687-65

# Zofran/ Ondansetron

**WHAT DOES IT TREAT?**

Nausea

**MOST COMMON SIDE EFFECTS:**

Dizziness, Fatigue, Headache and Agitation



Rev. 01/15

M-687-65

# Zofran/ Ondansetron

**WHAT DOES IT TREAT?**

Nausea

**MOST COMMON SIDE EFFECTS:**

Dizziness, Fatigue, Headache and Agitation



Rev. 01/15

M-687-65

# Zofran/ Ondansetron

**WHAT DOES IT TREAT?**

Nausea

**MOST COMMON SIDE EFFECTS:**

Dizziness, Fatigue, Headache and Agitation



Rev. 01/15

M-687-65

# Zofran/ Ondansetron

**WHAT DOES IT TREAT?**

Nausea

**MOST COMMON SIDE EFFECTS:**

Dizziness, Fatigue, Headache and Agitation



Rev. 01/15

M-687-65

# Zofran/ Ondansetron

**WHAT DOES IT TREAT?**

Nausea

**MOST COMMON SIDE EFFECTS:**

Dizziness, Fatigue, Headache and Agitation



Rev. 01/15

M-687-65

# Zosyn/ Piperacillin and Tazobactam

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Pain at the site of the injection,  
Headache, Nausea, Insomnia and Sore  
Mouth or Tongue



**McLaren**

Rev. 01/15

M-687-66

# Zosyn/ Piperacillin and Tazobactam

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Pain at the site of the injection,  
Headache, Nausea, Insomnia and Sore  
Mouth or Tongue



**McLaren**

Rev. 01/15

M-687-66

# Zosyn/ Piperacillin and Tazobactam

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Pain at the site of the injection,  
Headache, Nausea, Insomnia and Sore  
Mouth or Tongue



**McLaren**

Rev. 01/15

M-687-66

# Zosyn/ Piperacillin and Tazobactam

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Pain at the site of the injection,  
Headache, Nausea, Insomnia and Sore  
Mouth or Tongue



**McLaren**

Rev. 01/15

M-687-66

# Zosyn/ Piperacillin and Tazobactam

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Pain at the site of the injection,  
Headache, Nausea, Insomnia and Sore  
Mouth or Tongue



**McLaren**


Rev. 01/15

M-687-66

# Zosyn/ Piperacillin and Tazobactam

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Pain at the site of the injection,  
Headache, Nausea, Insomnia and Sore  
Mouth or Tongue



**McLaren**

Rev. 01/15

M-687-66

# Zosyn/ Piperacillin and Tazobactam

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Pain at the site of the injection,  
Headache, Nausea, Insomnia and Sore  
Mouth or Tongue



**McLaren**


Rev. 01/15

M-687-66

# Zosyn/ Piperacillin and Tazobactam

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
Pain at the site of the injection,  
Headache, Nausea, Insomnia and Sore  
Mouth or Tongue



**McLaren**

Rev. 01/15

M-687-66

# Oretic, Microzide/ Hydrochlorothiazide

**WHAT DOES IT TREAT?**  
Helps to decrease excess fluid/  
swelling. Used alone or with other  
medications to treat high blood  
pressure and fluid retention.

**MOST COMMON SIDE  
EFFECTS:**  
Dizziness, Headache,  
Nausea, Diarrhea,  
Constipation, Muscle  
Cramps, and Frequent  
Urination



Rev. 01/15

M-687-67

# Oretic, Microzide/ Hydrochlorothiazide

**WHAT DOES IT TREAT?**  
Helps to decrease excess fluid/  
swelling. Used alone or with other  
medications to treat high blood  
pressure and fluid retention.

**MOST COMMON SIDE  
EFFECTS:**  
Dizziness, Headache,  
Nausea, Diarrhea,  
Constipation, Muscle  
Cramps, and Frequent  
Urination



Rev. 01/15

M-687-67

# Oretic, Microzide/ Hydrochlorothiazide

**WHAT DOES IT TREAT?**  
Helps to decrease excess fluid/  
swelling. Used alone or with other  
medications to treat high blood  
pressure and fluid retention.

**MOST COMMON SIDE  
EFFECTS:**  
Dizziness, Headache,  
Nausea, Diarrhea,  
Constipation, Muscle  
Cramps, and Frequent  
Urination




Rev. 01/15

M-687-67

# Oretic, Microzide/ Hydrochlorothiazide

**WHAT DOES IT TREAT?**  
Helps to decrease excess fluid/  
swelling. Used alone or with other  
medications to treat high blood  
pressure and fluid retention.

**MOST COMMON SIDE  
EFFECTS:**  
Dizziness, Headache,  
Nausea, Diarrhea,  
Constipation, Muscle  
Cramps, and Frequent  
Urination



Rev. 01/15

M-687-67

# Oretic, Microzide/ Hydrochlorothiazide

**WHAT DOES IT TREAT?**  
Helps to decrease excess fluid/  
swelling. Used alone or with other  
medications to treat high blood  
pressure and fluid retention.

**MOST COMMON SIDE  
EFFECTS:**  
Dizziness, Headache,  
Nausea, Diarrhea,  
Constipation, Muscle  
Cramps, and Frequent  
Urination




Rev. 01/15

M-687-67

# Oretic, Microzide/ Hydrochlorothiazide

**WHAT DOES IT TREAT?**  
Helps to decrease excess fluid/  
swelling. Used alone or with other  
medications to treat high blood  
pressure and fluid retention.

**MOST COMMON SIDE  
EFFECTS:**  
Dizziness, Headache,  
Nausea, Diarrhea,  
Constipation, Muscle  
Cramps, and Frequent  
Urination




Rev. 01/15

M-687-67

# Oretic, Microzide/ Hydrochlorothiazide

**WHAT DOES IT TREAT?**  
Helps to decrease excess fluid/  
swelling. Used alone or with other  
medications to treat high blood  
pressure and fluid retention.

**MOST COMMON SIDE  
EFFECTS:**  
Dizziness, Headache,  
Nausea, Diarrhea,  
Constipation, Muscle  
Cramps, and Frequent  
Urination




Rev. 01/15

M-687-67

# Oretic, Microzide/ Hydrochlorothiazide

**WHAT DOES IT TREAT?**  
Helps to decrease excess fluid/  
swelling. Used alone or with other  
medications to treat high blood  
pressure and fluid retention.

**MOST COMMON SIDE  
EFFECTS:**  
Dizziness, Headache,  
Nausea, Diarrhea,  
Constipation, Muscle  
Cramps, and Frequent  
Urination



Rev. 01/15

M-687-67

# Albuterol

## WHAT DOES IT TREAT?

Treats or prevents bronchospasm with asthma, emphysema, chronic bronchitis, or other lung diseases-also prevents wheezing caused by exercise.

## MOST COMMON SIDE EFFECTS:

Cough, Sore Throat, Nasal Congestion, Fast or Uneven Heartbeat



 McLaren

Rev. 01/15

M-687-68

# Albuterol

## WHAT DOES IT TREAT?

Treats or prevents bronchospasm with asthma, emphysema, chronic bronchitis, or other lung diseases-also prevents wheezing caused by exercise.

## MOST COMMON SIDE EFFECTS:

Cough, Sore Throat, Nasal Congestion, Fast or Uneven Heartbeat



 McLaren

Rev. 01/15

M-687-68

# Albuterol

## WHAT DOES IT TREAT?

Treats or prevents bronchospasm with asthma, emphysema, chronic bronchitis, or other lung diseases-also prevents wheezing caused by exercise.

## MOST COMMON SIDE EFFECTS:

Cough, Sore Throat, Nasal Congestion, Fast or Uneven Heartbeat



 McLaren

Rev. 01/15

M-687-68

# Albuterol

## WHAT DOES IT TREAT?

Treats or prevents bronchospasm with asthma, emphysema, chronic bronchitis, or other lung diseases-also prevents wheezing caused by exercise.

## MOST COMMON SIDE EFFECTS:

Cough, Sore Throat, Nasal Congestion, Fast or Uneven Heartbeat



 McLaren

Rev. 01/15

M-687-68

# Albuterol

## WHAT DOES IT TREAT?

Treats or prevents bronchospasm with asthma, emphysema, chronic bronchitis, or other lung diseases-also prevents wheezing caused by exercise.

## MOST COMMON SIDE EFFECTS:

Cough, Sore Throat, Nasal Congestion, Fast or Uneven Heartbeat



 McLaren

Rev. 01/15

M-687-68

# Albuterol

## WHAT DOES IT TREAT?

Treats or prevents bronchospasm with asthma, emphysema, chronic bronchitis, or other lung diseases-also prevents wheezing caused by exercise.

## MOST COMMON SIDE EFFECTS:

Cough, Sore Throat, Nasal Congestion, Fast or Uneven Heartbeat



 McLaren

Rev. 01/15

M-687-68

# Albuterol

## WHAT DOES IT TREAT?

Treats or prevents bronchospasm with asthma, emphysema, chronic bronchitis, or other lung diseases-also prevents wheezing caused by exercise.

## MOST COMMON SIDE EFFECTS:

Cough, Sore Throat, Nasal Congestion, Fast or Uneven Heartbeat



 McLaren

Rev. 01/15

M-687-68

# Albuterol

## WHAT DOES IT TREAT?

Treats or prevents bronchospasm with asthma, emphysema, chronic bronchitis, or other lung diseases-also prevents wheezing caused by exercise.

## MOST COMMON SIDE EFFECTS:

Cough, Sore Throat, Nasal Congestion, Fast or Uneven Heartbeat



 McLaren

Rev. 01/15

M-687-68

# Tylenol/ Acetaminophen

**WHAT DOES IT TREAT?**  
This treats minor aches and pains, and reduces fever.

**MOST COMMON SIDE EFFECTS:**  
Rash, Dark Colored Urine, Unusual Bleeding or Bruising



Rev. 01/15

M-687-69

# Tylenol/ Acetaminophen

**WHAT DOES IT TREAT?**  
This treats minor aches and pains, and reduces fever.

**MOST COMMON SIDE EFFECTS:**  
Rash, Dark Colored Urine, Unusual Bleeding or Bruising



Rev. 01/15

M-687-69

# Tylenol/ Acetaminophen

**WHAT DOES IT TREAT?**  
This treats minor aches and pains, and reduces fever.

**MOST COMMON SIDE EFFECTS:**  
Rash, Dark Colored Urine, Unusual Bleeding or Bruising



Rev. 01/15

M-687-69

# Tylenol/ Acetaminophen

**WHAT DOES IT TREAT?**  
This treats minor aches and pains, and reduces fever.

**MOST COMMON SIDE EFFECTS:**  
Rash, Dark Colored Urine, Unusual Bleeding or Bruising



Rev. 01/15

M-687-69

# Tylenol/ Acetaminophen

**WHAT DOES IT TREAT?**  
This treats minor aches and pains, and reduces fever.

**MOST COMMON SIDE EFFECTS:**  
Rash, Dark Colored Urine, Unusual Bleeding or Bruising




Rev. 01/15

M-687-69

# Tylenol/ Acetaminophen

**WHAT DOES IT TREAT?**  
This treats minor aches and pains, and reduces fever.

**MOST COMMON SIDE EFFECTS:**  
Rash, Dark Colored Urine, Unusual Bleeding or Bruising




Rev. 01/15

M-687-69

# Tylenol/ Acetaminophen

**WHAT DOES IT TREAT?**  
This treats minor aches and pains, and reduces fever.

**MOST COMMON SIDE EFFECTS:**  
Rash, Dark Colored Urine, Unusual Bleeding or Bruising




Rev. 01/15

M-687-69

# Tylenol/ Acetaminophen

**WHAT DOES IT TREAT?**  
This treats minor aches and pains, and reduces fever.

**MOST COMMON SIDE EFFECTS:**  
Rash, Dark Colored Urine, Unusual Bleeding or Bruising



Rev. 01/15

M-687-69

# Azithromycin

**WHAT DOES IT TREAT?**  
This is used to treat infection.

**MOST COMMON SIDE EFFECTS:**  
Sleepiness, Headache and Dizziness



 McLaren

Rev. 01/15

M-687-70

# Azithromycin

**WHAT DOES IT TREAT?**  
This is used to treat infection.

**MOST COMMON SIDE EFFECTS:**  
Sleepiness, Headache and Dizziness



 McLaren

Rev. 01/15

M-687-70

# Azithromycin

**WHAT DOES IT TREAT?**  
This is used to treat infection.

**MOST COMMON SIDE EFFECTS:**  
Sleepiness, Headache and Dizziness



 McLaren

Rev. 01/15

M-687-70

# Azithromycin

**WHAT DOES IT TREAT?**  
This is used to treat infection.

**MOST COMMON SIDE EFFECTS:**  
Sleepiness, Headache and Dizziness



 McLaren

Rev. 01/15

M-687-70

# Azithromycin

**WHAT DOES IT TREAT?**  
This is used to treat infection.

**MOST COMMON SIDE EFFECTS:**  
Sleepiness, Headache and Dizziness



 McLaren

Rev. 01/15

M-687-70

# Azithromycin

**WHAT DOES IT TREAT?**  
This is used to treat infection.

**MOST COMMON SIDE EFFECTS:**  
Sleepiness, Headache and Dizziness



 McLaren


Rev. 01/15

M-687-70

# Azithromycin

**WHAT DOES IT TREAT?**  
This is used to treat infection.

**MOST COMMON SIDE EFFECTS:**  
Sleepiness, Headache and Dizziness



 McLaren


Rev. 01/15

M-687-70

# Azithromycin

**WHAT DOES IT TREAT?**  
This is used to treat infection.

**MOST COMMON SIDE EFFECTS:**  
Sleepiness, Headache and Dizziness



 McLaren


Rev. 01/15

M-687-70

# Xarelto/ Rivaroxaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots, which lowers the risk of stroke, deep vein thrombosis (DVT), pulmonary embolism (PE), and similar conditions. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild skin rash, bloody or black, tarry stools, vomiting blood, trouble breathing




Rev. 01/15

M-687-71

# Xarelto/ Rivaroxaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots, which lowers the risk of stroke, deep vein thrombosis (DVT), pulmonary embolism (PE), and similar conditions. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild skin rash, bloody or black, tarry stools, vomiting blood, trouble breathing




Rev. 01/15

M-687-71

# Xarelto/ Rivaroxaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots, which lowers the risk of stroke, deep vein thrombosis (DVT), pulmonary embolism (PE), and similar conditions. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild skin rash, bloody or black, tarry stools, vomiting blood, trouble breathing




Rev. 01/15

M-687-71

# Xarelto/ Rivaroxaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots, which lowers the risk of stroke, deep vein thrombosis (DVT), pulmonary embolism (PE), and similar conditions. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild skin rash, bloody or black, tarry stools, vomiting blood, trouble breathing




Rev. 01/15

M-687-71

# Xarelto/ Rivaroxaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots, which lowers the risk of stroke, deep vein thrombosis (DVT), pulmonary embolism (PE), and similar conditions. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild skin rash, bloody or black, tarry stools, vomiting blood, trouble breathing




Rev. 01/15

M-687-71

# Xarelto/ Rivaroxaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots, which lowers the risk of stroke, deep vein thrombosis (DVT), pulmonary embolism (PE), and similar conditions. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild skin rash, bloody or black, tarry stools, vomiting blood, trouble breathing




Rev. 01/15

M-687-71

# Xarelto/ Rivaroxaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots, which lowers the risk of stroke, deep vein thrombosis (DVT), pulmonary embolism (PE), and similar conditions. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild skin rash, bloody or black, tarry stools, vomiting blood, trouble breathing




Rev. 01/15

M-687-71

# Xarelto/ Rivaroxaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots, which lowers the risk of stroke, deep vein thrombosis (DVT), pulmonary embolism (PE), and similar conditions. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild skin rash, bloody or black, tarry stools, vomiting blood, trouble breathing



Rev. 01/15

M-687-71

# Keflex/ Cephalexin

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, nausea, severe stomach pain, itching or hives



 **McLaren**

Rev. 01/15

M-687-72

# Keflex/ Cephalexin

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, nausea, severe stomach pain, itching or hives



 **McLaren**

Rev. 01/15

M-687-72

# Keflex/ Cephalexin

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, nausea, severe stomach pain, itching or hives



 **McLaren**


Rev. 01/15

M-687-72

# Keflex/ Cephalexin

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, nausea, severe stomach pain, itching or hives



 **McLaren**


Rev. 01/15

M-687-72

# Keflex/ Cephalexin

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, nausea, severe stomach pain, itching or hives



 **McLaren**

Rev. 01/15

M-687-72

# Keflex/ Cephalexin

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, nausea, severe stomach pain, itching or hives



 **McLaren**

Rev. 01/15

M-687-72

# Keflex/ Cephalexin

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, nausea, severe stomach pain, itching or hives



 **McLaren**

Rev. 01/15

M-687-72

# Keflex/ Cephalexin

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, nausea, severe stomach pain, itching or hives



 **McLaren**

Rev. 01/15

M-687-72



# Lovenox/ Enoxaparin

**WHAT DOES IT TREATS?**  
Prevents and treats blood clots. This medication is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Confusion, diarrhea, shortness of breath, severe headache, bloody or black, tarry stools



**McLaren**

Rev. 01/15

M-687-73

# Lovenox/ Enoxaparin

**WHAT DOES IT TREATS?**  
Prevents and treats blood clots. This medication is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Confusion, diarrhea, shortness of breath, severe headache, bloody or black, tarry stools



**McLaren**

Rev. 01/15

M-687-73

# Lovenox/ Enoxaparin

**WHAT DOES IT TREATS?**  
Prevents and treats blood clots. This medication is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Confusion, diarrhea, shortness of breath, severe headache, bloody or black, tarry stools



**McLaren**

Rev. 01/15

M-687-73

# Lovenox/ Enoxaparin

**WHAT DOES IT TREATS?**  
Prevents and treats blood clots. This medication is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Confusion, diarrhea, shortness of breath, severe headache, bloody or black, tarry stools



**McLaren**

Rev. 01/15

M-687-73

# Lovenox/ Enoxaparin

**WHAT DOES IT TREATS?**  
Prevents and treats blood clots. This medication is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Confusion, diarrhea, shortness of breath, severe headache, bloody or black, tarry stools



**McLaren**

Rev. 01/15

M-687-73

# Lovenox/ Enoxaparin

**WHAT DOES IT TREATS?**  
Prevents and treats blood clots. This medication is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Confusion, diarrhea, shortness of breath, severe headache, bloody or black, tarry stools



**McLaren**

Rev. 01/15

M-687-73

# Lovenox/ Enoxaparin

**WHAT DOES IT TREATS?**  
Prevents and treats blood clots. This medication is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Confusion, diarrhea, shortness of breath, severe headache, bloody or black, tarry stools



**McLaren**

Rev. 01/15

M-687-73

# Lovenox/ Enoxaparin

**WHAT DOES IT TREATS?**  
Prevents and treats blood clots. This medication is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Confusion, diarrhea, shortness of breath, severe headache, bloody or black, tarry stools



**McLaren**

Rev. 01/15

M-687-73

# Solumedrol/ Methylprednisolone

**WHAT DOES IT TREAT?**  
Steroid to decrease inflammation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Increased thirst or urination, round/puffy face, diarrhea, dry mouth, blurred vision, muscle pain or weakness



Rev. 01/15

M-687-74

# Solumedrol/ Methylprednisolone

**WHAT DOES IT TREAT?**  
Steroid to decrease inflammation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Increased thirst or urination, round/puffy face, diarrhea, dry mouth, blurred vision, muscle pain or weakness



Rev. 01/15

M-687-74

# Solumedrol/ Methylprednisolone

**WHAT DOES IT TREAT?**  
Steroid to decrease inflammation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Increased thirst or urination, round/puffy face, diarrhea, dry mouth, blurred vision, muscle pain or weakness



Rev. 01/15

M-687-74

# Solumedrol/ Methylprednisolone

**WHAT DOES IT TREAT?**  
Steroid to decrease inflammation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Increased thirst or urination, round/puffy face, diarrhea, dry mouth, blurred vision, muscle pain or weakness



Rev. 01/15

M-687-74

# Solumedrol/ Methylprednisolone

**WHAT DOES IT TREAT?**  
Steroid to decrease inflammation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Increased thirst or urination, round/puffy face, diarrhea, dry mouth, blurred vision, muscle pain or weakness



Rev. 01/15

M-687-74

# Solumedrol/ Methylprednisolone

**WHAT DOES IT TREAT?**  
Steroid to decrease inflammation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Increased thirst or urination, round/puffy face, diarrhea, dry mouth, blurred vision, muscle pain or weakness



Rev. 01/15

M-687-74

# Solumedrol/ Methylprednisolone

**WHAT DOES IT TREAT?**  
Steroid to decrease inflammation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Increased thirst or urination, round/puffy face, diarrhea, dry mouth, blurred vision, muscle pain or weakness



Rev. 01/15

M-687-74

# Solumedrol/ Methylprednisolone

**WHAT DOES IT TREAT?**  
Steroid to decrease inflammation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Increased thirst or urination, round/puffy face, diarrhea, dry mouth, blurred vision, muscle pain or weakness



Rev. 01/15

M-687-74

# Ditropan/ Oxybutynin

**WHAT DOES IT TREAT?**  
Overactive bladder

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Back pain, aching joints, dry eyes, blurred vision, eyes sensitive to light, stomach pain, constipation, seizures, fast, pounding or uneven heartbeat, rash, hives



**McLaren**

Rev. 01/15

M-687-75

# Ditropan/ Oxybutynin

**WHAT DOES IT TREAT?**  
Overactive bladder

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Back pain, aching joints, dry eyes, blurred vision, eyes sensitive to light, stomach pain, constipation, seizures, fast, pounding or uneven heartbeat, rash, hives



**McLaren**

Rev. 01/15

M-687-75

# Ditropan/ Oxybutynin

**WHAT DOES IT TREAT?**  
Overactive bladder

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Back pain, aching joints, dry eyes, blurred vision, eyes sensitive to light, stomach pain, constipation, seizures, fast, pounding or uneven heartbeat, rash, hives



**McLaren**

Rev. 01/15

M-687-75

# Ditropan/ Oxybutynin

**WHAT DOES IT TREAT?**  
Overactive bladder

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Back pain, aching joints, dry eyes, blurred vision, eyes sensitive to light, stomach pain, constipation, seizures, fast, pounding or uneven heartbeat, rash, hives



**McLaren**

Rev. 01/15

M-687-75

# Ditropan/ Oxybutynin

**WHAT DOES IT TREAT?**  
Overactive bladder

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Back pain, aching joints, dry eyes, blurred vision, eyes sensitive to light, stomach pain, constipation, seizures, fast, pounding or uneven heartbeat, rash, hives



**McLaren**

Rev. 01/15

M-687-75

# Ditropan/ Oxybutynin

**WHAT DOES IT TREAT?**  
Overactive bladder

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Back pain, aching joints, dry eyes, blurred vision, eyes sensitive to light, stomach pain, constipation, seizures, fast, pounding or uneven heartbeat, rash, hives



**McLaren**

Rev. 01/15

M-687-75

# Ditropan/ Oxybutynin

**WHAT DOES IT TREAT?**  
Overactive bladder

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Back pain, aching joints, dry eyes, blurred vision, eyes sensitive to light, stomach pain, constipation, seizures, fast, pounding or uneven heartbeat, rash, hives



**McLaren**

Rev. 01/15

M-687-75

# Ditropan/ Oxybutynin

**WHAT DOES IT TREAT?**  
Overactive bladder

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Back pain, aching joints, dry eyes, blurred vision, eyes sensitive to light, stomach pain, constipation, seizures, fast, pounding or uneven heartbeat, rash, hives



**McLaren**

Rev. 01/15

M-687-75

# Rocephin/ Ceftriaxone

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, headache, mild rash, itching, hives, trouble breathing



**McLaren**

Rev. 01/15


M-687-76

# Rocephin/ Ceftriaxone

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, headache, mild rash, itching, hives, trouble breathing



**McLaren**

Rev. 01/15

M-687-76

# Rocephin/ Ceftriaxone

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, headache, mild rash, itching, hives, trouble breathing



**McLaren**

Rev. 01/15


M-687-76

# Rocephin/ Ceftriaxone

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, headache, mild rash, itching, hives, trouble breathing



**McLaren**

Rev. 01/15

M-687-76

# Rocephin/ Ceftriaxone

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, headache, mild rash, itching, hives, trouble breathing



**McLaren**

Rev. 01/15


M-687-76

# Rocephin/ Ceftriaxone

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, headache, mild rash, itching, hives, trouble breathing



**McLaren**

Rev. 01/15

M-687-76

# Rocephin/ Ceftriaxone

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, headache, mild rash, itching, hives, trouble breathing



**McLaren**

Rev. 01/15


M-687-76

# Rocephin/ Ceftriaxone

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, headache, mild rash, itching, hives, trouble breathing



**McLaren**

Rev. 01/15

M-687-76

# Sotalol/ Betapace/ Sorine

## WHAT DOES IT TREAT?

Irregular heartbeat. This medicine is a beta blocker

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Trouble sleeping, feeling dizzy, cold hands or feet, chest pain, trouble breathing



**McLaren**

Rev. 01/15

M-687-77

# Sotalol/ Betapace/ Sorine

## WHAT DOES IT TREAT?

Irregular heartbeat. This medicine is a beta blocker

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Trouble sleeping, feeling dizzy, cold hands or feet, chest pain, trouble breathing



**McLaren**

Rev. 01/15

M-687-77


# Sotalol/ Betapace/ Sorine

## WHAT DOES IT TREAT?

Irregular heartbeat. This medicine is a beta blocker

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Trouble sleeping, feeling dizzy, cold hands or feet, chest pain, trouble breathing



**McLaren**

Rev. 01/15

M-687-77


# Sotalol/ Betapace/ Sorine

## WHAT DOES IT TREAT?

Irregular heartbeat. This medicine is a beta blocker

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Trouble sleeping, feeling dizzy, cold hands or feet, chest pain, trouble breathing



**McLaren**

Rev. 01/15

M-687-77

# Sotalol/ Betapace/ Sorine

## WHAT DOES IT TREAT?

Irregular heartbeat. This medicine is a beta blocker

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Trouble sleeping, feeling dizzy, cold hands or feet, chest pain, trouble breathing



**McLaren**

Rev. 01/15

M-687-77


# Sotalol/ Betapace/ Sorine

## WHAT DOES IT TREAT?

Irregular heartbeat. This medicine is a beta blocker

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Trouble sleeping, feeling dizzy, cold hands or feet, chest pain, trouble breathing



**McLaren**

Rev. 01/15

M-687-77

# Sotalol/ Betapace/ Sorine

## WHAT DOES IT TREAT?

Irregular heartbeat. This medicine is a beta blocker

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Trouble sleeping, feeling dizzy, cold hands or feet, chest pain, trouble breathing



**McLaren**

Rev. 01/15

M-687-77

# Sotalol/ Betapace/ Sorine

## WHAT DOES IT TREAT?

Irregular heartbeat. This medicine is a beta blocker

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Trouble sleeping, feeling dizzy, cold hands or feet, chest pain, trouble breathing



**McLaren**

Rev. 01/15

M-687-77

# Bactrim/ Sulfamethoxazole

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, vomiting, confusion, stomach pain, cramps or bloating, diarrhea, itching or hives



Rev. 01/15


M-687-78

# Bactrim/ Sulfamethoxazole

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, vomiting, confusion, stomach pain, cramps or bloating, diarrhea, itching or hives



Rev. 01/15

M-687-78

# Bactrim/ Sulfamethoxazole

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, vomiting, confusion, stomach pain, cramps or bloating, diarrhea, itching or hives



Rev. 01/15


M-687-78

# Bactrim/ Sulfamethoxazole

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, vomiting, confusion, stomach pain, cramps or bloating, diarrhea, itching or hives



Rev. 01/15

M-687-78

# Bactrim/ Sulfamethoxazole

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, vomiting, confusion, stomach pain, cramps or bloating, diarrhea, itching or hives



Rev. 01/15


M-687-78

# Bactrim/ Sulfamethoxazole

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, vomiting, confusion, stomach pain, cramps or bloating, diarrhea, itching or hives



Rev. 01/15

M-687-78

# Bactrim/ Sulfamethoxazole

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, vomiting, confusion, stomach pain, cramps or bloating, diarrhea, itching or hives



Rev. 01/15

M-687-78

# Bactrim/ Sulfamethoxazole

**WHAT DOES IT TREAT?**  
Infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, vomiting, confusion, stomach pain, cramps or bloating, diarrhea, itching or hives



Rev. 01/15

M-687-78

# Antivert/ Meclizine

**WHAT DOES IT TREAT?**  
Symptoms of motion sickness and vertigo (dizziness)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Blurred vision, drowsiness, dry mouth, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-79

# Antivert/ Meclizine

**WHAT DOES IT TREAT?**  
Symptoms of motion sickness and vertigo (dizziness)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Blurred vision, drowsiness, dry mouth, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-79

# Antivert/ Meclizine

**WHAT DOES IT TREAT?**  
Symptoms of motion sickness and vertigo (dizziness)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Blurred vision, drowsiness, dry mouth, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-79

# Antivert/ Meclizine

**WHAT DOES IT TREAT?**  
Symptoms of motion sickness and vertigo (dizziness)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Blurred vision, drowsiness, dry mouth, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-79

# Antivert/ Meclizine

**WHAT DOES IT TREAT?**  
Symptoms of motion sickness and vertigo (dizziness)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Blurred vision, drowsiness, dry mouth, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-79

# Antivert/ Meclizine

**WHAT DOES IT TREAT?**  
Symptoms of motion sickness and vertigo (dizziness)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Blurred vision, drowsiness, dry mouth, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-79

# Antivert/ Meclizine

**WHAT DOES IT TREAT?**  
Symptoms of motion sickness and vertigo (dizziness)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Blurred vision, drowsiness, dry mouth, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-79

# Antivert/ Meclizine

**WHAT DOES IT TREAT?**  
Symptoms of motion sickness and vertigo (dizziness)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Blurred vision, drowsiness, dry mouth, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-79


# Floranex/ Probiotic

## WHAT DOES IT TREAT?

May increase the number of healthy bacteria in your stomach and intestines

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, constipation, gas or cramps, itching, hives



Rev. 01/15

M-687-80


# Floranex/ Probiotic

## WHAT DOES IT TREAT?

May increase the number of healthy bacteria in your stomach and intestines

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, constipation, gas or cramps, itching, hives



Rev. 01/15

M-687-80


# Floranex/ Probiotic

## WHAT DOES IT TREAT?

May increase the number of healthy bacteria in your stomach and intestines

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, constipation, gas or cramps, itching, hives



Rev. 01/15

M-687-80


# Floranex/ Probiotic

## WHAT DOES IT TREAT?

May increase the number of healthy bacteria in your stomach and intestines

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, constipation, gas or cramps, itching, hives



Rev. 01/15

M-687-80


# Floranex/ Probiotic

## WHAT DOES IT TREAT?

May increase the number of healthy bacteria in your stomach and intestines

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, constipation, gas or cramps, itching, hives



Rev. 01/15

M-687-80


# Floranex/ Probiotic

## WHAT DOES IT TREAT?

May increase the number of healthy bacteria in your stomach and intestines

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, constipation, gas or cramps, itching, hives



Rev. 01/15

M-687-80


# Floranex/ Probiotic

## WHAT DOES IT TREAT?

May increase the number of healthy bacteria in your stomach and intestines

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, constipation, gas or cramps, itching, hives



Rev. 01/15

M-687-80


# Floranex/ Probiotic

## WHAT DOES IT TREAT?

May increase the number of healthy bacteria in your stomach and intestines

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Mild diarrhea, constipation, gas or cramps, itching, hives



Rev. 01/15

M-687-80



# Keppra/ Levetiracetam

**WHAT DOES IT TREAT?**  
Seizures

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Neck pain, drowsiness, depression, trouble concentrating, thoughts of hurting yourself, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-81

# Keppra/ Levetiracetam

**WHAT DOES IT TREAT?**  
Seizures

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Neck pain, drowsiness, depression, trouble concentrating, thoughts of hurting yourself, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-81

# Keppra/ Levetiracetam

**WHAT DOES IT TREAT?**  
Seizures

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Neck pain, drowsiness, depression, trouble concentrating, thoughts of hurting yourself, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-81

# Keppra/ Levetiracetam

**WHAT DOES IT TREAT?**  
Seizures

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Neck pain, drowsiness, depression, trouble concentrating, thoughts of hurting yourself, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-81

# Keppra/ Levetiracetam

**WHAT DOES IT TREAT?**  
Seizures

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Neck pain, drowsiness, depression, trouble concentrating, thoughts of hurting yourself, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-81

# Keppra/ Levetiracetam

**WHAT DOES IT TREAT?**  
Seizures

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Neck pain, drowsiness, depression, trouble concentrating, thoughts of hurting yourself, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-81

# Keppra/ Levetiracetam

**WHAT DOES IT TREAT?**  
Seizures

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Neck pain, drowsiness, depression, trouble concentrating, thoughts of hurting yourself, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-81

# Keppra/ Levetiracetam

**WHAT DOES IT TREAT?**  
Seizures

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Neck pain, drowsiness, depression, trouble concentrating, thoughts of hurting yourself, swelling in your face or hands




**McLaren**

Rev. 01/15

M-687-81

# Exelon/ Rivastigmine



**WHAT DOES IT TREAT?**  
Treats dementia (memory loss and mental changes) associated with Alzheimer's disease or Parkinson's disease


**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild redness or itching where the patch is applied, dizziness, headache, seizures, tremors, twitching or muscle movements you cannot control, problems with balance or walking, severe appetite loss or weight loss



Rev. 01/15

M-687-82

# Exelon/ Rivastigmine



**WHAT DOES IT TREAT?**  
Treats dementia (memory loss and mental changes) associated with Alzheimer's disease or Parkinson's disease


**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild redness or itching where the patch is applied, dizziness, headache, seizures, tremors, twitching or muscle movements you cannot control, problems with balance or walking, severe appetite loss or weight loss



Rev. 01/15

M-687-82

# Exelon/ Rivastigmine



**WHAT DOES IT TREAT?**  
Treats dementia (memory loss and mental changes) associated with Alzheimer's disease or Parkinson's disease


**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild redness or itching where the patch is applied, dizziness, headache, seizures, tremors, twitching or muscle movements you cannot control, problems with balance or walking, severe appetite loss or weight loss



Rev. 01/15

M-687-82

# Exelon/ Rivastigmine



**WHAT DOES IT TREAT?**  
Treats dementia (memory loss and mental changes) associated with Alzheimer's disease or Parkinson's disease


**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild redness or itching where the patch is applied, dizziness, headache, seizures, tremors, twitching or muscle movements you cannot control, problems with balance or walking, severe appetite loss or weight loss



Rev. 01/15

M-687-82

# Exelon/ Rivastigmine



**WHAT DOES IT TREAT?**  
Treats dementia (memory loss and mental changes) associated with Alzheimer's disease or Parkinson's disease


**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild redness or itching where the patch is applied, dizziness, headache, seizures, tremors, twitching or muscle movements you cannot control, problems with balance or walking, severe appetite loss or weight loss



Rev. 01/15

M-687-82

# Exelon/ Rivastigmine



**WHAT DOES IT TREAT?**  
Treats dementia (memory loss and mental changes) associated with Alzheimer's disease or Parkinson's disease


**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild redness or itching where the patch is applied, dizziness, headache, seizures, tremors, twitching or muscle movements you cannot control, problems with balance or walking, severe appetite loss or weight loss



Rev. 01/15

M-687-82

# Exelon/ Rivastigmine



**WHAT DOES IT TREAT?**  
Treats dementia (memory loss and mental changes) associated with Alzheimer's disease or Parkinson's disease


**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild redness or itching where the patch is applied, dizziness, headache, seizures, tremors, twitching or muscle movements you cannot control, problems with balance or walking, severe appetite loss or weight loss



Rev. 01/15

M-687-82

# Exelon/ Rivastigmine



**WHAT DOES IT TREAT?**  
Treats dementia (memory loss and mental changes) associated with Alzheimer's disease or Parkinson's disease

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Mild redness or itching where the patch is applied, dizziness, headache, seizures, tremors, twitching or muscle movements you cannot control, problems with balance or walking, severe appetite loss or weight loss



Rev. 01/15

M-687-82

# Diflucan/ Fluconazole

**WHAT DOES IT TREAT?**  
Prevents and treats fungal infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, mild nausea, vomiting, stomach pain, or diarrhea, blistering, peeling, or red skin rash, fast, pounding, or uneven heartbeat



Rev. 01/15

M-687-83

# Diflucan/ Fluconazole

**WHAT DOES IT TREAT?**  
Prevents and treats fungal infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, mild nausea, vomiting, stomach pain, or diarrhea, blistering, peeling, or red skin rash, fast, pounding, or uneven heartbeat



Rev. 01/15

M-687-83

# Diflucan/ Fluconazole

**WHAT DOES IT TREAT?**  
Prevents and treats fungal infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, mild nausea, vomiting, stomach pain, or diarrhea, blistering, peeling, or red skin rash, fast, pounding, or uneven heartbeat



Rev. 01/15

M-687-83

# Diflucan/ Fluconazole

**WHAT DOES IT TREAT?**  
Prevents and treats fungal infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, mild nausea, vomiting, stomach pain, or diarrhea, blistering, peeling, or red skin rash, fast, pounding, or uneven heartbeat



Rev. 01/15

M-687-83

# Diflucan/ Fluconazole

**WHAT DOES IT TREAT?**  
Prevents and treats fungal infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, mild nausea, vomiting, stomach pain, or diarrhea, blistering, peeling, or red skin rash, fast, pounding, or uneven heartbeat



Rev. 01/15

M-687-83

# Diflucan/ Fluconazole

**WHAT DOES IT TREAT?**  
Prevents and treats fungal infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, mild nausea, vomiting, stomach pain, or diarrhea, blistering, peeling, or red skin rash, fast, pounding, or uneven heartbeat



Rev. 01/15

M-687-83

# Diflucan/ Fluconazole

**WHAT DOES IT TREAT?**  
Prevents and treats fungal infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, mild nausea, vomiting, stomach pain, or diarrhea, blistering, peeling, or red skin rash, fast, pounding, or uneven heartbeat



Rev. 01/15

M-687-83

# Diflucan/ Fluconazole

**WHAT DOES IT TREAT?**  
Prevents and treats fungal infections

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, mild nausea, vomiting, stomach pain, or diarrhea, blistering, peeling, or red skin rash, fast, pounding, or uneven heartbeat



Rev. 01/15

M-687-83

# Norco/ Hydrocodone/ Acetaminophen/ Lortab

**WHAT DOES IT TREAT?**  
Narcotic pain reliever

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, nausea, vomiting, tiredness or sleepiness, lightheadedness, dizziness, fainting, itching or hives, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-84

# Norco/ Hydrocodone/ Acetaminophen/ Lortab

**WHAT DOES IT TREAT?**  
Narcotic pain reliever

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, nausea, vomiting, tiredness or sleepiness, lightheadedness, dizziness, fainting, itching or hives, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-84

# Norco/ Hydrocodone/ Acetaminophen/ Lortab

**WHAT DOES IT TREAT?**  
Narcotic pain reliever

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, nausea, vomiting, tiredness or sleepiness, lightheadedness, dizziness, fainting, itching or hives, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-84

# Norco/ Hydrocodone/ Acetaminophen/ Lortab

**WHAT DOES IT TREAT?**  
Narcotic pain reliever

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, nausea, vomiting, tiredness or sleepiness, lightheadedness, dizziness, fainting, itching or hives, swelling in your face or hands



**McLaren**

Rev. 01/15


M-687-84

# Norco/ Hydrocodone/ Acetaminophen/ Lortab

**WHAT DOES IT TREAT?**  
Narcotic pain reliever

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, nausea, vomiting, tiredness or sleepiness, lightheadedness, dizziness, fainting, itching or hives, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-84

# Norco/ Hydrocodone/ Acetaminophen/ Lortab

**WHAT DOES IT TREAT?**  
Narcotic pain reliever

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, nausea, vomiting, tiredness or sleepiness, lightheadedness, dizziness, fainting, itching or hives, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-84

# Norco/ Hydrocodone/ Acetaminophen/ Lortab

**WHAT DOES IT TREAT?**  
Narcotic pain reliever

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, nausea, vomiting, tiredness or sleepiness, lightheadedness, dizziness, fainting, itching or hives, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-84

# Norco/ Hydrocodone/ Acetaminophen/ Lortab

**WHAT DOES IT TREAT?**  
Narcotic pain reliever

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, nausea, vomiting, tiredness or sleepiness, lightheadedness, dizziness, fainting, itching or hives, swelling in your face or hands



**McLaren**

Rev. 01/15

M-687-84

# Depakote

## WHAT DOES IT TREAT?

Seizures; Also treats the manic phase of bipolar disorder (manic-depressive illness) and helps prevent migraine headaches

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Drowsiness, headache, constipation, diarrhea, blurred or double vision, hives, trouble breathing



Rev. 01/15

M-687-85

# Depakote

## WHAT DOES IT TREAT?

Seizures; Also treats the manic phase of bipolar disorder (manic-depressive illness) and helps prevent migraine headaches

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Drowsiness, headache, constipation, diarrhea, blurred or double vision, hives, trouble breathing



Rev. 01/15

M-687-85


# Depakote

## WHAT DOES IT TREAT?

Seizures; Also treats the manic phase of bipolar disorder (manic-depressive illness) and helps prevent migraine headaches

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Drowsiness, headache, constipation, diarrhea, blurred or double vision, hives, trouble breathing



Rev. 01/15

M-687-85

# Depakote

## WHAT DOES IT TREAT?

Seizures; Also treats the manic phase of bipolar disorder (manic-depressive illness) and helps prevent migraine headaches

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Drowsiness, headache, constipation, diarrhea, blurred or double vision, hives, trouble breathing



Rev. 01/15

M-687-85

# Depakote

## WHAT DOES IT TREAT?

Seizures; Also treats the manic phase of bipolar disorder (manic-depressive illness) and helps prevent migraine headaches

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Drowsiness, headache, constipation, diarrhea, blurred or double vision, hives, trouble breathing



Rev. 01/15

M-687-85


# Depakote

## WHAT DOES IT TREAT?

Seizures; Also treats the manic phase of bipolar disorder (manic-depressive illness) and helps prevent migraine headaches

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Drowsiness, headache, constipation, diarrhea, blurred or double vision, hives, trouble breathing



Rev. 01/15

M-687-85


# Depakote

## WHAT DOES IT TREAT?

Seizures; Also treats the manic phase of bipolar disorder (manic-depressive illness) and helps prevent migraine headaches

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Drowsiness, headache, constipation, diarrhea, blurred or double vision, hives, trouble breathing



Rev. 01/15

M-687-85


# Depakote

## WHAT DOES IT TREAT?

Seizures; Also treats the manic phase of bipolar disorder (manic-depressive illness) and helps prevent migraine headaches

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Drowsiness, headache, constipation, diarrhea, blurred or double vision, hives, trouble breathing



Rev. 01/15

M-687-85

# Morphine

**WHAT DOES IT TREAT?**  
Moderate to severe pain

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, dizziness, drowsiness, skin rash, hives, trouble breathing



Rev. 01/15

M-687-86

# Morphine

**WHAT DOES IT TREAT?**  
Moderate to severe pain

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, dizziness, drowsiness, skin rash, hives, trouble breathing



Rev. 01/15

M-687-86

# Morphine

**WHAT DOES IT TREAT?**  
Moderate to severe pain

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, dizziness, drowsiness, skin rash, hives, trouble breathing



Rev. 01/15

M-687-86

# Morphine

**WHAT DOES IT TREAT?**  
Moderate to severe pain

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, dizziness, drowsiness, skin rash, hives, trouble breathing



Rev. 01/15

M-687-86

# Morphine

**WHAT DOES IT TREAT?**  
Moderate to severe pain

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, dizziness, drowsiness, skin rash, hives, trouble breathing



Rev. 01/15

M-687-86

# Morphine

**WHAT DOES IT TREAT?**  
Moderate to severe pain

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, dizziness, drowsiness, skin rash, hives, trouble breathing



Rev. 01/15

M-687-86

# Morphine

**WHAT DOES IT TREAT?**  
Moderate to severe pain

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, dizziness, drowsiness, skin rash, hives, trouble breathing



Rev. 01/15

M-687-86

# Morphine

**WHAT DOES IT TREAT?**  
Moderate to severe pain

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Constipation, dizziness, drowsiness, skin rash, hives, trouble breathing



Rev. 01/15

M-687-86

# Heparin

## WHAT DOES IT TREAT?

Prevents and treats blood clots. This medication is a blood thinner

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Bone or joint pain, headache, nausea, coughing up blood, bloody or back, tarry stools, shortness of breath



 McLaren

Rev. 01/15

M-687-87

# Heparin

## WHAT DOES IT TREAT?

Prevents and treats blood clots. This medication is a blood thinner

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Bone or joint pain, headache, nausea, coughing up blood, bloody or back, tarry stools, shortness of breath



 McLaren

Rev. 01/15

M-687-87

# Heparin

## WHAT DOES IT TREAT?

Prevents and treats blood clots. This medication is a blood thinner

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Bone or joint pain, headache, nausea, coughing up blood, bloody or back, tarry stools, shortness of breath



 McLaren

Rev. 01/15

M-687-87

# Heparin

## WHAT DOES IT TREAT?

Prevents and treats blood clots. This medication is a blood thinner

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Bone or joint pain, headache, nausea, coughing up blood, bloody or back, tarry stools, shortness of breath



 McLaren

Rev. 01/15

M-687-87

# Heparin

## WHAT DOES IT TREAT?

Prevents and treats blood clots. This medication is a blood thinner

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Bone or joint pain, headache, nausea, coughing up blood, bloody or back, tarry stools, shortness of breath



 McLaren

Rev. 01/15

M-687-87

# Heparin

## WHAT DOES IT TREAT?

Prevents and treats blood clots. This medication is a blood thinner

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Bone or joint pain, headache, nausea, coughing up blood, bloody or back, tarry stools, shortness of breath



 McLaren

Rev. 01/15

M-687-87

# Heparin

## WHAT DOES IT TREAT?

Prevents and treats blood clots. This medication is a blood thinner

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Bone or joint pain, headache, nausea, coughing up blood, bloody or back, tarry stools, shortness of breath



 McLaren

Rev. 01/15

M-687-87

# Heparin

## WHAT DOES IT TREAT?

Prevents and treats blood clots. This medication is a blood thinner

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Bone or joint pain, headache, nausea, coughing up blood, bloody or back, tarry stools, shortness of breath



 McLaren

Rev. 01/15

M-687-87


# Protonix/ Pantoprazole/ Omeprazole

## WHAT DOES IT TREAT?

Gastroesophageal reflux disease (GERD) and damage to the esophagus

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Headache, mild diarrhea, dizziness, seizures, swelling in your face or hands, trouble breathing



**McLaren**

Rev. 01/15

M-687-88


# Protonix/ Pantoprazole/ Omeprazole

## WHAT DOES IT TREAT?

Gastroesophageal reflux disease (GERD) and damage to the esophagus

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Headache, mild diarrhea, dizziness, seizures, swelling in your face or hands, trouble breathing



**McLaren**

Rev. 01/15

M-687-88


# Protonix/ Pantoprazole/ Omeprazole

## WHAT DOES IT TREAT?

Gastroesophageal reflux disease (GERD) and damage to the esophagus

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Headache, mild diarrhea, dizziness, seizures, swelling in your face or hands, trouble breathing



**McLaren**

Rev. 01/15

M-687-88


# Protonix/ Pantoprazole/ Omeprazole

## WHAT DOES IT TREAT?

Gastroesophageal reflux disease (GERD) and damage to the esophagus

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Headache, mild diarrhea, dizziness, seizures, swelling in your face or hands, trouble breathing



**McLaren**

Rev. 01/15

M-687-88


# Protonix/ Pantoprazole/ Omeprazole

## WHAT DOES IT TREAT?

Gastroesophageal reflux disease (GERD) and damage to the esophagus

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Headache, mild diarrhea, dizziness, seizures, swelling in your face or hands, trouble breathing



**McLaren**

Rev. 01/15

M-687-88


# Protonix/ Pantoprazole/ Omeprazole

## WHAT DOES IT TREAT?

Gastroesophageal reflux disease (GERD) and damage to the esophagus

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Headache, mild diarrhea, dizziness, seizures, swelling in your face or hands, trouble breathing



**McLaren**

Rev. 01/15

M-687-88


# Protonix/ Pantoprazole/ Omeprazole

## WHAT DOES IT TREAT?

Gastroesophageal reflux disease (GERD) and damage to the esophagus

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Headache, mild diarrhea, dizziness, seizures, swelling in your face or hands, trouble breathing



**McLaren**

Rev. 01/15

M-687-88


# Protonix/ Pantoprazole/ Omeprazole

## WHAT DOES IT TREAT?

Gastroesophageal reflux disease (GERD) and damage to the esophagus

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Headache, mild diarrhea, dizziness, seizures, swelling in your face or hands, trouble breathing



**McLaren**

Rev. 01/15

M-687-88



# Ativan/ Lorazepam

**WHAT DOES IT TREAT?**  
Anxiety, agitation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, clumsiness, depression, confusion, thoughts of hurting yourself, drowsiness, trouble breathing



**McLaren**

Rev. 01/15

M-687-89

# Ativan/ Lorazepam

**WHAT DOES IT TREAT?**  
Anxiety, agitation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, clumsiness, depression, confusion, thoughts of hurting yourself, drowsiness, trouble breathing



**McLaren**

Rev. 01/15

M-687-89

# Ativan/ Lorazepam

**WHAT DOES IT TREAT?**  
Anxiety, agitation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, clumsiness, depression, confusion, thoughts of hurting yourself, drowsiness, trouble breathing



**McLaren**

Rev. 01/15


M-687-89

# Ativan/ Lorazepam

**WHAT DOES IT TREAT?**  
Anxiety, agitation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, clumsiness, depression, confusion, thoughts of hurting yourself, drowsiness, trouble breathing



**McLaren**

Rev. 01/15


M-687-89

# Ativan/ Lorazepam

**WHAT DOES IT TREAT?**  
Anxiety, agitation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, clumsiness, depression, confusion, thoughts of hurting yourself, drowsiness, trouble breathing



**McLaren**

Rev. 01/15


M-687-89

# Ativan/ Lorazepam

**WHAT DOES IT TREAT?**  
Anxiety, agitation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, clumsiness, depression, confusion, thoughts of hurting yourself, drowsiness, trouble breathing



**McLaren**

Rev. 01/15

M-687-89

# Ativan/ Lorazepam

**WHAT DOES IT TREAT?**  
Anxiety, agitation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, clumsiness, depression, confusion, thoughts of hurting yourself, drowsiness, trouble breathing



**McLaren**

Rev. 01/15

M-687-89

# Ativan/ Lorazepam

**WHAT DOES IT TREAT?**  
Anxiety, agitation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dizziness, clumsiness, depression, confusion, thoughts of hurting yourself, drowsiness, trouble breathing



**McLaren**

Rev. 01/15

M-687-89

# Eliquis/ Apixaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



Rev. 01/15

M-687-90

# Eliquis/ Apixaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



Rev. 01/15

M-687-90

# Eliquis/ Apixaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



Rev. 01/15

M-687-90

# Eliquis/ Apixaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



Rev. 01/15

M-687-90

# Eliquis/ Apixaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



Rev. 01/15

M-687-90

# Eliquis/ Apixaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



Rev. 01/15

M-687-90

# Eliquis/ Apixaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



Rev. 01/15

M-687-90

# Eliquis/ Apixaban

**WHAT DOES IT TREAT?**  
Prevents and treats blood clots. This medicine is a blood thinner

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



Rev. 01/15

M-687-90

# Glipizide/ Glucotrol

**WHAT DOES IT TREAT?**  
Type 2 diabetes

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, diarrhea, blurred vision, dizziness, sweating, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-91

# Glipizide/ Glucotrol

**WHAT DOES IT TREAT?**  
Type 2 diabetes

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, diarrhea, blurred vision, dizziness, sweating, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-91

# Glipizide/ Glucotrol

**WHAT DOES IT TREAT?**  
Type 2 diabetes

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, diarrhea, blurred vision, dizziness, sweating, headache, trouble breathing



**McLaren**

Rev. 01/15


M-687-91

# Glipizide/ Glucotrol

**WHAT DOES IT TREAT?**  
Type 2 diabetes

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, diarrhea, blurred vision, dizziness, sweating, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-91

# Glipizide/ Glucotrol

**WHAT DOES IT TREAT?**  
Type 2 diabetes

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, diarrhea, blurred vision, dizziness, sweating, headache, trouble breathing



**McLaren**

Rev. 01/15


M-687-91

# Glipizide/ Glucotrol

**WHAT DOES IT TREAT?**  
Type 2 diabetes

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, diarrhea, blurred vision, dizziness, sweating, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-91

# Glipizide/ Glucotrol

**WHAT DOES IT TREAT?**  
Type 2 diabetes

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, diarrhea, blurred vision, dizziness, sweating, headache, trouble breathing



**McLaren**

Rev. 01/15


M-687-91

# Glipizide/ Glucotrol

**WHAT DOES IT TREAT?**  
Type 2 diabetes

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Mild nausea, diarrhea, blurred vision, dizziness, sweating, headache, trouble breathing



**McLaren**

Rev. 01/15

M-687-91

# Colace/ Doculax

**WHAT DOES IT TREAT?**  
Constipation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Nausea, skin rash, sore throat



 McLaren

Rev. 01/15

M-687-92

# Colace/ Doculax

**WHAT DOES IT TREAT?**  
Constipation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Nausea, skin rash, sore throat



 McLaren


Rev. 01/15

M-687-92

# Colace/ Doculax

**WHAT DOES IT TREAT?**  
Constipation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Nausea, skin rash, sore throat



 McLaren


Rev. 01/15

M-687-92

# Colace/ Doculax

**WHAT DOES IT TREAT?**  
Constipation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Nausea, skin rash, sore throat



 McLaren


Rev. 01/15

M-687-92

# Colace/ Doculax

**WHAT DOES IT TREAT?**  
Constipation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Nausea, skin rash, sore throat



 McLaren

Rev. 01/15

M-687-92

# Colace/ Doculax

**WHAT DOES IT TREAT?**  
Constipation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Nausea, skin rash, sore throat



 McLaren

Rev. 01/15

M-687-92

# Colace/ Doculax

**WHAT DOES IT TREAT?**  
Constipation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Nausea, skin rash, sore throat



 McLaren


Rev. 01/15

M-687-92

# Colace/ Doculax

**WHAT DOES IT TREAT?**  
Constipation

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Nausea, skin rash, sore throat



 McLaren

Rev. 01/15

M-687-92

# Lyrica/ Pregabalin

**WHAT DOES IT TREAT?**  
Nerve and muscle pain, including fibromyalgia

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Dry mouth, constipation, confusion, suicidal thoughts, depression, blurred vision, drowsiness, trouble breathing



 McLaren

Rev. 01/15

M-687-93

# Lyrica/ Pregabalin

**WHAT DOES IT TREAT?**  
Nerve and muscle pain, including fibromyalgia

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Dry mouth, constipation, confusion, suicidal thoughts, depression, blurred vision, drowsiness, trouble breathing



 McLaren

Rev. 01/15

M-687-93

# Lyrica/ Pregabalin

**WHAT DOES IT TREAT?**  
Nerve and muscle pain, including fibromyalgia

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Dry mouth, constipation, confusion, suicidal thoughts, depression, blurred vision, drowsiness, trouble breathing



 McLaren

Rev. 01/15

M-687-93

# Lyrica/ Pregabalin

**WHAT DOES IT TREAT?**  
Nerve and muscle pain, including fibromyalgia

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Dry mouth, constipation, confusion, suicidal thoughts, depression, blurred vision, drowsiness, trouble breathing



 McLaren

Rev. 01/15

M-687-93

# Lyrica/ Pregabalin

**WHAT DOES IT TREAT?**  
Nerve and muscle pain, including fibromyalgia

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Dry mouth, constipation, confusion, suicidal thoughts, depression, blurred vision, drowsiness, trouble breathing



 McLaren

Rev. 01/15

M-687-93

# Lyrica/ Pregabalin

**WHAT DOES IT TREAT?**  
Nerve and muscle pain, including fibromyalgia

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Dry mouth, constipation, confusion, suicidal thoughts, depression, blurred vision, drowsiness, trouble breathing



 McLaren

Rev. 01/15

M-687-93

# Lyrica/ Pregabalin

**WHAT DOES IT TREAT?**  
Nerve and muscle pain, including fibromyalgia

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Dry mouth, constipation, confusion, suicidal thoughts, depression, blurred vision, drowsiness, trouble breathing



 McLaren

Rev. 01/15

M-687-93

# Lyrica/ Pregabalin

**WHAT DOES IT TREAT?**  
Nerve and muscle pain, including fibromyalgia

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Dry mouth, constipation, confusion, suicidal thoughts, depression, blurred vision, drowsiness, trouble breathing



 McLaren

Rev. 01/15

M-687-93

# Hydralazine/ Apresoline

**WHAT DOES IT TREAT?**  
High blood pressure

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, watery eyes, numbness, tingling, or burning pain in your hands, arms, legs or feet, trouble breathing



**McLaren**

Rev. 01/15

M-687-94

# Hydralazine/ Apresoline

**WHAT DOES IT TREAT?**  
High blood pressure

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, watery eyes, numbness, tingling, or burning pain in your hands, arms, legs or feet, trouble breathing



**McLaren**

Rev. 01/15

M-687-94

# Hydralazine/ Apresoline

**WHAT DOES IT TREAT?**  
High blood pressure

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, watery eyes, numbness, tingling, or burning pain in your hands, arms, legs or feet, trouble breathing



**McLaren**

Rev. 01/15

M-687-94

# Hydralazine/ Apresoline

**WHAT DOES IT TREAT?**  
High blood pressure

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, watery eyes, numbness, tingling, or burning pain in your hands, arms, legs or feet, trouble breathing



**McLaren**

Rev. 01/15

M-687-94

# Hydralazine/ Apresoline

**WHAT DOES IT TREAT?**  
High blood pressure

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, watery eyes, numbness, tingling, or burning pain in your hands, arms, legs or feet, trouble breathing



**McLaren**

Rev. 01/15

M-687-94

# Hydralazine/ Apresoline

**WHAT DOES IT TREAT?**  
High blood pressure

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, watery eyes, numbness, tingling, or burning pain in your hands, arms, legs or feet, trouble breathing



**McLaren**

Rev. 01/15

M-687-94

# Hydralazine/ Apresoline

**WHAT DOES IT TREAT?**  
High blood pressure

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, watery eyes, numbness, tingling, or burning pain in your hands, arms, legs or feet, trouble breathing



**McLaren**

Rev. 01/15

M-687-94

# Hydralazine/ Apresoline

**WHAT DOES IT TREAT?**  
High blood pressure

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Headache, watery eyes, numbness, tingling, or burning pain in your hands, arms, legs or feet, trouble breathing



**McLaren**

Rev. 01/15

M-687-94

# Flomax/ Tamsulosin

**WHAT DOES IT TREAT:**  
Benign prostatic hyperplasia (enlarged prostate)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Headache, lightheadedness, dizziness, painful, prolonged erection of your penis



Rev. 01/15

M-687-95

# Flomax/ Tamsulosin

**WHAT DOES IT TREAT:**  
Benign prostatic hyperplasia (enlarged prostate)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Headache, lightheadedness, dizziness, painful, prolonged erection of your penis



Rev. 01/15

M-687-95

# Flomax/ Tamsulosin

**WHAT DOES IT TREAT:**  
Benign prostatic hyperplasia (enlarged prostate)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Headache, lightheadedness, dizziness, painful, prolonged erection of your penis



Rev. 01/15

M-687-95

# Flomax/ Tamsulosin

**WHAT DOES IT TREAT:**  
Benign prostatic hyperplasia (enlarged prostate)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Headache, lightheadedness, dizziness, painful, prolonged erection of your penis



Rev. 01/15

M-687-95

# Flomax/ Tamsulosin

**WHAT DOES IT TREAT:**  
Benign prostatic hyperplasia (enlarged prostate)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Headache, lightheadedness, dizziness, painful, prolonged erection of your penis




Rev. 01/15

M-687-95

# Flomax/ Tamsulosin

**WHAT DOES IT TREAT:**  
Benign prostatic hyperplasia (enlarged prostate)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Headache, lightheadedness, dizziness, painful, prolonged erection of your penis



Rev. 01/15

M-687-95

# Flomax/ Tamsulosin

**WHAT DOES IT TREAT:**  
Benign prostatic hyperplasia (enlarged prostate)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Headache, lightheadedness, dizziness, painful, prolonged erection of your penis



Rev. 01/15

M-687-95

# Flomax/ Tamsulosin

**WHAT DOES IT TREAT:**  
Benign prostatic hyperplasia (enlarged prostate)

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)  
Headache, lightheadedness, dizziness, painful, prolonged erection of your penis



Rev. 01/15


M-687-95

# Wellbutrin/ Bupropion

**WHAT DOES IT TREAT?**  
Depression, aids in quitting smoking

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dry mouth, headaches, weight gain or loss, seeing halos around lights, trouble breathing



**McLaren**

Rev. 01/15


M-687-96

# Wellbutrin/ Bupropion

**WHAT DOES IT TREAT?**  
Depression, aids in quitting smoking

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dry mouth, headaches, weight gain or loss, seeing halos around lights, trouble breathing



**McLaren**

Rev. 01/15


M-687-96

# Wellbutrin/ Bupropion

**WHAT DOES IT TREAT?**  
Depression, aids in quitting smoking

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dry mouth, headaches, weight gain or loss, seeing halos around lights, trouble breathing



**McLaren**

Rev. 01/15


M-687-96

# Wellbutrin/ Bupropion

**WHAT DOES IT TREAT?**  
Depression, aids in quitting smoking

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dry mouth, headaches, weight gain or loss, seeing halos around lights, trouble breathing



**McLaren**

Rev. 01/15


M-687-96

# Wellbutrin/ Bupropion

**WHAT DOES IT TREAT?**  
Depression, aids in quitting smoking

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dry mouth, headaches, weight gain or loss, seeing halos around lights, trouble breathing



**McLaren**

Rev. 01/15


M-687-96

# Wellbutrin/ Bupropion

**WHAT DOES IT TREAT?**  
Depression, aids in quitting smoking

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dry mouth, headaches, weight gain or loss, seeing halos around lights, trouble breathing



**McLaren**

Rev. 01/15


M-687-96

# Wellbutrin/ Bupropion

**WHAT DOES IT TREAT?**  
Depression, aids in quitting smoking

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dry mouth, headaches, weight gain or loss, seeing halos around lights, trouble breathing



**McLaren**

Rev. 01/15


M-687-96

# Wellbutrin/ Bupropion

**WHAT DOES IT TREAT?**  
Depression, aids in quitting smoking

**MOST COMMON SIDE EFFECTS:**  
(Discuss with your doctor if these worsen or persist)

Dry mouth, headaches, weight gain or loss, seeing halos around lights, trouble breathing



**McLaren**

Rev. 01/15

M-687-96



# Claritin/ Loratadine

## WHAT DOES IT TREAT?

Hay fever symptoms such as a runny or stuffy nose, sneezing, and watery eyes. Claritin is an antihistamine

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Dizziness, headache, dry mouth or nose, trouble sleeping, wheezing or trouble breathing



**McLaren**

Rev. 01/15

M-687-97

# Claritin/ Loratadine

## WHAT DOES IT TREAT?

Hay fever symptoms such as a runny or stuffy nose, sneezing, and watery eyes. Claritin is an antihistamine

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Dizziness, headache, dry mouth or nose, trouble sleeping, wheezing or trouble breathing



**McLaren**

Rev. 01/15

M-687-97


# Claritin/ Loratadine

## WHAT DOES IT TREAT?

Hay fever symptoms such as a runny or stuffy nose, sneezing, and watery eyes. Claritin is an antihistamine

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Dizziness, headache, dry mouth or nose, trouble sleeping, wheezing or trouble breathing



**McLaren**

Rev. 01/15

M-687-97

# Claritin/ Loratadine

## WHAT DOES IT TREAT?

Hay fever symptoms such as a runny or stuffy nose, sneezing, and watery eyes. Claritin is an antihistamine

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Dizziness, headache, dry mouth or nose, trouble sleeping, wheezing or trouble breathing



**McLaren**

Rev. 01/15

M-687-97

# Claritin/ Loratadine

## WHAT DOES IT TREAT?

Hay fever symptoms such as a runny or stuffy nose, sneezing, and watery eyes. Claritin is an antihistamine

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Dizziness, headache, dry mouth or nose, trouble sleeping, wheezing or trouble breathing



**McLaren**

Rev. 01/15

M-687-97

# Claritin/ Loratadine

## WHAT DOES IT TREAT?

Hay fever symptoms such as a runny or stuffy nose, sneezing, and watery eyes. Claritin is an antihistamine

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Dizziness, headache, dry mouth or nose, trouble sleeping, wheezing or trouble breathing



**McLaren**

Rev. 01/15

M-687-97

# Claritin/ Loratadine

## WHAT DOES IT TREAT?

Hay fever symptoms such as a runny or stuffy nose, sneezing, and watery eyes. Claritin is an antihistamine

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Dizziness, headache, dry mouth or nose, trouble sleeping, wheezing or trouble breathing



**McLaren**

Rev. 01/15

M-687-97

# Claritin/ Loratadine

## WHAT DOES IT TREAT?

Hay fever symptoms such as a runny or stuffy nose, sneezing, and watery eyes. Claritin is an antihistamine

## MOST COMMON SIDE EFFECTS:

(Discuss with your doctor if these worsen or persist)  
Dizziness, headache, dry mouth or nose, trouble sleeping, wheezing or trouble breathing



**McLaren**

Rev. 01/15

M-687-97

# Brilinta/ ticagrelor (Anti-platelet)

## WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

## SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



 McLaren

Rev. 01/15

M-687-98

# Brilinta/ ticagrelor (Anti-platelet)

## WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

## SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



 McLaren

Rev. 01/15

M-687-98

# Brilinta/ ticagrelor (Anti-platelet)

## WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

## SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



 McLaren

Rev. 01/15

M-687-98

# Brilinta/ ticagrelor (Anti-platelet)

## WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

## SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



 McLaren

Rev. 01/15

M-687-98

# Brilinta/ ticagrelor (Anti-platelet)

## WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

## SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



 McLaren

Rev. 01/15

M-687-98

# Brilinta/ ticagrelor (Anti-platelet)

## WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

## SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



 McLaren

Rev. 01/15

M-687-98

# Brilinta/ ticagrelor (Anti-platelet)

## WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

## SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



 McLaren

Rev. 01/15

M-687-98


# Brilinta/ ticagrelor (Anti-platelet)

## WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

## SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



 McLaren

Rev. 01/15

M-687-98