

McLaren Print System Order

Order No: 73751
 Order Date: 2022-11-21
 User: Jordan Krebiehl
 Phone: 248-825-1149

Ship Location: Cardiovascular Institute - Waterford Attn: Jordan
 5210 Highland Rd., Suite 200
 Waterford, mi 48327

Brochures
 Quantity: 1
 Paragon Dept No: 73850
 Dept Name: Cardiovascular Institute - Waterford
 Company Number: 810

Order Total Price: 38.00

Item Number: MHCC-516-Cling
 Item Description: Wall Cling McLaren Checklist - Cardiovascular Laboratory Procedures Safety Checklist- TIME OUT
 Revision Date: 2/2020
 Print:
 Paper:
 Size:
 Fold:
 Finish:
 Drill:
 Poster:
 Misc Info: 20.25x30; ss; color; USE DRY ERASE PEN

Cardiovascular Laboratory Procedures Safety Checklist		
Sign-in (prior to induction) (Registered Nurse or Anesthesia Provider Led)	All non-essential activities stopped. Time-Out (prior to incision) (Proceduralist Led)	Sign-Out (prior to departure) (Registered Nurse Led)
<div style="border: 1px solid black; padding: 5px;"> Registered Nurse to team: I have confirmed the following with the patient (state patient name, site, procedure, etc.) <input type="checkbox"/> Patient name <input type="checkbox"/> Procedure to be performed <input type="checkbox"/> Consent for anesthesia and procedure Anesthesia or sedation provider with the team: <input type="checkbox"/> Safety check completed <input type="checkbox"/> ASA and Mallampati assessed <input type="checkbox"/> Review of patient medications and allergies <input type="checkbox"/> Anticipated airway or aspiration difficulty <input type="checkbox"/> Required equipment/assistance available Registered Nurse with the team: <input type="checkbox"/> Has sterility been confirmed, including indicator results? <input type="checkbox"/> Is there a need for blood products? (anticipated loss > 500 ml or 7 ml/kg in children) <input type="checkbox"/> Essential imaging available and accessible <input type="checkbox"/> Implants, medications & solutions are available <p style="text-align: center; font-weight: bold; margin-top: 10px;">SIGN-IN CHECKLIST COMPLETE</p> </div>	<div style="border: 1px solid black; padding: 5px;"> Proceduralist to team: <input type="checkbox"/> Attention! We need to do a Time-Out <input type="checkbox"/> Introduce ourselves and our roles <input type="checkbox"/> This is [full patient name] <input type="checkbox"/> We are performing (procedure/site/laterality) as stated on the consent. <input type="checkbox"/> Site marking visible, if indicated <input type="checkbox"/> Review of patient allergies, if indicated Registered Nurse to the Proceduralist: <input type="checkbox"/> Are there any critical steps? Registered Nurse to the team: <input type="checkbox"/> Confirm all medications are properly labeled and on the field, if indicated <input type="checkbox"/> Confirm sterility of instruments and supplies <input type="checkbox"/> Are there any equipment issues or concerns? <input type="checkbox"/> Fire risk assessment completed Proceduralist to the team: <input type="checkbox"/> Have all concerns been addressed? <input type="checkbox"/> Does everyone agree we are ready to go? <p style="text-align: center; font-weight: bold; margin-top: 10px;">TIME-OUT CHECKLIST COMPLETE</p> </div>	<div style="border: 1px solid black; padding: 5px;"> Proceduralist to the team: <input type="checkbox"/> We performed a [procedure]. Registered Nurse to the team: <input type="checkbox"/> I have [#] specimens and have labeled them as (patient name, specimen, etc.) <input type="checkbox"/> Are there special instructions for the pathologist? <input type="checkbox"/> We have verified that the counts are correct. <input type="checkbox"/> Are there any equipment issues to be addressed? <input type="checkbox"/> What are the key concerns for recovery and management of this patient? <input type="checkbox"/> Is there anything we could have done better? <p style="text-align: center; font-weight: bold; margin-top: 10px;">SIGN-OUT CHECKLIST COMPLETE</p> </div>
Based on the WHO Surgical Safety Checklist developed by:		

Spec Info: