


Physical Therapy
OPTIMAL INSTRUMENT
Difficulty -- Baseline

Instructions: Please circle the level of difficulty you have for each activity today.	Able to do without any difficulty	Able to do with little difficulty	Able to do with moderate difficulty	Able to do with much difficulty	Unable to do	Not Applicable
1. Lying Flat	1	2	3	4	5	9
2. Rolling over	1	2	3	4	5	9
3. Moving—lying to sitting	1	2	3	4	5	9
4. Sitting	1	2	3	4	5	9
5. Squatting	1	2	3	4	5	9
6. Bending/stooping	1	2	3	4	5	9
7. Balancing	1	2	3	4	5	9
8. Kneeling	1	2	3	4	5	9
9. Standing	1	2	3	4	5	9
10. Walking---short distance	1	2	3	4	5	9
11. Walking---long distance	1	2	3	4	5	9
12. Walking—outdoors	1	2	3	4	5	9
13. Climbing stairs	1	2	3	4	5	9
14. Hopping	1	2	3	4	5	9
15. Jumping	1	2	3	4	5	9
16. Running	1	2	3	4	5	9
17. Pushing	1	2	3	4	5	9
18. Pulling	1	2	3	4	5	9
19. Reaching	1	2	3	4	5	9
20. Grasping	1	2	3	4	5	9
21. Lifting	1	2	3	4	5	9
22. Carrying	1	2	3	4	5	9

23. Thinking about all of the activities you would like to do, please mark an "X" at the point on the line that best describes your overall level of difficulty with these activities today.



24. From the above list, choose the 3 activities you would most like to be able to do without any difficulty (for example, if you would most like to be able to climb stairs, kneel, and hop without any difficulty, you would choose: 1. 12 2. 8 3. 13)

1. _____ 2. _____ 3. _____

A. Total Score (if applicable): _____ B. Total Number Applicable Questions: _____
C. A/B = _____ average score

Comments: _____

The above self-assessment has been reviewed: _____
Therapist Name Date

Reprinted from {http://www.ptjournal.org/cgi/content/full/85/6/515/DC1} with permission from the American Physical Therapy Association. This material is copyrighted and any further reproduction or distribution is prohibited.

