

**McLaren Print System Order**

**Order No: 89843**  
**Order Date: 2024-11-11**  
**User: Deb House**  
**Phone: 989-269-1557**

**Ship Location: McLaren Thumb - Attn Deb House, Imaging**  
**1100 S VAN DYKE RD**  
**BAD AXE, MI 48413**

**Forms**

**Quantity: 100**  
**Paragon Dept No: 27290**  
**Dept Name: ULTRASOUND**  
**Company Number: 530**

**Order Total Price: 3.35**

**Item Number: 026.110-08-15**  
**Item Description: Scrotal Worksheet**  
**Revision Date: 08/2015**  
**Print: 1 sided black and white**  
**Paper: 20# White Text**  
**Size: 8.5 x 11**  
**Fold:**  
**Finish: None**  
**Drill: None**  
**Poster:**  
**Misc Info: SS; BLACK; BOND PAPER**

  
THUMB REGION  
1100 S. Van Dyke - Bad Axe - Michigan 48413  
**Scrotal Worksheet**

Name \_\_\_\_\_ Date \_\_\_\_\_ MM \_\_\_\_\_ DD \_\_\_\_\_

Reason for Exam \_\_\_\_\_

History \_\_\_\_\_

Right Testicle \_\_\_\_\_ X \_\_\_\_\_ X \_\_\_\_\_ cm Color Flow/ Doppler Yes  No

\_\_\_\_\_

\_\_\_\_\_

Right Epididymis \_\_\_\_\_ cm

\_\_\_\_\_

\_\_\_\_\_

Left Testicle \_\_\_\_\_ X \_\_\_\_\_ X \_\_\_\_\_ cm Color Flow/ Doppler Yes  No

\_\_\_\_\_

\_\_\_\_\_

Left Epididymis \_\_\_\_\_ cm

\_\_\_\_\_

\_\_\_\_\_

**Spec Info:**

