

McLaren Print System Order

Order No: 91770
 Order Date: 2025-01-21
 Order Request Date:
 User: Samantha Chene
 Phone: 8103422401

Ship Location: McLaren Flint-Emergency Department Attn: Sean Mathews
 401 S Ballenger Hwy
 Flint , MI 48532

Brochures
 Quantity: 200
 Paragon Dept No: 21620
 Dept Name: Emergency Department
 Company Number:

Order Total Price: 300.00

Item Number: 17779
 Item Description: TRAUMA FLOW SHEET
 Revision Date: 02/2023
 Print:
 Paper:
 Size:
 Fold:
 Finish:
 Drill:
 Poster:
 Misc Info: ds; color; 17x11; bifold; perf; 5 hole

The image displays two forms from McLaren: the Trauma Activation Criteria and the E2 Trauma Flow Sheet.

Trauma Activation Criteria

Level I
 Trauma Response requires within 30 minutes from patient arrival

- 1. Airway/Breathing
 - GCS 8 or less
 - Intubated patients transferred from the scene
 - Unstable/pressure injury
 - Severe mechanical injury with airway compromise
- 2. Circulation
 - SBP < 90mmHg
 - Trauma related transfer requiring blood to maintain vital signs
- 3. CNS
 - GCS < 8 with a traumatic mechanism of injury
 - Neurological deficits with suspected spinal cord injury
- 4. Chest/Absdomen/Pelvis
 - Flail chest/traumatic chest wounds
 - Major pelvic injury with unstable vital signs
- 5. Extremities
 - Amputation proximal to the antechamber
 - Two or more long bone fractures
 - Fractures externally with a traumatic mechanism of injury
- 6. Mechanism of Injury
 - ICDM in the head, neck, chest, abdomen
 - Burns > 25% or full thickness with any other injury
 - Any spontaneously unstable patient with a penetrating injury (stab above SBP 90, GCS 8)
 - At the discretion of the E2 physician

Level II
 Trauma Response requires within 60 minutes from trauma activation

- 1. GCS
 - GCS 9-12 with a traumatic mechanism of injury
- 2. Substernal
 - Crush, impaled, or mangled extremity with a significant mechanism of injury
 - Open hemothorax/trauma without evidence of hemodynamic compromise
- 3. Mechanism of Injury
 - Fall > 20 feet (adults) and > 10 feet in height for children < 10 years of age
 - High risk motor vehicle crash with:
 - Ejection of vehicle > 10' in occupant compartment or 10' in any other site
 - Ejection (partial or complete) from an automobile
 - Death in same passenger compartment
 - Auto or pedestrian/cyclist struck, not dead, or with significant (SBP 90) injury
 - Motorcycle, ATV, e-scooter or motorcraft crash with injury
 - High voltage electrical injury
- 4. At the discretion of the E2 Physician

Level III
 Trauma Consult

- 1. Any patient that does not meet activation criteria and has sustained a traumatic injury requiring admission to the hospital requires a trauma consult, with the exception of some head injury and fall with isolated orthopedic injuries.
- 2. Incoming transfer patients with trauma related injuries that do not meet activation criteria require a trauma consult.

E2 Trauma Flow Sheet

This form includes a patient information section, a table for recording vital signs and other data, and a section for medical history and physical examination. It also features anatomical diagrams for marking injuries on the patient's body.

Spec Info: Original Poster Size