

BEDSIDE GLUCOSE DETERMINATION (BED GLUC)	NORMAL 65 - 110 MG/DL	RESULT
BEDSIDE ACTIVATED CLOTTING TIME (BED CLOT)	NORMAL 113 - 149 SEC.	RESULT
PREGNANCY TEST - URINE (ER PREG)		RESULT

MISCELLANEOUS EXAMINATION	TO BE DONE: DATE	TIME	<input type="checkbox"/> ARTERIAL LINE COLLECTION
---------------------------	------------------	------	---

REPORT: **(LABORATORY USE ONLY)**

TIME OF COLLECTION:	DRAWN BY:
TECH	DATE REPORTED

STAT
 LIFE THREATENING
 URGENT FOR TREATMENT
MISCELLANEOUS LABORATORY
IV RUNNING

McLaren Flint
FLINT, MICHIGAN

MEDICAL RECORD

BEDSIDE GLUCOSE DETERMINATION (BED GLUC)	NORMAL 65 - 110 MG/DL	RESULT
BEDSIDE ACTIVATED CLOTTING TIME (BED CLOT)	NORMAL 113 - 149 SEC.	RESULT
PREGNANCY TEST - URINE (ER PREG)		RESULT

MISCELLANEOUS EXAMINATION	TO BE DONE: DATE	TIME	<input type="checkbox"/> ARTERIAL LINE COLLECTION
---------------------------	------------------	------	---

REPORT: **(LABORATORY USE ONLY)**

TIME OF COLLECTION:	DRAWN BY:
TECH	DATE REPORTED

STAT
 LIFE THREATENING
 URGENT FOR TREATMENT
MISCELLANEOUS LABORATORY
IV RUNNING

McLaren Flint
FLINT, MICHIGAN

SPECIMEN COLLECTED

BEDSIDE GLUCOSE DETERMINATION (BED GLUC)	NORMAL 65 - 110 MG/DL	RESULT
BEDSIDE ACTIVATED CLOTTING TIME (BED CLOT)	NORMAL 113 - 149 SEC.	RESULT
PREGNANCY TEST - URINE (ER PREG)		RESULT

MISCELLANEOUS EXAMINATION	TO BE DONE: DATE	TIME	<input type="checkbox"/> ARTERIAL LINE COLLECTION
---------------------------	------------------	------	---

REPORT: **(LABORATORY USE ONLY)**

TIME OF COLLECTION:	DRAWN BY:
TECH	DATE REPORTED

<input type="checkbox"/> STAT	<input type="checkbox"/> LIFE THREATENING	MISCELLANEOUS LABORATORY	<input type="checkbox"/> URGENT FOR TREATMENT	IV RUNNING <input type="checkbox"/>
-------------------------------	---	---------------------------------	---	--

McLaren Flint
FLINT, MICHIGAN

LAB FILE

BEDSIDE GLUCOSE DETERMINATION (BED GLUC)	NORMAL 65 - 110 MG/DL	RESULT
BEDSIDE ACTIVATED CLOTTING TIME (BED CLOT)	NORMAL 113 - 149 SEC.	RESULT
PREGNANCY TEST - URINE (ER PREG)		RESULT

MISCELLANEOUS EXAMINATION	TO BE DONE: DATE	TIME	<input type="checkbox"/> ARTERIAL LINE COLLECTION
---------------------------	------------------	------	---

REPORT: **(LABORATORY USE ONLY)**

TIME OF COLLECTION:	DRAWN BY:
TECH	DATE REPORTED

STAT
 LIFE THREATENING
 URGENT FOR TREATMENT
MISCELLANEOUS LABORATORY
IV RUNNING

McLaren Flint
FLINT, MICHIGAN
DOCTOR

BEDSIDE GLUCOSE DETERMINATION (BED GLUC)	NORMAL 65 - 110 MG/DL	RESULT
BEDSIDE ACTIVATED CLOTTING TIME (BED CLOT)	NORMAL 113 - 149 SEC.	
PREGNANCY TEST - URINE (ER PREG)		

MISCELLANEOUS EXAMINATION	TO BE DONE: DATE	TIME	<input type="checkbox"/> ARTERIAL LINE COLLECTION
---------------------------	------------------	------	---



<input type="checkbox"/> STAT	<input type="checkbox"/> LIFE THREATENING	MISCELLANEOUS LABORATORY	IV RUNNING <input type="checkbox"/>	TECH	TIME OF COLLECTION:	DRAWN BY:
<input type="checkbox"/> URGENT FOR TREATMENT						DATE REPORTED

McLaren Flint
FLINT, MICHIGAN
CHARGE