

BLOOD GAS

MG 1775
REV. 5-90

DEPT. 94

PRINTOUT NUMBER-

✓	CODE	PROCEDURE	NORMALS	BLOOD GAS
	030	PH ONLY	pH 7.35-7.45	
	027	INPATIENT ABG		
	031	OUTPATIENT ABG	PCO ₂ 35-45	
	059	COOXIMETRY		
	060	CARBOXYHEMOGLOBIN	PO ₂ 80-100	
	063	POTASSIUM		

COOXIMETRY			HCO ₃ 22-26	
THb	12-18		TCO ₂ 20-32	
% O ₂ Hb	93-98		B.E. 0±3	
% CO Hb	0-1.5		SAT 93-98%	
% Met Hb	0-1.5		SBC	
Vol % O ₂	15-23		K ⁺ 3.5-5.0	

ORDER DATE:	ORDER TIME:	
PRIORITY:	<input type="checkbox"/> ROUTINE <input type="checkbox"/> STAT	<input type="checkbox"/> LIFE THREATENING <input type="checkbox"/> URGENT FOR TREATMENT
REMARKS:		
PATIENT TEMP (C°)-		
ALLEN'S TEST	TIME OBTAINED:	TIME COMPLETED:

BLOOD GAS, ACID-BASE AND COOXIMETRY VALUES	ORDER VERIFIED	SAMPLE SITE:	ALLEN'S TEST	TIME OBTAINED:	TIME COMPLETED:
	TECH:				

MCLAREN FLINT
BLOOD GAS, ACID-BASE AND COOXIMETRY VALUES

White: Medical Records Canary: File Pink: Doctor G'rod: Charge

BLOOD GAS

MG 1775
REV. 5-90

DEPT. 94

PRINTOUT NUMBER-

✓	CODE	PROCEDURE	NORMALS	BLOOD GAS
	030	PH ONLY	pH 7.35-7.45	
	027	INPATIENT ABG		
	031	OUTPATIENT ABG	PCO ₂ 35-45	
	059	COOXIMETRY		
	060	CARBOXYHEMOGLOBIN	PO ₂ 80-100	
	063	POTASSIUM		

COOXIMETRY			HCO ₃ 22-26	
THb	12-18		TCO ₂ 20-32	
% O ₂ Hb	93-98		B.E. 0±3	
% CO Hb	0-1.5		SAT 93-98%	
% Met Hb	0-1.5		SBC	
Vol % O ₂	15-23		K ⁺ 3.5-5.0	

ORDER DATE:	ORDER TIME:	
PRIORITY:	<input type="checkbox"/> ROUTINE <input type="checkbox"/> STAT	<input type="checkbox"/> LIFE THREATENING <input type="checkbox"/> URGENT FOR TREATMENT
REMARKS:		
PATIENT TEMP (C°)-		
ALLEN'S TEST	TIME OBTAINED:	TIME COMPLETED:

BLOOD GAS, ACID-BASE AND COOXIMETRY VALUES	ORDER VERIFIED	SAMPLE SITE:	ALLEN'S TEST	TIME OBTAINED:	TIME COMPLETED:
	TECH:				

MCLAREN FLINT
BLOOD GAS, ACID-BASE AND COOXIMETRY VALUES

White: Medical Records Canary: File Pink: Doctor G'rod: Charge

BLOOD GAS

MG 1775
REV. 5-90

DEPT. 94

PRINTOUT NUMBER-

✓	CODE	PROCEDURE	NORMALS	BLOOD GAS
	030	PH ONLY	pH 7.35-7.45	
	027	INPATIENT ABG		
	031	OUTPATIENT ABG	PCO ₂ 35-45	
	059	COOXIMETRY		
	060	CARBOXYHEMOGLOBIN	PO ₂ 80-100	
	063	POTASSIUM		

COOXIMETRY			HCO ₃ 22-26	
THb	12-18		TCO ₂ 20-32	
% O ₂ Hb	93-98		B.E. 0±3	
% CO Hb	0-1.5		SAT 93-98%	
% Met Hb	0-1.5		SBC	
Vol % O ₂	15-23		K ⁺ 3.5-5.0	

ORDER DATE:	ORDER TIME:	
PRIORITY:	<input type="checkbox"/> ROUTINE <input type="checkbox"/> STAT	<input type="checkbox"/> LIFE THREATENING <input type="checkbox"/> URGENT FOR TREATMENT
REMARKS:		
PATIENT TEMP (C°)-		
ALLEN'S TEST	TIME OBTAINED:	TIME COMPLETED:

BLOOD GAS, ACID-BASE AND COOXIMETRY VALUES	ORDER VERIFIED	SAMPLE SITE:	ALLEN'S TEST	TIME OBTAINED:	TIME COMPLETED:
	TECH:				

MCLAREN FLINT
BLOOD GAS, ACID-BASE AND COOXIMETRY VALUES

White: Medical Records Canary: File Pink: Doctor G'rod: Charge