


Cardizem, Tiazac/ Diltiazem

WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



 McLaren

Rev. 01/15

M-687-15


Cardizem, Tiazac/ Diltiazem

WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



 McLaren

Rev. 01/15

M-687-15

Cardizem, Tiazac/ Diltiazem

WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



 McLaren

Rev. 01/15

M-687-15

Cardizem, Tiazac/ Diltiazem

WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



 McLaren

Rev. 01/15

M-687-15

Cardizem, Tiazac/ Diltiazem

WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



 McLaren

Rev. 01/15

M-687-15

Cardizem, Tiazac/ Diltiazem

WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



 McLaren

Rev. 01/15

M-687-15

Cardizem, Tiazac/ Diltiazem

WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness



 McLaren

Rev. 01/15

M-687-15

Cardizem, Tiazac/ Diltiazem

WHAT DOES IT TREAT?

Helps to slow abnormally rapid heartbeats, widens blood vessels, may decrease the heart's pumping strength, high blood pressure, chest pain

MOST COMMON SIDE EFFECTS:

Constipation, nausea, headache, rash, leg swelling with fluid, low blood pressure, drowsiness, dizziness




 McLaren

Rev. 01/15

M-687-15

**Bufferin, Easprin,
Ecotrin, Halfprin,
Ascriptin/
Acetylsalicylic
(Aspirin)**



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

MOST COMMON SIDE EFFECTS:


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,
Ecotrin, Halfprin,
Ascriptin/
Acetylsalicylic
(Aspirin)**



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

MOST COMMON SIDE EFFECTS:


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,
Ecotrin, Halfprin,
Ascriptin/
Acetylsalicylic
(Aspirin)**



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

MOST COMMON SIDE EFFECTS:


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,
Ecotrin, Halfprin,
Ascriptin/
Acetylsalicylic
(Aspirin)**



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

MOST COMMON SIDE EFFECTS:

Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,
Ecotrin, Halfprin,
Ascriptin/
Acetylsalicylic
(Aspirin)**



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

MOST COMMON SIDE EFFECTS:

Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,
Ecotrin, Halfprin,
Ascriptin/
Acetylsalicylic
(Aspirin)**



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

MOST COMMON SIDE EFFECTS:


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,
Ecotrin, Halfprin,
Ascriptin/
Acetylsalicylic
(Aspirin)**



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

MOST COMMON SIDE EFFECTS:


Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

**Bufferin, Easprin,
Ecotrin, Halfprin,
Ascriptin/
Acetylsalicylic
(Aspirin)**



WHAT DOES IT TREAT?

Reduces the risk of blood clots after getting a stent or open-heart surgery (CABG). For patients who have had a heart attack, daily aspirin reduces the risk of a second heart attack by one-third

MOST COMMON SIDE EFFECTS:

Serious bleeding, especially gastrointestinal (stomach) bleeding, ulcers, stomach upset, bruising, ringing in the ears



Rev. 01/15

M-687-20

Aldactone/ Spironolactone

WHAT DOES IT TREAT?
Reduces the amount of water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:
Muscle weakness, changes in the heartbeat, extreme tiredness



McLaren

Rev. 01/15

M-687-26

Aldactone/ Spironolactone

WHAT DOES IT TREAT?
Reduces the amount of water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:
Muscle weakness, changes in the heartbeat, extreme tiredness



McLaren

Rev. 01/15

M-687-26

Aldactone/ Spironolactone

WHAT DOES IT TREAT?
Reduces the amount of water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:
Muscle weakness, changes in the heartbeat, extreme tiredness



McLaren

Rev. 01/15

M-687-26

Aldactone/ Spironolactone

WHAT DOES IT TREAT?
Reduces the amount of water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:
Muscle weakness, changes in the heartbeat, extreme tiredness



McLaren

Rev. 01/15

M-687-26

Aldactone/ Spironolactone

WHAT DOES IT TREAT?
Reduces the amount of water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:
Muscle weakness, changes in the heartbeat, extreme tiredness



McLaren

Rev. 01/15

M-687-26

Aldactone/ Spironolactone

WHAT DOES IT TREAT?
Reduces the amount of water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:
Muscle weakness, changes in the heartbeat, extreme tiredness



McLaren

Rev. 01/15

M-687-26

Aldactone/ Spironolactone

WHAT DOES IT TREAT?
Reduces the amount of water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:
Muscle weakness, changes in the heartbeat, extreme tiredness



McLaren


Rev. 01/15

M-687-26

Aldactone/ Spironolactone

WHAT DOES IT TREAT?
Reduces the amount of water in the body by increasing urine production

MOST COMMON SIDE EFFECTS:
Muscle weakness, changes in the heartbeat, extreme tiredness



McLaren

Rev. 01/15

M-687-26

K-Dur/ Potassium Chloride

WHAT DOES IT TREAT?

Low Potassium Levels

**Take with food.

MOST COMMON SIDE EFFECTS:

Weakness in arms and legs, Nausea,
Diarrhea



 McLaren

Rev. 01/15

M-687-60

K-Dur/ Potassium Chloride

WHAT DOES IT TREAT?

Low Potassium Levels

**Take with food.

MOST COMMON SIDE EFFECTS:

Weakness in arms and legs, Nausea,
Diarrhea



 McLaren

Rev. 01/15

M-687-60

K-Dur/ Potassium Chloride

WHAT DOES IT TREAT?

Low Potassium Levels

**Take with food.

MOST COMMON SIDE EFFECTS:

Weakness in arms and legs, Nausea,
Diarrhea



 McLaren

Rev. 01/15

M-687-60

K-Dur/ Potassium Chloride

WHAT DOES IT TREAT?

Low Potassium Levels

**Take with food.

MOST COMMON SIDE EFFECTS:

Weakness in arms and legs, Nausea,
Diarrhea



 McLaren

Rev. 01/15

M-687-60

K-Dur/ Potassium Chloride

WHAT DOES IT TREAT?

Low Potassium Levels

**Take with food.

MOST COMMON SIDE EFFECTS:

Weakness in arms and legs, Nausea,
Diarrhea



 McLaren

Rev. 01/15

M-687-60

K-Dur/ Potassium Chloride

WHAT DOES IT TREAT?

Low Potassium Levels

**Take with food.

MOST COMMON SIDE EFFECTS:

Weakness in arms and legs, Nausea,
Diarrhea



 McLaren

Rev. 01/15

M-687-60

K-Dur/ Potassium Chloride

WHAT DOES IT TREAT?

Low Potassium Levels

**Take with food.

MOST COMMON SIDE EFFECTS:

Weakness in arms and legs, Nausea,
Diarrhea



 McLaren

Rev. 01/15

M-687-60

K-Dur/ Potassium Chloride

WHAT DOES IT TREAT?

Low Potassium Levels

**Take with food.

MOST COMMON SIDE EFFECTS:

Weakness in arms and legs, Nausea,
Diarrhea



 McLaren

Rev. 01/15

M-687-60

Imdur/ Isosorbide

WHAT DOES IT TREAT?
Helps to prevent chest pain.

MOST COMMON SIDE EFFECTS:
Headache, Palpitations, Dizziness, Low blood pressure.

DO NOT TAKE VIAGRA
(Cialis or Levitra) WHILE
ON THIS MEDICATION.



McLaren

Rev. 01/15

M-687-61

Imdur/ Isosorbide

WHAT DOES IT TREAT?
Helps to prevent chest pain.

MOST COMMON SIDE EFFECTS:
Headache, Palpitations, Dizziness, Low blood pressure.

DO NOT TAKE VIAGRA
(Cialis or Levitra) WHILE
ON THIS MEDICATION.



McLaren

Rev. 01/15

M-687-61

Imdur/ Isosorbide

WHAT DOES IT TREAT?
Helps to prevent chest pain.

MOST COMMON SIDE EFFECTS:
Headache, Palpitations, Dizziness, Low blood pressure.

DO NOT TAKE VIAGRA
(Cialis or Levitra) WHILE
ON THIS MEDICATION.



McLaren

Rev. 01/15


M-687-61

Imdur/ Isosorbide

WHAT DOES IT TREAT?
Helps to prevent chest pain.

MOST COMMON SIDE EFFECTS:
Headache, Palpitations, Dizziness, Low blood pressure.

DO NOT TAKE VIAGRA
(Cialis or Levitra) WHILE
ON THIS MEDICATION.



McLaren

Rev. 01/15

M-687-61

Imdur/ Isosorbide

WHAT DOES IT TREAT?
Helps to prevent chest pain.

MOST COMMON SIDE EFFECTS:
Headache, Palpitations, Dizziness, Low blood pressure.

DO NOT TAKE VIAGRA
(Cialis or Levitra) WHILE
ON THIS MEDICATION.



McLaren

Rev. 01/15


M-687-61

Imdur/ Isosorbide

WHAT DOES IT TREAT?
Helps to prevent chest pain.

MOST COMMON SIDE EFFECTS:
Headache, Palpitations, Dizziness, Low blood pressure.

DO NOT TAKE VIAGRA
(Cialis or Levitra) WHILE
ON THIS MEDICATION.



McLaren

Rev. 01/15

M-687-61

Imdur/ Isosorbide

WHAT DOES IT TREAT?
Helps to prevent chest pain.

MOST COMMON SIDE EFFECTS:
Headache, Palpitations, Dizziness, Low blood pressure.

DO NOT TAKE VIAGRA
(Cialis or Levitra) WHILE
ON THIS MEDICATION.



McLaren

Rev. 01/15


M-687-61

Imdur/ Isosorbide

WHAT DOES IT TREAT?
Helps to prevent chest pain.

MOST COMMON SIDE EFFECTS:
Headache, Palpitations, Dizziness, Low blood pressure.

DO NOT TAKE VIAGRA
(Cialis or Levitra) WHILE
ON THIS MEDICATION.



McLaren

Rev. 01/15

M-687-61

Eliquis/ Apixaban

WHAT DOES IT TREAT?
Prevents and treats blood clots. This medicine is a blood thinner

MOST COMMON SIDE EFFECTS:
(Discuss with your doctor if these worsen or persist)
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



McLaren


Rev. 01/15

M-687-90

Eliquis/ Apixaban

WHAT DOES IT TREAT?
Prevents and treats blood clots. This medicine is a blood thinner

MOST COMMON SIDE EFFECTS:
(Discuss with your doctor if these worsen or persist)
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



McLaren

Rev. 01/15

M-687-90

Eliquis/ Apixaban

WHAT DOES IT TREAT?
Prevents and treats blood clots. This medicine is a blood thinner

MOST COMMON SIDE EFFECTS:
(Discuss with your doctor if these worsen or persist)
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



McLaren

Rev. 01/15

M-687-90

Eliquis/ Apixaban

WHAT DOES IT TREAT?
Prevents and treats blood clots. This medicine is a blood thinner

MOST COMMON SIDE EFFECTS:
(Discuss with your doctor if these worsen or persist)
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



McLaren

Rev. 01/15

M-687-90

Eliquis/ Apixaban

WHAT DOES IT TREAT?
Prevents and treats blood clots. This medicine is a blood thinner

MOST COMMON SIDE EFFECTS:
(Discuss with your doctor if these worsen or persist)
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



McLaren


Rev. 01/15

M-687-90

Eliquis/ Apixaban

WHAT DOES IT TREAT?
Prevents and treats blood clots. This medicine is a blood thinner

MOST COMMON SIDE EFFECTS:
(Discuss with your doctor if these worsen or persist)
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



McLaren

Rev. 01/15

M-687-90

Eliquis/ Apixaban

WHAT DOES IT TREAT?
Prevents and treats blood clots. This medicine is a blood thinner

MOST COMMON SIDE EFFECTS:
(Discuss with your doctor if these worsen or persist)
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



McLaren

Rev. 01/15

M-687-90

Eliquis/ Apixaban

WHAT DOES IT TREAT?
Prevents and treats blood clots. This medicine is a blood thinner

MOST COMMON SIDE EFFECTS:
(Discuss with your doctor if these worsen or persist)
Unusual bleeding, bruising, coughing up blood, muscle weakness, trouble breathing



McLaren

Rev. 01/15

M-687-90

Brilinta/ ticagrelor (Anti-platelet)

WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



McLaren

Rev. 01/15

M-687-98

Brilinta/ ticagrelor (Anti-platelet)

WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



McLaren

Rev. 01/15

M-687-98

Brilinta/ ticagrelor (Anti-platelet)

WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



McLaren

Rev. 01/15

M-687-98

Brilinta/ ticagrelor (Anti-platelet)

WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



McLaren

Rev. 01/15

M-687-98

Brilinta/ ticagrelor (Anti-platelet)

WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



McLaren

Rev. 01/15

M-687-98

Brilinta/ ticagrelor (Anti-platelet)

WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



McLaren

Rev. 01/15

M-687-98

Brilinta/ ticagrelor (Anti-platelet)

WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



McLaren

Rev. 01/15

M-687-98

Brilinta/ ticagrelor (Anti-platelet)

WHAT IS IT USED FOR?

This medication is used along with aspirin to prevent platelet collection that may cause heart attack or stroke.

SIDE EFFECTS:

Headache, back pain, cough, dizziness, nausea or vomiting



McLaren

Rev. 01/15

M-687-98